


JACK BINNS' **RADIO** DEPARTMENT

Popular Science


FOUNDED **MONTHLY** 1872



Will "Whirling Leaf" Aircraft Revolutionize Flying? (See page 24)
Inventor of Crystal Detector Tells His Radio Secrets
SEPTEMBER Solving the Motorist's Greatest Problem 25 CENTS

REMLER

APPARATUS THAT RADIATES QUALITY



3 inch
Bakelite
DIAL

with knob
and bushing

Type No. 100

75c

In ordering
please specify
 $\frac{3}{16}$ " or $\frac{1}{4}$ " shaft.

The dial and
knob are both of
molded bakelite
will not warp or
discolor.

Buy REMLER Quality

Here is a Remler Dial molded from genuine bakelite that will meet your most exacting requirements for accuracy and good looks.

This Remler 3-inch bevel-edged dial will not warp or discolor—it has a highly polished surface—the engraving is filled with white enamel which will not wear off—the 100 division scale is arranged for clockwise rotation.

The knob made from molded bakelite is $1\frac{3}{8}$ inches in diameter—the bushing is drilled for $\frac{3}{16}$ or $\frac{1}{4}$ inch shaft, the set screw passing through both knob and bushing. The remarkable quality built in this Remler item—the extreme care used in manufacturing insures a dial that is absolutely true running at all times.

REMLER RADIO MFG. COMPANY

248 FIRST STREET
San Francisco, Cal.

E. T. CUNNINGHAM
General Manager

154 W. LAKE STREET
Chicago, Ill.

It's a Shame for *You* Not to Make Big Money -When Others Do It So Easily



He Does It

"Last week my earnings amounted to \$554.37; this week will go over \$400."—F. Wynn, Portland, Ore.



So Does He

"I have never earned more than \$60 a month. Last week I cleared \$306 and this week \$218."—George W. Kearns, Oklahoma City, Okla.



—And He

"The very first month I earned \$1,000. I was formerly a farmhand."—Charles Berry, Winterset, Ia.



—And He

"After spending ten years in the railway mail service at salaries ranging from \$900 to \$1,600 year I decided it was necessary for me to make a change. . . . My earnings during the past thirty days were more than \$1,000."—W. Hartle, Chicago, Ills.

WHEN a farmhand steps from \$50 to \$1,000 a month—when a fireman jumps from \$60 a month to a job paying him \$500 for two weeks' work—when a former railway mail clerk, at a yearly salary of \$1,600, changes his job and earns \$1,000 in thirty days—and when hundreds of others quickly jump from small pay to magnificent earnings in the same way—then it's a shame for you not to do equally as well.

There is nothing exceptional about these men. They'd tell you that themselves. Many had been clerks, bookkeepers, mechanics. Some had been policemen, farmhands, firemen. And then in one swift stroke they found themselves making more money than they had ever dreamed

possible. The grind of routine work—the constant struggle to obtain even a small increase—all this was left behind. To-day they know the thrill of making big money; they are no longer ruled by an office clock. There is genuine enjoyment in every hour of the day, for their work is filled with real fascination. They have found not only the most interesting, but the best paying, branch of all business.

A field that they had never dreamed of as theirs they found to be easy and uncrowded. Earnings that they had always *hoped* to reach and that their old jobs could *never* have paid, were right there in this new field waiting for them. Hundreds of others have found success the same way. You can too—let us tell you how.

How You Can Do It Too

What these men have done, hundreds of others have done, hundreds are doing to-day, hundreds will do to-morrow. And *you* can be one of them! For now the same opportunity that put these men into the big-money class is open to you!

In the first place, they discovered a vital fact about business. They discovered that the big money is in the Selling end of business. In the second place, they discovered a new and amazingly easy way that will make *any* man of average intelligence a Salesman, no matter what job he held before.

Salesmen are the very life-blood of any concern—upon them depends the amount of profits made. The men who can put a product on the market and boost its sales are absolutely indispensable. No wonder that man for man Salesmen receive the highest pay. For the men who are Masters of Salesmanship—there is practically no limit to their earnings—except the limit they set themselves. And that is how these men and hundreds of others like them found the

way to their present handsome incomes. They are all Master Salesmen now!

Yet previously they had no idea of becoming Salesmen. If you had told them success awaited them in the field of Selling, they would have laughed at you. They would have told you that it was absurd to think of it—for they had never sold a dime's worth of goods in their lives. Then they learned of a great organization of top-notch Salesmen and Sales Managers formed for the great opportunities in the field of Salesmanship and to help them to positions in the lines that most appeal to them. Step by step—in their spare time at home—this great organization, the National Salesmen's Training Association, took them through every phase of selling. Every underlying principle of salesmanship was made as simple as A-B-C. Then as soon as they were qualified and ready, the Free Employment Service of this Association helped them secure good Selling positions. Almost before they realized it they were in the big-money class.

SEND FOR REMARKABLE FREE BOOK AT ONCE

The same opportunity that has brought hundreds of others their good fortune is open to you. Whether or not you have ever thought of becoming a Salesman, you should examine the facts about the tremendous possibilities for big earnings in this fascinating field. Mail the coupon. This will place you under no obligation. It simply means that you will receive, *entirely free*, a remarkable illustrated book, "Modern Salesmanship," and the personal stories of men in every part of the country who to-day are enjoying splendid success and earning five, ten and fifteen times as much money as ever before. It's a shame for *you* not to make big money when others do it so easily! Make a start now. Mail the coupon at once to the National Salesmen's Training Association, Dept. 15-M, Chicago, Ills.

National Salesmen's Training Association,
Dept. 15-M, Chicago, Ills.

I simply want to see the facts. Send me FREE your book, "Modern Salesmanship," and proof that I can become a Master Salesman. Also list showing lines of business with openings for Salesmen.

Name.....

Address.....

City..... State.....

Age..... Occupation.....

POPULAR SCIENCE MONTHLY

SEPTEMBER, 1922; Vol. 101, No. 3
25 cents a Copy; \$3.00 a Year

Published in New York City at
225 West Thirty-ninth Street

Even the Blind Praise It

A GROUP of 60 blind men in Cincinnati are periodically entertained by a leader who reads to them aloud from current publications. After a recent reading of POPULAR SCIENCE MONTHLY, the verdict of the sightless listeners was, "Give us more of that magazine!" Questioned on their enthusiasm, the men declared that from the articles in POPULAR SCIENCE MONTHLY they could better visualize what was going on in the world than from any other book.

It is dramatic that POPULAR SCIENCE MONTHLY, founded 50 years ago by a blind scientist—E. L. Youmans—should today be pre-eminently a boon to men suffering from his affliction.

The Text, Too!

OUR extraordinary pictorial quality—the fact that we publish a greater variety of informative pictures of mechanical and scientific progress than any other general magazine in the world—is often taken as our most distinctive feature. But fundamentally the magazine's character lies in the fascination of the subjects covered. Hearty enjoyment of POPULAR SCIENCE MONTHLY by the blind who cannot appreciate its photographs is unique testimony as to the striking appeal of the printed articles themselves. How carefully do you read them?

Next Month

THE Einstein theory has kept two continents talking for many months, even though its sponsor says there are only a few men on earth who really understand it. Whether or not you are one who can grasp the theory, you can easily understand the remarkably dramatic experiments that are being made by American and British scientists, this fall, to test its accuracy. They will be described in a fascinating article in our next issue, which will contain other scientific news features.

What Some Readers Say

BERT FAULKNER, General Manager of the Woods Brothers Construction Company, writes us:

We wish to compliment you on the story in your July issue concerning our Missouri River bank protection work.

Both in illustrations and text, the story is the most complete that has been edited. Various phases of our work have appeared in practically every technical and scientific magazine in the United States; but to our knowledge there has never been one so well written, or with illustrations presenting the story so well as the article in your magazine."

Harry White, of the White Sales Company, Washington, D. C., writes,

As I buy each copy of POPULAR SCIENCE MONTHLY I find that it more than pays for itself with the information in the Home Workshop section alone. Ever since I bought the first copy I have been keeping a scrapbook, which has now reached nearly 600 pages. I would not part with this book for a dollar a page.

Help Wanted!

MANY letters, of which the above two are typical, encourage us to believe that POPULAR SCIENCE MONTHLY is fulfilling more satisfactorily each month its task of bringing you the most complete news of the great world of science and mechanics. But constructive criticism helps more than praise. We want every reader's cooperation in editing this magazine. Send along your suggestions for improvement.

Time Savers

MEANWHILE, Mr. White's letter again brings up the question of whether you, also, are saving for future reference articles from the Home Workshop. They contain invaluable time-, labor-, and money-saving ideas for home, shop, and garage—ideas that should be kept on file for use when you need them most.

Power Tubes

THE most revolutionary effect of vacuum tube development will be outside of radio altogether. The invention of marvelous new super-tubes for transforming high voltage currents will be described by Jack Binns in our next issue.

CONTENTS

	Page
<u>The Hottest Place on Earth</u>	19
<u>A "Whirling Leaf" Flying Machine</u>	24
<u>Phonograph with Marvelous Tone</u>	26
<u>In Justice to the Crystal Detector</u>	30
<u>Are There Other Universes than Ours?</u>	37
<u>Cableway Builds Slab Houses</u>	41
<u>How Auto Graveyards Are Filled</u>	43
<u>San Diego's Popular Museum</u>	44
<u>Wonder Microscope Battles Germs</u>	47
<u>Ambushing the Saw-Whet Owl</u>	52
<u>"Tone" Measures Auto Cylinders</u>	54
<u>Mountains of Shale to Give Up Oil</u>	56
<u>Refuse Turned into Power</u>	61
<u>Motion of Machinery Analyzed</u>	62
<u>Why Automobile Engines Wear Out</u>	65
<u>The Breeding Place of Static</u>	67
<u>On the Crest of the Radio Wave</u>	70

By Jack Binns

And 197 Important News Articles

THE HOME WORKSHOP
Half a Hundred New Ideas for Tool Users, pages 73-112


\$75 in Prizes—See pages 28 and 82

Copyright, 1922, by the Modern Publishing Co.
POPULAR SCIENCE MONTHLY

225 West Thirty-ninth St., New York City
Issued monthly. Single copy, 25 cents. Yearly subscription for any part of the world, \$3.00.

Advertising rates on application. Entered as second-class matter Dec. 28, 1918, at the Post Office at New York under the act of March 3, 1879. Entered as second-class matter at the Post Office Department, Canada. Printed in U. S. A.

The contents of this magazine are copyrighted and must not be reprinted without permission. H. J. Fisher, President; R. C. Wilson, Vice-President; O. B. Capen, Secretary and Treasurer.



**"Don't tell me
you never had a chance"**

“FOUR years ago you and I worked at the same bench. We were *both* discontented. Remember the noon we saw the International Correspondence Schools’ advertisement? That woke me up. I realized that to get ahead I needed special training, and I decided to let the I. C. S. help me. When I marked the coupon I asked you to sign with me. You said, ‘Aw, forget it!’

"I made the most of my opportunity and have been climbing ever since. You had the same chance I had, but you turned it down. No, Jim, you can't expect more money until you've trained yourself to handle bigger work."

THERE are lots of "Jims" in the world—in stores, factories, offices, everywhere. Are *you* one of them? Wake up! Every time you see an I. C. S. coupon your chance is staring you in the face. Don't turn it down.

It takes but a moment to mark the career of your choice, sign your name, clip out and mail the coupon printed on the right. Yet that simple act has started more than two million men and women toward success.

In city, town and country all over
the world, men are living contented

lives in happy, prosperous homes—because they clipped this coupon.

In every line of business and industry; in shops, stores, offices, factories; in mines and on railroads, men are holding important positions and receiving splendid salaries—because they clipped this coupon.

Clerks have become sales, advertising and business managers; mechanics have become foremen, superintendents and engineers; carpenters have become architects and contractors; men and boys have risen from nothing to places of responsibility—because they clipped this coupon.

You have seen it in almost every magazine you have looked at for years. And while you have been passing it by more than ten thousand men and women each month have been making it the first stepping stone to real success in life.

WILL you still turn away from Opportunity? Can you still go on, putting in your days at the same grind, getting the same pay envelope with the same insufficient sum, when such a little thing can be the means of changing your whole life?

You *can* have the position you want

in the work you like best, a salary that will give you and your family the home, the comforts, the little luxuries you would like them to have. No matter what your age, your education, or your means—you can do it.

All we ask is the chance to prove it. Just mark and mail the coupon, and, without obligation or a penny of cost, let us tell you what the I. C. S. can do for you. It's a little thing that takes but a moment, but it's the most important thing you can do today. Do it now!

INTERNATIONAL CORRESPONDENCE SCHOOLS
Box 7601-C, Scranton, Penna.

Box 7601-C, Scranton, Penna.

Without cost or obligation on my part, please send me full particulars about the subject before which I have marked an X in the list below:—

BUSINESS TRAINING DEPARTMENT

- | | |
|---|---|
| <input type="checkbox"/> Business Management | <input type="checkbox"/> Salesmanship |
| <input type="checkbox"/> Industrial Management | <input type="checkbox"/> Advertising |
| <input type="checkbox"/> Personnel Organization | <input type="checkbox"/> Better Letters |
| <input type="checkbox"/> Traffic Management | <input type="checkbox"/> Foreign Trade |
| <input type="checkbox"/> Business Law | <input type="checkbox"/> Stenography and Typing |
| <input type="checkbox"/> Banking and Banking Law | <input type="checkbox"/> Business English |
| <input type="checkbox"/> Accountancy (including C.P.A.) | <input type="checkbox"/> Civil Service |
| <input type="checkbox"/> Nicholson Cost Accounting | <input type="checkbox"/> Railway Mail Clerk |
| <input type="checkbox"/> Bookkeeping | <input type="checkbox"/> Common School Subjects |
| <input type="checkbox"/> Private Secretary | <input type="checkbox"/> High School Subjects |
| <input type="checkbox"/> Business Spanish | <input type="checkbox"/> Illustrating |
| <input type="checkbox"/> French | |

TECHNICAL AND INDUSTRIAL DEPARTMENT

- | TECHNICAL AND INDUSTRIAL TRAINING | |
|---|--|
| <input type="checkbox"/> Electrical Engineering | <input type="checkbox"/> Airplane Engines |
| <input type="checkbox"/> Electric Lighting | <input type="checkbox"/> Architect |
| <input type="checkbox"/> Mechanical Engineer | <input type="checkbox"/> Contractor and Builder |
| <input type="checkbox"/> Mechanical Draftsman | <input type="checkbox"/> Architectural Draftsman |
| <input type="checkbox"/> Machine Shop Practice | <input type="checkbox"/> Concrete Builder |
| <input type="checkbox"/> Railroad Positions | <input type="checkbox"/> Structural Engineer |
| <input type="checkbox"/> Gas Engine Operating | <input type="checkbox"/> Chemistry |
| <input type="checkbox"/> Civil Engineer | <input type="checkbox"/> Pharmacy |
| <input type="checkbox"/> Surveying and Mapping | <input type="checkbox"/> Automobile Work |
| <input type="checkbox"/> Mine Foreman or Engineer | <input type="checkbox"/> Agriculture and Poultry |
| <input type="checkbox"/> Steam Engineering <input type="checkbox"/> Radio | <input type="checkbox"/> Mathematics |

Name _____

Street Address _____ 5-23-22

City _____ State _____

Occupation

Persons residing in Canada should send this coupon to the
International Correspondence Schools Canadian, Limited,
Montreal, Canada.

QUICK-ACTION ADVERTISING

HERE READERS AND ADVERTISERS MEET TO TRANSACT BUSINESS

Rate 25 Cents a Word. Advertisements intended for the November issue should be received by September 1st

AUTOMOBILES AND ACCESSORIES

PATENTS—Write for free illustrated Guide Book and Evidence of Conception Blank. Send model or sketch and description of invention for our opinion of its patentable nature. Highest reference. Reasonable terms. Victor J. Evans & Company, 189 Ninth, Washington, D. C.

AMERICAN Garage & Auto Dealer publishes each month interesting and helpful suggestions and information on sales, merchandising, advertising, business management, accounting, welding, cutting, brazing, practical and progressive hints for office and shop, for "small-town" automotive dealers, garagemen, repairmen, mechanics. Subscription price \$1.00 per year. (Money back if not satisfied.) Sample copy on request. American Garage & Auto Dealer, 1005 Lake View Building, Chicago.

WEATHER-PROOF your car. Apply Tepee Liquid Auto Gloss with a cheese cloth. It dries leaving a dust-free, hard, rich, lustrous finish. Mud and water don't affect it. Being used everywhere. \$1.50 per can. Prepaid. Rosebud Chemical Co., Forsyth, Montana.

AUTOMOBILE Mechanics, Owners, Garagemen, Repairmen, send for free copy America's Popular Motor Magazine. Contains helpful instructive information on overhauling, ignition wiring, carburetors, batteries, etc. Automobile Digest, 513 Butler Building, Cincinnati, Ohio.

"START!! auto top building"—new invention. Address Schives, 19 So. La Salle Street, Room 1229, Chicago.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

FORD ACCESSORIES

FORDS run 34 miles per gallon on cheapest gasoline or half kerosene, using our 1922 carburetor. Increased power; styles for all motors; attach yourself. Money back guarantee; 30 days' trial. Big profits to agents. Air Friction Carburetor Co., 3222 Madison Street, Dayton, Ohio.

FORD Car Repair Book sent free. This complete, well illustrated, valuable book explains in a simple way the causes and cures of over-heating; repairing Ford timer; curing piston ring troubles; carburetor adjustments and repairs; connecting rods; transmission troubles; care and repair of rear axle; stopping axle grease leaks; also covers practically every other phase of Ford car repairing. Send 25c coin for three months' trial subscription and get the valuable repair book free. Ford Owner and Dealer Magazine, 305 Montgomery Bldg., Milwaukee, Wisconsin.

LIFE size "red-i-kut" surefit patterns with simple illustrated instructions make Ford sport car building easy. The fast saucy "Pal" patterns with pressed metal streamline rear only \$6.40 complete and delivered. Send for prospectus on making sport bodies—"Jiffy Tops"—"Gosum" Windshields. Kuempel Co., 96 Kuempel Bldg., Guttenberg, Iowa.

CYCLO "Dynamic" hot-spot affords revelation of smooth running, economy and sustained power. Cyclo Manifold Co., Chestnut & High Sts., Akron, Ohio.

ELECTRICAL

POWERFUL electro-magnets, six volts, lift forty pounds, \$3.25; seventy pounds, \$4.00; 150 pounds, \$5.50. Satisfaction guaranteed. J. Nauta, 141 Butler St., Paterson, N. J.

ELECTRICITY for 10c per hour. Moteco auto generator. Operates on any make automobile. Produces electricity for moving picture machines, theatres, schools, churches, homes, etc. Write for free particulars. Monarch Theatre Supply Co., Dept. AG 724 South Wabash Avenue, Chicago.

WANTED

WANTED—Representatives in every Factory in the United States. Popular Science Monthly, 225 West 39th Street, New York.

TOOLS AND SUPPLIES

12 TOOL handy set, made of best steel. The most useful and practical tool on the market. Postpaid \$1.25. National Specialties, 32P Union Square, New York City.

DUPLICATING SERVICES

"MODERN" Duplicators save Time, Labor and Money. Gets Business. Reproduces Typewritten or Penned Letters, Drawings, Lessons, Music, Menus, Bids, Notices, Specifications, Maps or anything in one or more colors. Prints TWO per minute. Special Sale On. 30 Days Free Trial. \$2.25 up. Booklet Free. J. V. Durkin-Reeves Co., Pittsburgh, Pennsylvania.

TRADE SCHOOLS

DENTAL laboratory work quickly taught through individual instruction. Our graduates in great demand, earn \$1500 to \$6500 yearly. Earn while you learn. Send for Bulletin 4 McCarrie School of Mechanical Dentistry, 34 West Lake Street, Chicago.

EARN more money—Learn sign painting, scenic painting, showcard writing, auto painting, paper hanging, decorating, graining, marbling at Chicago or at your home. Chicago Painting School, 157 West Austin Avenue, Chicago.

LABORATORY AND CHEMICAL SERVICE

YOUR problem solved for Five Dollars. Write me, W. Stedman Richards, consulting chemist, Box 2402, Boston, Massachusetts.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

TELEGRAPHY

TELEGRAPHY—(Morse and Wireless) and railway accounting taught thoroughly. Big salaries, great opportunities. Oldest, largest school. All expenses low—can earn large part. Catalogue free. Dodge's Institute, Queen Street Valparaiso, Indiana.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

ADDING MACHINES

FREE trial, marvelous new adding machine. Adds, subtracts, multiplies, divides, automatically. Work equals \$350.00 machine. Price only \$15.00. Speedy, durable, handsome. Five-year guarantee. Used by largest corporations. Write to-day for catalog and free trial offer. Lightning Calculator Co., Dept. O, Grand Rapids, Mich.

This Man Wants to Help Your Business

The following letter was recently received from Mr. Albert W. Scott, Mail Advertiser, of Cohoes, New York. He has a timely message for prospective users of POPULAR SCIENCE MONTHLY—a message that may well be heeded for it comes from one who KNOWS. Here's what he says:

Popular Science Monthly,
New York City.

Gentlemen:

"Some three years ago I sent you a trial keyed advertisement for Popular Science Monthly. I knew your publication was out before I received a copy, for replies came in, several in a day.

I have not missed an issue since I gave you that first order.

I write this letter not only to help you, but to help other advertisers who are looking for publications that pay.

Yours very truly,

ALBERT W. SCOTT.

"Publications that PAY!" That's what you are interested in, isn't it? And it costs money to experiment. Why do it when you can profit by the experience of those who know? In other words, if you have a worthwhile article or service to sell, follow the methods of those who are getting maximum results at minimum cost. You can be assured of both by putting your advertisement in the next issue of POPULAR SCIENCE MONTHLY. Why not do it—NOW?

Classified Advertising Manager
POPULAR SCIENCE MONTHLY
225 West 39th Street
New York City

FORMULAS

FREE—Formula catalog. Laboratories, 4600 Boylston Building, Chicago.

3000 FORMULAS and recipes—400 pages. \$1.00. Englewood Book Shop, 7021D South Winchester, Chicago.

FORMULA catalog free. C. A. Lutz, Apartment 241, York, Pennsylvania.

FORMULAS of the better sort. Write for our free catalog. Thos. D. Steel, President, 622 Main, Richmond, Virginia.

1,000,000 FORMULAS, Trade Secrets. \$2.00 Postpaid. Co-Operative Service Bureau, 74H32, Kokomo, Indiana.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

RADIO SUPPLIES

RADIO cabinets—parcel post prepaid. Made of seasoned wood, front rabbited to receive panel, top hinged, knock down, screws included—to fit panel 6 x 7, \$1.50; 6 x 10 1/2, \$2; 6 x 14, \$2; 6 x 21, \$2.25; 9 x 14, \$2.25; 12 x 14, \$2.25; 12 x 21, \$2.75. Finished in oak, mahogany, walnut, ebony, 50 cents extra. Prompt shipment. H. N. Fitzgerald, Onancock, Virginia.

BUILD your own radiophone. Instruction book ten cents. Radio Service Institute, 14th and U Streets, Washington, D. C.

LOW-PRICED Radio Sets: high selectivity, long range, no "howling." Westinghouse and others. Parts. Earn your own set and extra money selling. Liberal commissions. No stock to carry. Wheeler-Thomas Radio Company, Box 500, Holland, New York.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

BOATS AND LAUNCHES

16-FOOT rowboat. Easily made. Construction blueprint, 30c. Wee-Sho-U Co., 41-S, West Market, Detroit, Michigan.

MANUFACTURING

LET us be your machine shop! We build models and will do your manufacturing. Victor Eng. Co., 2524 W. Chicago Avenue, Chicago.

MOTORCYCLES, BICYCLES, SUPPLIES

DON'T buy a bicycle motor attachment until you get our catalogue and prices. Shaw Mfg. Co., Dept. 4, Galesburg, Kansas.

SEND for big list of slightly used motorcycles on our easy payment plan. Howard Cycle Co., 152 N. Broad St., Trenton, New Jersey.

PARTS for all motorcycles cheap. Schuck Cycle Co., 1922 Westlake, Seattle, Washington.

USED and new parts. Indian, Excelsior, Harley, Reading, Thor, Henderson, Yale. Get our price lists. Kingshighway Cycle Co., 1166 North Kingshighway, St. Louis, Missouri.

LARGEST stock of new and used motorcycle parts and accessories in the world at your disposal via Uncle Sam's mail. Write for quotations. Motorcycle Parts Mfg. Co., 2030-36 Wabash Avenue, Chicago, Illinois.

STAMPING NAMES

MAKE \$19.00 hundred stamping names on key checks. Send 25c for sample and instruction. PS Keytag Company, Cohoes, New York.

AVIATION

FLY—Motorless airplane. Drawings \$2.00. Bass, 701 Fruit Bldg., Sacramento, California.

PROPELLERS for aeroplane propulsion, small propellers for motorcycle driven snow and ice sleds, road speedsters, and hydroplanes, 5 foot diam. \$12, 6 foot diam. for Fords \$15, others in proportion, hub mountings, bearings, sprockets, and countershafts complete, full scale blue prints for building motorcycle sleighs 75c., Ford type \$1.00. Crawford Motor and Aeroplane Manufacturer, Longbeach, California.

INVENTORS desiring information write for our free illustrated Guide Book and Evidence of Conception Blank. Send model or sketch of invention for our opinion of its patentable nature. Highest reference. Prompt service. Reasonable terms. Victor J. Evans & Company, 151 Ninth, Washington, D. C.

MODELS AND MODEL SUPPLIES

WE make working models for inventors and experimental work, and carry a complete stock of brass gears and model supplies. Send for catalogue. The Pierce Model Works, Tinley Park, Illinois.

MODEL making and experimental work; modern shop, expert workmen. Manufacturing. Lamson Model and Experimental Works, 625 W. Jackson, Chicago.

MODEL steam engines, boilers, boats, model ship and naval fittings, model makers' supplies. Send 20c for new and enlarged illustrated catalogue and handbook. Bathe Mfg. Co., Dept. C, 5214 Woodland Avenue, Philadelphia, Pennsylvania.

FOR THE HOME

GRANDFATHER clock works, \$5.00. Build your own case, instructions free; make good profits selling your friends. Clock works with chimes for old or new cases. Write for full particulars. Clock Co., Nicetown, Pennsylvania.

ORDINARY door locks made absolutely burglar-proof by simple device. Set for three doors, \$1.00. H. Groesbeck, 230 Fourth Ave., Salt Lake, Utah.


AMERICAN MADE TOYS

INCREASE your output of metal toys and novelties by using a casting form hand machine. Write for circular T-5, V. G. Clute, Mechanicsville, New York.

LETTER SPECIALISTS

JOHN Cain, 2009 Harvard Street, Houston, Texas. Letters, booklets, folders, trademarks, advertising. Honest prices. Tell me your needs.

Announcing the New



OLIVER Speedster

A sensation in typewriter advancement, the climax of 26 years of development—our latest and finest model, No. 11

FREE TRIAL Keep it - or Return it

Our *millionth* Oliver is a new model! It comes at a time when most people have thought that the ultimate had been reached in typewriter development. It is a contradiction of that thought, and brings many surprising advancements and betterments. Everyone who sees it is amazed.

It establishes a new limit in refinements. Yesterday's standards now become antiquated. To operate it is to experience a new thrill in typing. To see its beautifully typed sheets is to have a new appreciation of what a super-typewriter can do.

But Not \$100

The natural conclusion would be that we would continue the custom of \$100 as a standard price, or even ask more for a finer model.

But we offer this wonderful Oliver Speedster on the same plan we have recently adopted in selling the No. 9.

That is, we ship direct from the factory to the buyer, saving you the \$35 that an indirect, extravagant selling system would require.

Yet, in all our 27 years experience, this is the finest typewriter we have ever built. If any typewriter is worth \$100, it is this Oliver Speedster.

How We Save You \$35

It is impossible to fully describe the superiorities of the new Oliver Speedster in print. You must see it and operate it to appreciate its betterments.

So we ship it to you for five days free trial, without your sending a penny in advance and without obligating you to buy.

We want you to try it in the privacy of your own office or home. Compare it with any typewriter.

We let the Oliver sell itself. You are the sole judge. Could any offer be fairer? Think how few articles dare to be sold this way!

If You Agree

that the Oliver Speedster is the finest typewriter, regardless of price, and want to own it, send us \$4 after five days, then \$4 per month until \$65 is paid.

If you would rather pay \$100 and not get this latest model, ship the Oliver Speedster back at our expense.

Throughout the trial you are your own salesman. You need not be influenced by others. This new plan has been endorsed by thousands who have bought Olivers at a saving. Remember, over 1,000,000 Olivers have been sold, both to leading businesses and individuals.

So Simple

Merely mail the coupon and it will bring EITHER this wonderful new Oliver Speedster for Free Trial, or Further Information. Check your preference.

This is a rare opportunity. Think of it—the latest model at a \$35 saving! It is the ONLY offer of its kind.

THE OLIVER
TYPEWRITER
COMPANY
110C Oliver Type-
writer Bldg.
Chicago, Ill.

Save
\$35

Mail
Now

THE OLIVER TYPEWRITER COMPANY
110C Oliver Typewriter Bldg., Chicago, Ill.

☐ Ship me a new Oliver No. 11 Typewriter for five days free inspection. If I keep it I will pay \$65 as follows: \$4 at the end of trial period and then at the rate of \$4 per month. The title to remain in you until fully paid for. If I make cash settlement at end of trial period I am to deduct ten per cent and remit to you \$58.50. If I decide not to keep it, I will ship it back at your expense at the end of five days.

My shipping point is _____

☐ Do not send a machine until I order it. Mail me your book—"The High Cost of Typewriters - The Reason and the Remedy," the Speedster catalog and further information.

Name _____

Street Address _____

City _____

State _____

Occupation or Business _____

Free Proof

That Cooke Trained Men

DO Earn
\$3,500 to
\$10,000
a Year



Be a Certificated Electrical Expert

What's Your Future?

It's a shame for you to earn less than \$100 a week. You ought to earn more. You can do it too, when you are backed up with my training—the training that makes "Big Pay Men." Don't be content with an ordinary job paying anywhere from \$5.00 to \$10.00 a day, with no future to speak of. Strike right out—hold the job you've got and prepare for a better one—prepare for the "he man's job" in the \$3500 to \$10,000 a year class in the greatest profession in the world. I show you the way.

RADIO Course FREE

My new \$45.00 Radio Course, just completed given Free when you enroll for the Electrical Course. Two courses for the price of one, 2 great professions open to you.

I Give You a REAL TRAINING

As Chief Engineer of the Chicago Engineering Works I know exactly the kind of training a man needs to get the best positions at the highest salaries. Hundreds of my students are now earning \$3,500 to \$10,000. Many are now successful ELECTRICAL CONTRACTORS.

Your Satisfaction Guaranteed

So sure am I that you can learn Electricity—so sure am I that after studying with me, you too, can get into the "big money" class in electrical work, that I will guarantee under bond to return every single penny paid me in tuition if, when you have finished my course you are not satisfied it was the best investment you ever made.

FREE Electrical Working OUTFIT FREE

I give each student a Splendid Outfit of Electrical Tools, Materials and Measuring Instruments absolutely FREE. I also supply them with Drawing Outfit, examination paper, and many other things that other schools don't furnish. You do the PRACTICAL WORK—AT HOME. You start right in after the first few lessons to WORK AT YOUR PROFESSION in a practical way.

Get Started Now—Mail Coupon

I want to send you my package of "Vital Facts" including Electrical Book and Proof Lessons FREE. These cost you nothing and you'll enjoy them. Make the start today for a bright future in Electricity. Mail the coupon—NOW.

L. L. COOKE, Chief Engineer
CHICAGO ENGINEERING WORKS
Dept. 36, 2150 Lawrence Ave., CHICAGO, ILL.

L. L. COOKE, CHIEF ENGINEER,
CHICAGO ENGINEERING WORKS,
Dept. 36, 2150 Lawrence Ave., Chicago

Dear Sir:—Send at once the "Vital Facts" including Sample Lessons, your Big Book, and full particulars of your Free Outfit and the two Home Study Courses—all fully prepaid, without obligation on my part.

Name.....
Address.....
City..... State.....

The Cooke Trained Man is the "Big Pay" Man

Let me send you Free, this big package of "Vital Facts" showing what "Cooke Trained Men" earn, the big opportunities Electricity offers, and how you, too, can earn \$3,500 to \$10,000 a year. Coupon will bring it Free.

Electrical Experts: Trained Men are in big demand at the highest salaries ever known. The opportunities for advancement and a big success are unlimited—positively unlimited. The Electrical Industry faces a big shortage of trained men. It needs you and will pay you well.

Today even the ordinary electrician, the screw driver kind, is making money—big money. But it's the trained man—the man who knows the whys and wherefores of Electricity—the Electrical Expert—who is picked out to boss the ordinary electricians—to boss the big jobs—the jobs that pay \$70.00 to \$200.00 a week. Fit yourself for one of these big jobs—begin NOW.

Age or Lack of Experience No Draw-Back

You don't have to be a College Man; you don't have to be a High School graduate. My course in Electricity is the most simple, thorough, and successful in existence, and offers every man, regardless of age, education, or previous experience, the chance to become, in a very short time, an "Electrical Expert," able to make \$70 to \$200 a week.

FOR BOYS

PLAY Mouth-organ. Complete, easy instructor, 25c. Elaea, Publisher, Bowling Green, Ohio.

"BOY Partners," an amateur magazine. Wonderful boy stories. Sample free. Boy Partners, Beloit, Wisconsin.

ASTROLOGY

MAGIC words! Secret; sure method of obtaining your desires. Postpaid for dime. Smedley, 145 Miller, Brooklyn, N. Y.

ASTROLOGY Reveals—2000 word trial reading 25c; two questions free. State birthdate. Prof. Audrey, Desk 6D, Departmental Bank Bldg., Washington, D. C.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

OFFICE DEVICES

ADDRESSING machines, multigraphs, duplicators, folders, check writers, sealers, dictating machines, at about half new cost. Pruitt, 170-Z North Wells, Chicago.

MISCELLANEOUS

MAKE interesting new friends, and receive jolly letters. Stamp. Betty Lee, 4254 Broadway, New York City.

EXCHANGE cheery letters with new friends. Lots fun. Send stamp. Eva Moore, P. O. Box 4309, Jacksonville, Florida.

TATTOOING Taught, illustrated catalogue free. Prof. Waters, 1050 Randolph, Detroit.

EARN money taking orders for Rubber Stamps and Calling Cards. Good commission. Send ten cents for samples and terms. Rubber Stamp and Card Works, 901 Dorey St., Clearfield, Pennsylvania.

ADVERTISING

FREE AD-Guide giving interesting rates for advertising in magazines and weeklies. Concordia Magazine, 2DW, York, Pennsylvania.

ADVERTISE in 24 metropolitan dailies, 25 words, \$15. Helpful Guide listing 1000 publications, 4c stamps. Wade, Baltimore Bldg., Chicago.

INCH Display Advertisement, 161 Magazines, three \$15.00. Wood's Popular Services, Atlantic City.

ADVERTISE 25 words in 100 magazines for only 75c. Sample and list 10c. Western Hills Advocate, 2433 Robertson Ave., Norwood, Ohio.

PATENTS FOR SALE

BASIC patent No. 1354212 Breath Control device (see page 35) for sale outright or royalty. J. B. Rigg, 213 S. Euclid Ave., Oak Park, Illinois.

SCENERY FOR HIRE

SETTINGS for Opera, Plays, Minstrels. Plush Drops. Catalog. Amelia Grain, Philadelphia.

TYPEWRITERS AND SUPPLIES

TYPEWRITERS—all makes, \$15.00 up. Guaranteed five years; one month's free trial. Special proposition to agents. Send for catalogue before purchasing. Typewriter Manufacturers' Exchange, Fordham 217.

PRINTING, ENGRAVING, MULTIGRAPHING

LETTERHEADS, envelopes, 500 \$2.65. Samples free. Quality Printery, Marietta, Ohio.

100,000 1 x 2" labels, \$33.00, 3,000, \$2. Save 30%. Wolf Labels, Station E, Philadelphia.

BETTER printing for less money! Send for our large package of samples of hundreds of items every user of printing is interested in. These samples worth dollars will be sent for 10 cents to pay postage. Ernest Fantus Company, 525 South Dearborn Street, Chicago.

EMBOSSED business, personal stationery. Samples, stamp. Daniels P. Company, Pittston, Pennsylvania.

1000 Letterheads or Envelopes, \$3.00, sent prepaid. Samples free. Monitor Press, Stockham Building, Morrisville, Pennsylvania.

VISITING cards, 65c 100; case included. Letterheads, \$4.00 1000. Reitzel, 622 Penn, Lancaster, Pennsylvania.

200 letterheads and 20 envelopes, \$1.00, postpaid. Echo, Wauwatosa, Wisconsin.

POULTRY AND LIVE STOCK

BREED squabs. Book free. C. Rice, Melrose Highlands, 77, Massachusetts.

SPENCER turkeys—half turkey, half chicken. Photos, booklet, free. Spencer, R. 1, Santa Cruz, California.

PHONOGRAPHS, RECORDS

BUILD your phonograph. Quality phonoparts. Highest quality spring and electric motors, tone arms, reproducers, amplifiers, case material and accessories. Free blue prints and building instructions. Big saving. Wonderful results. New catalog mailed for ten cents. Hoosier Manufacturing & Supply Co., Phonograph Supply Department, 316 Baldwin Block, Indianapolis, Indiana.

BUILD your own phonograph. Write for prices of cabinets, motors and tone arms. Arthur Davis, Livingston, Illinois.

CHALK TALKS

LAUGH producing program, \$1.00. Circulars free. Cartoonist Balda, Oshkosh, Wisconsin.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

He Mailed This



HE was a young Ohio business man. He realized that in order to get ahead he had to put more into his head. He wrote to the United Y. M. C. A. Schools, telling of his work and his ambition. The Schools advised enrolling for the very practical correspondence course in Salesmanship—a course of study that gives the student the benefit of the experience of scores of successful salesmen and sales managers.

20 Months later he writes—

"The United Y Course has done me a world of good. I have been made sales manager of a \$300,000 corporation."

You have as good a chance to get ahead as this young Ohioan—maybe better. Let us counsel you.

We will tell you, free of obligation, about a new type of correspondence instruction that emphasizes a service to earnest, ambitious men that brings thousands of appreciative letters from a group of more than 30,000 students enrolled during the last 10 years.

The larger responsibility, the better pay, the positions of leadership that these men are winning with our aid may be yours also.

MAIL THIS COUPON

United Y. M. C. A. Schools' Correspondence Courses or positions for which they afford training:



BUSINESS COURSES

Accountancy
Advertising
Banking
Better Letters
Bookkeeping
Business Arithmetic
Business Administration
Business English
Business Finance
Business Law

Complete Letter Writing
Office Management
Practical Speaking
Salesmanship
Secretarial
Show Card Writing
Stenography
Traffic Management

TECHNICAL AND OTHER COURSES

Agricultural Courses
Applied Psychology
Architecture
Automobile Courses
Building Construction
Civil Engineering
Courses
Drafting Courses
Electrical Courses
English Courses
Factory Management
Foreign Languages
Foremanship
Highway Engineering
High School Subjects
Illustrating

Insurance Courses
Mathematical Courses
Mechanical Engineering
Own-Your-Home Course
Plan Reading
Plumbing
Poultry Husbandry
Radio Engineering
Radio Telegraphy
Radio Telephony for Amateurs
Steam Engineering Courses
Structural Drafting
Surveying
Use of the Slide Rule
Vocational Courses

Are you an ex-service man?

United Y. M. C. A. Schools
375 Lexington Ave.
Dept. 73-S, New York City

Without obligating me, please advise regarding the course in.....

Name.....
Full Address.....
(Please write plainly)

The Boy Craftsman

Tells how to design and make many useful things. Many suggestions for indoor and outdoor pastimes. Price, postpaid, \$2.65.

Popular Science Monthly, 225 West 39th Street, New York City

FREE

HERE'S MORE MONEY for YOU

150 Home-Study Books
Each of these sure pay-raising self-help books is a complete course of instruction. They cover Electricity, Automobile, Machine Shop, Carpentry, Painting, Engineering, Railroad and twenty other trades. Full catalog FREE. A postcard brings yours.
F. J. DRAKE & CO., PUBLISHERS
1003 Michigan Avenue, Chicago

Learn Cartooning

At Home—In Your Spare Time

from the school that has trained so many of the successful cartoonists of today earning from \$50 to \$200 and more per week. The Landon Picture Chart Method of teaching makes original drawing easy to learn. Write for full information and chart to test your ability. Please state age.

THE LANDON SCHOOL
451 National Bldg., Cleveland, O.



Become a Certified Radio-trician

Big Paying Positions Open Everywhere

MAKE Radio your life's profession. Become a recognized Radio expert, qualified for a Government Commercial License. Take advantage of this wonderful opportunity to earn big money as an expert in Radio installation, operation, maintenance, repair, mechanics, design, inspection, salesmanship and invention. Spare time at home quickly qualifies you for all the most highly-paid branches of Radio.

The amazing expansion of Radio has opened up thousands of wonderful new positions on land and sea. Big salaries, fascinating, easy work, short hours, and a splendid future are waiting for ambitious men who get into Radio now.

Thousands of commercial stations are in operation all over the world. Nearly every vessel on the seven seas is a floating Radio station. Hundreds of manufacturers are working day and night, making Radio equipment.

Yet Radio is only in its infancy—it is still growing.

Every week, people who are satisfied merely to play with Radio spend \$5,000,000. And this huge fortune is divided up among the recognized experts who are installing, operating, designing, demonstrating and selling Radio supplies and equipment. Share in the gigantic future of Radio. You can make its success your success. The men who start now will be the big men in Radio tomorrow.

Radio Wants You NOW

Wherever you go there are hundreds of Radio sets to be installed; there are Radio stations to be operated, maintained, repaired. Every day thousands of dollars' worth of equipment must be manufactured and sold. No matter what your ambition, there is a place for you in Radio where you can make big money.

Certified Radio-tricians are wanted everywhere—on ships and land stations, in stores, factories, laboratories, as operators, repairmen, aids, mechanics, technicians, inspectors, designers, demonstrators, salesmen, inventors, installation experts. This need for competent Radio men is urgent. Hundreds of splendid, big-pay positions are literally going begging. Every day we receive letters like this asking for our Certified Radio-tricians.

"National Radio Institute,
Washington, D. C.

Gentlemen:

We have been asked to secure for one of our clients interested in the manufacture of Radiophone receiving sets, a man familiar with Radiophone, and capable of employing, organizing, and directing a large force of people.


We would expect of this man that he could take four walls and develop a money-making industry. He will have advisory and financial cooperation. Salary will be commensurate with ability and the right man would also be given an interest in the business.

DAVIDSON & COMPANY, INC."

Now, as never before, is your great opportunity to get into the fascinating profession of Radio. The field is uncrowded. Jobs are looking for men. The pay is big, and the work easy and interesting. And you can qualify quickly for one of these wonderful, big-pay positions in your spare time at home.



See the world and earn big money
as a Licensed Sea Operator



Land stations have splendid positions for
Certified Radio-tricians

Radio Headquarters Will Teach You

The largest, best equipped most progressive Radio School in the country will teach you. In 1914, when Radio first showed its amazing possibilities the National Radio Institute was founded—the first school in America to teach Radio by mail. Today it has trained over 10,000 students and graduates, more than all other schools combined. It stands first on the list of Government-recognized schools, and its diploma is worth ten credits at all Government Ex-

aminations for Commercial Licenses.

The wonderful, fascinating course of the National Radio Institute makes it easy to become a Radio-trician. You learn at home, by easy steps. Prominent Radio men; licensed operators, inventors and experts instruct you. One of these experts is your private teacher, gives you the benefit of his knowledge and experience, gives you the advice you want, and in every way helps you to become a recognized Radio expert—a Certified Radio-trician.

Write for this Book

Hundreds of men are already earning handsome incomes in this wonder science. If you want to get into a profession where opportunities are unlimited, where you can step into a position offering unlimited money-making possibilities, make Radio your career. Become a Certified Radio-trician. Hundreds of National Radio Institute graduates are already cashing in on their knowledge and training. R. E. Babcock of Rockford, Illinois, writes, "I have been appointed manager of a large Radio association." F. H. Graening writes from Dundee, Illinois, that he has accepted a position in the Radio Department of the Telephone Maintenance Company, which we helped him get.

Here is a profession which is paying enormous earnings to men all over the country today—a profession that will make hundreds wealthy—a profession far more lucrative than any other technical or mechanical field.

Find out at once about YOUR opportunity in Radio. Send for the interesting Big Book published by the National Radio Institute, which tells all about the opportunities waiting for you and gives complete details of the plan by which the National Radio Institute prepares you quickly in your spare time to become a Certified Radio-trician, and full particulars of its Free Employment Bureau that helps you secure a good Radio position. Mail the coupon or write a letter NOW.



National Radio Institute

Radio Headquarters

Dept. 1197

1345 Pennsylvania Ave.,

N. W.,

Washington, D. C.

National

Radio Institute

Radio Headquarters

Dept. 1197,

1345 Pennsylvania Ave.,

N. W.,


Washington, D. C.

Please send me your book telling of the positions open to me in Radio and how I can become a certified Radio-trician in spare time at home. Also particulars of your FREE Employment Bureau.

Name.....Age.....

Address.....

City.....State.....



HIGH SCHOOL COURSE IN TWO YEARS

You Want to Earn Big Money!

And you will not be satisfied unless you earn steady promotion. But are you prepared for the job ahead of you? Do you measure up to the standard that insures success? For a more responsible position a fairly good education is necessary. To write a sensible business letter, to prepare estimates, to figure cost and to compute interest, you must have a certain amount of preparation. All this you must be able to do before you will earn promotion.

Many business houses hire no men whose general knowledge is not equal to a high school course. Why? Because big business refuses to burden itself with men who are barred from promotion by the lack of elementary education.

Can You Qualify for a Better Position?

We have a plan whereby you can. We can give you a complete but simplified high school course in two years, giving you all the essentials that form the foundation of practical business. It will prepare you to hold your own where competition is keen and exacting. Do not doubt your ability, but make up your mind to it and you will soon have the requirements that will bring you success and big money. **YOU CAN DO IT.**

Let us show you how to get on the road to success. It will not cost you a single working hour. It costs you nothing but a stamp.

American School

Dept. H-675, Drexel Ave. & 58th St., Chicago

American School

Dept. H-675, Drexel Ave. and 58th St., Chicago
Send me full information on the subject checked and how you will help me win success.

- | | |
|------------------------------|----------------------------|
|Architect |Lawyer |
|Building Contractor |Machine Shop Practice |
|Automobile Engineer |Photoplay Writer |
|Automobile Repairman |Mechanical Engineer |
|Civil Engineer |Shop Superintendent |
|Structural Engineer |Employment Manager |
|Business Manager |Steam Engineer |
|Cert. Public Accountant |Foremanship |
|Accountant and Auditor |Sanitary Engineer |
|Bookkeeper |Surveyor (& Mapping) |
|Draftsman and Designer |Telephone Engineer |
|Electrical Engineer |Telegraph Engineer |
|Electric Light & Power |High School Graduate |
|General Education |Fire Insurance Expert |
|Vocational Guidance |Wireless Radio |
|Business Law |Undecided |

Name.....
Address.....

EDUCATIONAL AND INSTRUCTION

CORRESPONDENCE school courses, only one quarter original price. Send for free price list 1000 courses. Used courses bought. Students' Exchange, 47 West 42d Street, New York.

BOOKKEEPING in a week. Dukes, 1857-59 Walton Avenue, New York.

DOUBLE entry bookkeeping mastered in 60 hours; guaranteed; diplomas. International Bookkeeping Institute, Springfield, Missouri, Desk 10.

LINCOLN-JEFFERSON University. Home study in Academy College. Theological, Law, Music, Pharmacy, Business and Graduate schools, leading to degrees. Box G, 64 W. Randolph Street, Chicago.

BECOME master dealer—Learn secrets real estate success. Big profits. Independence. Either sex. Guaranteed. Special offer free. Stephen System, 619 Wiser, Muncie, Indiana.

USED correspondence courses rented; courses bought. J. J. Henderson, 154 Ridge Avenue, Yonkers, New York.

LEARN Architectural Drafting. Big pay. Opportunities everywhere. Practical, inexpensive instruction. Easy payments. Write now. Designer Evers, Englewood B, Denver, Colorado.

USED correspondence courses bought and sold; my prices are the lowest. A. J. Brooks, Hookset, New Hampshire.

MINDS measured! Your strong and weak faculties scientifically determined by psychological tests. Get the real facts about yourself. Success comes through self-knowledge and development. Endorsed by greatest psychologists. Personal attention. \$2. Frederick Davis, Vocationalist, 4539 13th Street, Philadelphia.

WATCH REPAIRING

I CAN make your watch keep correct time. Swiss or American. Large or small. Get my estimate first, mailing box free on request. Jos. A. Plotkin, 101 W. 42nd St., New York.

OPTICAL GOODS

ULTRALENS microscope. Patents pending. Model with magnification gradually variable from 2,500 to 62,500 times, \$1.60. Others from 100 to 250,000 times. Something new. Circulars 8-7 free. Specialty Mfg. Co., Milton, Pennsylvania.

FOR MEN AND WOMEN

GENUINE Indian baskets and wampum—wholesale. Catalogue. Gilham, Kelseyville, California.

BE a detective. Excellent opportunity, good pay, travel. Write C. T. Ludwig, 424 Westover Bldg., Kansas City, Missouri.

"SEXUAL philosophy," 12c. Clear, specific, authoritative, complete, best, satisfies. Fred B. Kaessmann, Lawrence, Massachusetts.

DETECTIVES—Excellent opportunity. Fascinating work. Experience unnecessary. Particulars free. Write American Detective System, 1968 Broadway, New York.

ALCOHOL Book \$1. Formulas free. Rye, Rum flavors \$2 bottle. Copper kettles. CARAT, Box 2571, Boston.

SAFETY RAZORS SHARPENED

BLADES resharpened 3c, any make. Guaranteed service. Standard Safety Razor, Pittsburgh, Pennsylvania.

WORK WANTED

PUNCH Press work, tool and die making model, and special machine work wanted. Completely equipped with new machinery of the latest type. Prompt delivery, reasonable prices guaranteed. Quality & Machine Co., Dept. B, 6154-56 N. Clark St., Chicago.

CIGARS, CIGARETTES, TOBACCO

HOMESPUN smoking tobacco—5 lbs. \$1.00; 10 lbs. \$1.75; 20 lbs. \$3.25. Farmers' Union, Mayfield, Kentucky.

KENTUCKY homespun smoking tobacco, 10 pounds \$1.50. Formula furnished. Circulars free. Pigeon Roost, Sedalia, Kentucky.

LANGUAGES

WORLD-ROMIC System, Masterkey to All Languages. Primers, 15 languages, \$1.94 each language: Arabic, Chinese, Danish, Dutch, English, French, German, Italian, Japanese, Punjabi, Polish, Portuguese, Russian, Spanish, Swedish. Pronunciation-Tables, 80 languages, 30c each language. Languages Publishing Company, 8 West 40th Street, New York.

PHOTOGRAPHY AND SUPPLIES

FILMS developed 5c roll, prints 3c each. Photo Service, 929 McMillan, Cincinnati, Ohio.

FADED Pictures, Tintypes, Daguerreotypes restored and enlarged. New process. Perfect results. Reasonable costs. Roanoke Photo Finishing Co., 513 Bell Ave., Roanoke, Va.

HAVE you a camera? Write for free sample of our big magazine, showing how to make better pictures and earn money. American Photography, 156 Camera House, Boston, 17, Massachusetts.

AZ-U-LYK-M. Send your next roll film and 20c. Will make six prints, one hand tinted free. Az-U-Lyk-M Photo Service, Bristol, Vermont.

MAKE money with your camera. Information free. Send stamp. Lancaster, 409E Wright-Callender Building, Los Angeles.

FILMS Developed 5c roll—prints 3c each. Not ordinary kind—special studio finished. Reliable Studio, Station D, Cincinnati, Ohio.


TRIAL Order—Mail us 20c with any size film or six negatives for development and six velvet prints. 24-hour service. Get premium list. Roanoke Photo Finishing Co., 212 Bell, Roanoke, Va.

KODAK finishing. Kodak, camera repairing. Developing and printing for amateurs. One day service. Complete line of photo supplies. Write Radium Studio No. 22, 847 Belmont, Chicago.

KODAK Prints 3c. Developing 5c. Postcards 5c. Altine Photo Co., Dept. W, 1982 Kinney, Cincinnati, Ohio.

MUSICAL INSTRUMENTS

RAG jazz piano, saxophone or tenor banjo in 20 lessons. Christensen Schools in most cities, or learn by mail. Write for booklet or money-making teacher's opportunity. Christensen School, 22 E. Jackson, Chicago, Illinois.



GET A HOBBY MAKE MODELS

Start a Home Workshop

"Model Making," by R. F. Yates, describes the construction of gas-model engines, steam-engines, locomotives, boats, dynamos, turbines, railroads, guns, etc. Thirty chapters are devoted to models of various nature.

It will help you to become a better mechanic. It will help you to do hard soldering, soft soldering, lathe work, tempering, drilling, pattern-making, etc.

This is a book every amateur or professional mechanic and model maker should have.

"Model Making" describes real engineering models, not toys.

400 Pages, 300 Illustrations. Practical, complete, easily understood. Price, Postpaid, \$3.00.

Popular Science Monthly

225 West 39th Street, New York



TWENTIETH CENTURY Book of Recipes, Formulas and Processes

This book of 800 pages is the most complete Book of Recipes ever published, giving thousands of recipes for the manufacture of valuable articles for every-day use. Hints, Helps, Practical Ideas and Secret Processes covering every branch of the useful arts are given.

10,000 Practical Formulas—The Best Way to Make Everything

A book to which you may turn with confidence that you will find what you are looking for. A mine of information, up-to-date in every respect. Contains an immense number of formulas that every one ought to have that are not found in any other work.

Price \$4.00

Popular Science Monthly

225 West 39th Street, New York

Every
Radio Enthusiast
and Radio Dealer
is in Daily
Touch with the

Great Sweeney Station

WHB

This Is One of the Largest Inland Stations in the Country

and sends out official Government market and weather reports every day, besides giving musical, educational and religious programs on Sundays, Tuesdays and Thursdays. Through the courtesy of C. G. Conn & Co., Elkhart, Ind., Makers of Musical Instruments, we are broadcasting some of their concerts.

This station cost \$20,000 to erect. CALL IS—WHB—360 meters for concerts and 485 for Government reports. 500 watts W. E. set provides its power. This great broadcasting station is evidence of the capacity of the Sweeney Company to serve you in the purchase of all supplies and equipment.



COMPLETE SETS. Ready for immediate delivery the new **Sweeney Radio-Phone**. 5 Vacuum tubes. Built especially for short wave lengths such as under 600 meter W. V. All complete, antenna wire etc., ready to go. Write for pictures and special low introductory price. A very quiet set, giving fine results.

NEWEST AND MOST COMPLETE IN RADIO

You can be sure of getting the best service and lowest prices from Sweeney and the very latest radio developments. If you want to learn this business, to become a Radio Expert or commercial operator, write for full details of the NIGHT SCHOOL now running. The most complete equipped and thorough radio school in the world. If you want to buy a set or build your own set we can give you immediate delivery.

WE HANDLE A COMPLETE LINE OF EQUIPMENT

All parts for building your own sets, also complete receiving sets. Dealers write for information. To give you an idea of the stock we handle we are listing below only a few of the parts necessary for installation. Write today for complete catalog and instruction book.


Sweeney Variometers.....	\$5.50	Federal Phones.....	\$8.00
Sweeney Vario Couplers..	5.00	Brandes.....	8.00
Radio Service Radio Frequency Transformers....	6.00	Wesrad Amplifying Transformers.....	5.00
Murad Radio Frequency Transformers		Thordarson Amplifying Transformers.....	4.50
T-11.....	6.00	Federal Amplifying Transformers.....	7.00
T-11A.....	6.50	Federal Plugs.....	1.75
T-11B.....	7.00	Federal Junior Sets.....	25.00
Coto Coil Frequency Transformers.....	5.50	DeForrest Everyman.....	25.00
Sweeney Variable Condensers.....	3.75	Western Electric Phones.....	15.00
Sweeney Condensers.....		DeForrest Radio Home.....	36.00
.00025.....	.35	DeForrest Two Stage Amplifier.....	35.00
.0005.....	.35	Tube Sockets.....	1.00
.001.....	.35	Vacuum Gap Lightning Protector.....	2.00
Sweeney Combined Grid Cond. and Leaks		Federal Closed Circuit Jacks.....	1.00
.00025 and 1 meg. ohm..	.50	Federal Open Circuit Jacks.....	.70
.0005 and 1 meg. ohm..	.50	Federal Anti Capacity Switch.....	2.80
Sweeney Grid Leaks, .5 and 1 meg. ohm	.25	Fada Switch.....	.50
Tested Galena, Mounted..	.35	Fada Switch, 8 Contacts, 2 Stops.....	.75
Burgess B Batteries.....	3.00	Fada Crystal Detectors.....	2.25
Detector Tubes.....	5.00	DeForrest Crystal Detectors.....	2.75
Stranded Aerial Wire, 100 Ft. Rolls.....	1.00	G. A. 100° Dials.....	1.25
Fada Rheostats.....	1.00	Pacent Twin Adapters.....	1.50
3" H.R. Dials.....	1.00	Pacent Plugs.....	1.25
4" H.R. Dials.....	1.50	Pacent Single Circuit Jacks.....	.70
G. A. 90° Dials.....	1.25	Pacent Double Circuit Jacks.....	1.00
Amplifying Tubes.....	6.50		

Order from this Ad.

You may order any of the above described supplies, remit cashier's check, currency or money order. You are assured of prompt shipment and complete satisfaction.

Catalog and Instruction Book.

Every radio enthusiast should have a copy of this valuable book which is just off the press. Contains new and interesting matter and descriptions and hints that will save you time and money, including hookups showing connections of crystal, regenerative, and high frequency amplification apparatus and give you much better results. Do not buy any radio supplies until you have seen this book as we have gone into this business on a great scale and are prepared to supply you with the best and most efficient new material at lowest prices. This book has been prepared by some of the best known electrical and radio engineers and practical instructors. Sent on receipt of fifteen cents stamps. Get your copy today.



Sweeney

RADIO & ELECTRICAL CO.

1060 UNION STATION PLAZA, KANSAS CITY, MO.



**"Most Interesting
Position with
Unlimited Oppor-
tunities"**

**Says
Glen O. Trego,
Waterloo,
Iowa**

**BE A RAILWAY
TRAFFIC INSPECTOR**

**Earn Up to \$250
Per Month**

Position GUARANTEED

Hundreds of openings for Trained Railway Traffic Inspectors. Any average man can qualify. Steady, pleasant, outdoor work; travel or remain near home. Something new every day.

SPLENDID OPPORTUNITIES

Start at \$110 per month, expenses paid, after 3 mos. spare time study at home. Advancement rapid with experience. Earn up to \$250.00 and \$300.00 per month. Many splendid opportunities thru contact with big railway officials.

Read What G. O. Trego Says:



"Having completed your course in traffic inspection about nine months ago and received a position within a few days thereafter, I now feel it my duty to express my gratitude to you for the help which was extended me after I began work. And that was far more than I expected."

"I find railway traffic inspection to be the most interesting position with unlimited opportunities that any man could look for. I find

that being a railway traffic inspector does not only enable a man to receive higher positions in railways, but it also enables one so he is more capable of conducting any kind of business which may be chosen, for the future.

"I must admit that the price paid for the course of traffic inspection is the best investment I made."

YOU TAKE NO RISK

If position is not obtained for you, enrollment fee is refunded without question. You have nothing to lose!

Send coupon for full details and booklet No. D-730.

**STANDARD BUSINESS TRAINING INST.,
BUFFALO, N. Y.**

Standard Business Training Inst.
Buffalo, N. Y.

Send me, entirely free, Booklet No. D-730 giving full particulars about course in Railway Traffic Inspection.

Name.....

Street.....

City.....

BOOKS AND PERIODICALS

WE can furnish any book in print at standard price. No charge for service. Tell us your wants; we will send details and price by return mail. The Dacrow Corporation, 347A Fifth Avenue, New York.

NERVES—Nu-ro-lets mean new nerves for weakened, neurasthenic men. For free literature, write Suhr Med. Co., West Hoboken, New Jersey.

RADIO. Reproduces music, lectures, news, etc. Easily made. Instructions 25c. "Hypnotism," another wonder. Lessons \$1.00. Science Institute, SP1014, Belmont, Chicago.

\$5,000 in prizes to readers of Gloom. The Devil's Book—That new snappy, jazzy magazine. Chuck full of hilarity, ridicule, sarcasm, jokes and red hot editorials of Truth-When gloomy buy Gloom. Have a laugh with Old Nick himself. Published monthly. For sale on news stands at 25c per copy. \$2.50 per year or direct from Gloom Publishing Co., Los Angeles, California.

SEXOLOGY—Complete catalog of international famous books sent to professionals and advanced adult students. The Book League, Dept. O, 5 Columbus Circle, New York.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

LUGER pistols, barrels 4" to 16"; Mauser pistols, long barrels; holster-stocks for both. Super accurate Mauser, Springfield and Mannlicher rifles. Catalogue, ten cents in stamps. Pacific Arms Corporation, San Francisco.

AUTHORS—MANUSCRIPTS

WRITE for newspapers and magazines. Big pay. Experience unnecessary, details free. Press Reporting Syndicate, 400, St. Louis.

WRITERS: Have you a song-poem, story, photoplay, to sell? Submit manuscript now to Music Sales Company, 48, St. Louis.

WRITERS: Stories, poems, plays, etc., are wanted for publication. Literary Bureau, 117, Hannibal, Missouri.

FREE to writers—a wonderful little book of money-making hints, suggestions, ideas; the A B C of successful story and play-writing. Absolutely free. Just address Author's Press, Dept. 15, Auburn, New York.

\$\$\$ FOR ideas. Photoplay plots accepted any form; revised, criticized, copyrighted, marketed. Advice free. Universal Scenario Corporation, 904 Western Mutual Life Bldg., Los Angeles.

SHORT stories criticized, 50 cents. Box 3035, Philadelphia, Pennsylvania.

MUSIC AND SHEET MUSIC

SONGWRITERS! Learn of the public's demand for songs suitable for dancing and the opportunities greatly changed conditions offer new writers, obtainable only in our "Songwriters Manual & Guide," sent free. Submit your ideas for songs at once for free criticism and advice. We revise poems, compose music, secure copyright and facilitate free publication or outright sale of songs. Kleckerbocker Studios, 315 Galey Building, New York.

CORNETISTS, trombonists, saxophonists, clarinetists, send for "Free Pointers." Mention instrument, Virtuoso School, Buffalo, New York.

HAVE you poems or melodies? Have wonderful proposition. Ray Hibbeler, Di. 4040 Dickens Avenue, Chicago.

SONG poems wanted. Submit manuscript to New Era Music Co., 114 St. Louis, Missouri.

WRITE the words for a song. We compose music. Submit your poems to us at once. New York Melody Corp., 419 Fitzgerald Bldg., New York.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

MOTION PICTURE BUSINESS

"FILMS Cheap—Home projectors \$30; Professional Projectors—new and used; Stereopticons. Movie Sales, High Ridge, Mo."

WRITE photoplays: \$50 each. Experience unnecessary; details free to beginners. Producers' League, 194, St. Louis.

REAL ESTATE—FARM LANDS

LAND Seekers. \$10 to \$50 starts you on 20, 40, or 80 acres near thriving city in Lower Michigan. Balance on long time. Investigate this opportunity to get a farm home. Write today for FREE illustrated booklet giving full information. Swigart Land Co., O-1251 First National Bank Building, Chicago.

MAKE money fast. New plans. Learn real estate and building business. Free house plans and super-salesmanship. Wonderful money making system. Write Casto Realty System, Columbus, Ohio.

\$350 gets Brook-watered farm. 10 acres on motor bus road, convenient RR: 7-room house, porch, basement barn, etc., only \$600, part down. Details page 58, illustrated catalog, 1200 bargains free. Strout Farm Agency, 150 B. H. Nassau Street, New York City.

FOR INVENTORS

THE G. & G. Manufacturing Company, 3116 Spring Grove Avenue, Dept. A, Cincinnati, Ohio. Special machinery, models, dies, patterns, tools, metal stampings, gears, contract manufacturing.

900 mechanical movements, also illustrations explaining 50 perpetual motions. My book, "Inventor's Universal Educator," fifth edition, tells how to procure and sell patents. Government and other costs. Covers the matter from A to Z. 160 pages elegantly bound. Mechanical Movements greatly assist inventors—suggest new ideas that may prove of great aid in perfecting inventions. Tells how to select an attorney. Has valuable information regarding patent sharks, selling agents and brokers. Price \$2. Postage free everywhere. Money back if not satisfactory. Explanatory circular free. Fred G. Dieterich, 681 Ouray Building, Washington, D. C.

PATENTS—Write for free Guide Book and Evidence of Conception Blank. Send model or sketch of invention for free opinion of its patentable nature. Highest references. Reasonable terms. Victor J. Evans & Company, 156 Ninth, Washington, D. C.

PATENTS—Send for free book. Contains valuable information for inventors. Send sketch of your invention for free opinion of its patentable nature. Prompt service. (Twenty years' experience.) Talbert & Talbert, 436 Talbert Bldg., Washington, D. C.

I SELL patents. Established in 1900. Charles A. Scott, 773PS, Garson Avenue, Rochester, New York.

Electrician's Wiring Manual

Tools and Symbols—Preliminary Suggestions on Building Wiring—Moulding—Flexible Conduit—Rigid Conduit—Fixtures and Their Installation—Switches—General Suggestions on House Wiring—Installing Household Electrical Utensils—Wires and Cords—Motors—Transformers—Switchboards and Panels—Motion Picture Theater—Bell Circuits, Annunciator Circuits, Gas Lighters, Burglar Alarms, Bell Transformers, Door Lock—Elevators—Wiring in Damp Places—Outside Wiring—Grounding and Ground Detectors—Inspector's Report on a Defective Electrical Equipment—Estimating and Specifications—Tables and Formulas—Electrical Circuits, Calculation of Wiring, Line Losses and National Electrical Code Discussed for the Beginner—Alternating Currents Simply Explained—Some Things the Electrician Should Know About Storage Batteries—Underwriters' Requirements in the Installation of Wireless Telegraph Equipment—Practical Kinks.

There are many formulas and tables which are of great value to the electrician.

This is a book every wide-awake electrician or any one who wishes to do any wiring should own. Don't take chances, but be sure your work will pass the fire inspector. This Manual may save you 100 times the price of the book.

448 Pages, 414 Illustrations, Handsome Flexible binding. Pocket size. Price, postpaid, \$2.50.

Experiments With 110- Volt Alternating Current

By J. D. ADAMS

Here at last is a book that develops a practical working familiarity with the alternating current—the form in which electricity is used in every home. The author shows how this can be done in an interesting and inexpensive way.

The only way to gain a thorough understanding of electricity as it is used commercially is by direct personal experiment. The knowledge thus gained is of vastly more value and importance than that acquired from the performance of the stereotyped series of battery experiments so uniformly described in the text-books.

256 pages, 135 illustrations. Price, postpaid, \$1.75

Construction of Small Alternating Current Motors

By PROF. A. E. WATSON
Brown University

This book contains complete instructions for building small alternating current motors in several sizes. The designs will be found in harmony with those of the very best manufacturers and they can be worked out by the amateur for making useful instruments.

Some of the subjects taken up are "Characteristic Features of Alternating Current Motors," "Construction of a One-Half Horsepower, Single Phase Induction Motor," "Procedure in Testing and Using an Alternating Current Generator or Synchronous Motor." Clear, concise directions and careful drawings are features of this book.

Fully Illustrated. Price, \$1.50

Popular Science Monthly
225 West 39th Street, New York

15 Automobile Experts at Your Command



Let these fifteen world-famous auto engineers help you into a big paying job. They can do it. The Library of Automobile Engineering written by these men will tell you everything you need know to earn \$50.00 to \$100.00 a week or more in the auto game. Start right now. More men are needed—thousands of men are needed to keep the country's eight million cars in good going condition. Over 75,000 sets of these great books have been sold on our no-money-down-easy-payment-plan. See our free offer below.

Auto Books 6 Volumes **SENT FREE**

No matter if you don't know a thing about automobiles now, you can learn the auto game backward and forward with these books to help you. They explain everything. They turn every make of car inside out—show you how it is made—how to repair it—how to keep it in good condition—how to go into the garage business for yourself. 6 big books bound in flexible American morocco containing 2600 pages of money-making facts and more than 2000 pictures, blueprints and diagrams. Anyone who can read can understand them.

Send No Money

You don't have to pay one cent in advance. Just mail the coupon and use the books for a whole week in your home or shop—then decide whether you want to keep them or not. If you like the books, send us only \$2.80 in seven days and \$3.00 each month until \$21.80 is paid. If you don't like them, just ship them back at our expense and you won't owe us a cent.

Mail Coupon Now The coupon is all you need. See the books before you pay anything. This is our guarantee that you will be satisfied. There is no risk on your part. Mail the coupon now.

American Technical Society

Dept. A-206,
Chicago, U. S. A.

FREE EXAMINATION COUPON

AMERICAN TECHNICAL SOCIETY
Dept. A-206, Chicago, U. S. A.

Please send me the 6-volume set of Automobile Engineering for 7 days' examination, shipping charges collect. If I decide to buy I will send \$2.80 within 7 days and the balance at \$3.00 a month until the \$21.80 has been paid. Then you send me a receipt showing that the books are mine and fully paid for. If I think I can get along without the books after the seven days' trial, I will return them at your expense.

Name.....

Address.....

Employed by.....

Learn All About

Automobile Motors
—Welding— Motor
Construction—Re-
pair—Carburetors
and Settings—
Valves—Cooling—
Lubrication—Fly-
Wheels—Clutches
—Transmission—
Final Drive—Steer-
ing—Frames—
Tires—Vulcanizing
—Ignition—Start-
ing—Lighting—
Shop Kinks—Gar-
age Design and
Equipment—Elec-
trics—Storage Bat-
teries—Care and
Repair of Motor-
cycles and Trucks
—Gasoline Trac-
tors and How to
Repair Them.

128 Blueprints
Electric Wiring
Diagrams





"Another \$50 Raise!"

"Why, that's the third increase I've had in a year! It shows what special training will do for a man."

Every mail brings letters from some of the two million students of the International Correspondence Schools, telling of advancements won through spare time study.

How much longer are you going to wait before taking the step that is bound to bring you more money? Isn't it better to start now than to wait for years and then realize what the delay has cost you?

One hour after supper each night spent with the I. C. S. in your own home will prepare you for the position you want.

Without cost, without obligation, mark and mail this coupon. *Do it right now!*

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 7602-C, Scranton, Penna.

Without cost or obligation on my part, please send me full particulars about the subject before which I have marked an X in the list below:—

BUSINESS TRAINING DEPARTMENT

- | | |
|---|---|
| <input type="checkbox"/> Business Management | <input type="checkbox"/> Salesmanship |
| <input type="checkbox"/> Industrial Management | <input type="checkbox"/> Advertising |
| <input type="checkbox"/> Personnel Organization | <input type="checkbox"/> Better Letters |
| <input type="checkbox"/> Traffic Management | <input type="checkbox"/> Foreign Trade |
| <input type="checkbox"/> Business Law | <input type="checkbox"/> Stenography and Typing |
| <input type="checkbox"/> Banking and Banking Law | <input type="checkbox"/> Business English |
| <input type="checkbox"/> Accountancy (including C.P.A.) | <input type="checkbox"/> Civil Service |
| <input type="checkbox"/> Nicholson Cost Accounting | <input type="checkbox"/> Railway Mail Clerk |
| <input type="checkbox"/> Bookkeeping | <input type="checkbox"/> Common School Subjects |
| <input type="checkbox"/> Private Secretary | <input type="checkbox"/> High School Subjects |
| <input type="checkbox"/> Business Spanish | <input type="checkbox"/> Illustrating |
| <input type="checkbox"/> French | |

TECHNICAL AND INDUSTRIAL DEPARTMENT

- | | |
|---|--|
| <input type="checkbox"/> Electrical Engineering | <input type="checkbox"/> Airplane Engines |
| <input type="checkbox"/> Electric Lighting | <input type="checkbox"/> Architect |
| <input type="checkbox"/> Mechanical Engineer | <input type="checkbox"/> Contractor and Builder |
| <input type="checkbox"/> Mechanical Draftsman | <input type="checkbox"/> Architectural Draftsman |
| <input type="checkbox"/> Machine Shop Practice | <input type="checkbox"/> Concrete Builder |
| <input type="checkbox"/> Railroad Positions | <input type="checkbox"/> Structural Engineer |
| <input type="checkbox"/> Gas Engine Operating | <input type="checkbox"/> Chemistry |
| <input type="checkbox"/> Civil Engineer | <input type="checkbox"/> Pharmacy |
| <input type="checkbox"/> Surveying and Mapping | <input type="checkbox"/> Automobile Work |
| <input type="checkbox"/> Mine Foreman or Engineer | <input type="checkbox"/> Agriculture and Poultry |
| <input type="checkbox"/> Steam Engineering | <input type="checkbox"/> Radio |
| <input type="checkbox"/> Mathematics | |

Name..... 5-23-23

Street Address.....

City..... State.....

Occupation.....

Persons residing in Canada should send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada.

FOR INVENTORS

INVENTORS. If you have an idea, before spending unnecessary money for a patent, write Inventors & Engineers Consulting Co., P. O. Box 344, Washington, D. C.

PATENTS—Protect your rights. Before disclosing invention write for booklet and blank form Evidence of Conception to be signed, witnessed and returned with rough sketch or model of your idea, upon receipt of which I will promptly give opinion of patentable nature and instructions. No charge for preliminary advice. Highest references. Prompt, personal attention. Clarence P. O'Brien, Registered Patent Lawyer, Southern Building, Washington, D. C.

IF you want to sell your patent, order a copy of our "Patent Salesman" which tells you clearly how to sell your patent. Only \$1.00 per copy. Address Simon, 207 North Seventh Street, St. Louis, Missouri.

INVENTIONS wanted. Cash or royalty for ideas. Adam Fisher Mfg. Co., 183 St. Louis, Missouri.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

PATENT ATTORNEYS

PATENTS, trade marks, copyrights. Prompt, personal, reliable service. Over 30 years' active practice. Write for terms. Book free. Address E. G. Siggers, Box 1, N. U. Building, Washington, D. C.

I report if patent obtainable and exact cost. Send for circular. Herbert Jenner, Patent Attorney and Mechanical Expert, 624 F Street, Washington, District of Columbia.

PATENTS—Send for free book. Contains valuable information for inventors. Send sketch of your invention for free opinion of its patentable nature. Prompt service. (Twenty years' experience.) Talbert & Talbert, 452 Talbert Bldg., Washington, D. C.

PATENTS. Booklet free. Highest references. Best results. Promptness assured. Watson E. Coleman, Patent Lawyer, 624 F Street, Washington, D. C.

PATENTS—Write for free illustrated Guide Book and Evidence of Conception Blank. Send model or sketch of invention for free opinion of its patentable nature. Highest references. Prompt attention. Reasonable terms. Victor J. Evans & Company, 155 Ninth, Washington, D. C.

LACEY Patent-Sense. "The book the inventor keeps." Free. See page 104.

PATENT your invention. But note: a patent is no better than its claims. Be sure your patent is as good as your invention. Patent claims skillfully drafted by Lamb & Co., Patent Attorneys, 1419 G Street, Washington, D. C.

GET patents yourself. Complete instruction, \$1. Cooper Cutting, Campbell, California.

ROBB, ROBB & HILL offer a strictly professional service to manufacturers and inventors in patenting inventions and registering trade-marks, a service which is the result of twenty years' experience. Write for free booklet and names of prominent manufacturers and inventors represented by us. Send sketch for preliminary advice. 840 McLachlen Building, Washington, D. C., 1336 Hanna Building, Cleveland.

PATENTS promptly procured. Send disclosure of invention, design or trademark for actual search of U. S. patents and novelty report. Validity and infringement investigations. Patent and trademark suits prosecuted and defended anywhere in the United States. Discriminating clients appreciate my efficient service. No literature will be sent you as this is a professional service. Individual and personal. Specific information and advice given regarding each individual case. Specialize in prosecution of pending cases that have been previously rejected by the Patent Office. Specialize also in unfair competition litigation before the Federal Trade Commission. George P. Kimmel, Master of Patent Law, 35L, Loan and Trust Building, Washington, D. C.

"INVENTOR'S Guide" free on request; gives valuable information and advice. Frank Ledermann, 15 Park Row, New York.

PATENT, trade-mark and copyright specialist. Write at once for free Duplex Conception Form. Personal service. M. E. Jones, lawyer, 509b 7th Street, Washington, D. C.

PATENTS—My fees in installments. Advice book free. Frank Fuller, Washington, D. C.

INVENTORS aided. Ideas developed. Experimental machinery built. Practice in all courts. Richardson & Rogers, C8 Albee Bldg., Washington. We seek the valid patents.

PATENTS—Protect your rights. Before disclosing invention write for booklet and blank form Evidence of Conception to be signed, witnessed and returned with rough sketch or model of your idea, upon receipt of which I will promptly give opinion of patentable nature and instructions. No charge for preliminary advice. Highest references. Prompt, personal attention. Clarence P. O'Brien, Registered Patent Lawyer, Southern Building, Washington, D. C.

PROTECT your rights—Write for "Record of Invention" and booklet about Patents. Prompt personal service. Advice without charge. J. Reaney Kelly, 612-P Columbian Building, Washington, D. C.

MONROE MILLER, Ouray Building, Washington, D. C. Patent attorney, mechanical and electrical expert. Best quality of work and results. Moderate charges.

INVENTORS—Send for form "Evidence of Conception" to be signed and witnessed. Form, fee schedule, information free. Lancaster and Allwine, 232 Ouray Building, Washington, D. C.

PATENTS procured—trade marks registered—A comprehensive, experienced, prompt service for the protection and development of your ideas. Preliminary advice gladly furnished without charge. Booklet of information and form for disclosing idea free on request. Richard B. Owen, 44 Owen Building, Washington, D. C., or 2276-Z Woolworth Building, New York.

PATENTS—Trademarks. Thirty-five years' experience. Send model or sketch for opinion as to patentability. Free "Inventors Guide." Highest references and personal attention assure best results. Franklin H. Hough, 530 Washington Loan & Trust Bldg., Washington, D. C.

PATENTS, trade marks, designs and copyrights. Registered firms of attorneys-at-law. Careful, prompt personal service assured. Moderate fees. Full information free upon request. Gross & Collings, 610 Ouray Building, Washington, D. C.

INVENTIONS patented. Trade-marks registered. Reasonable charges, prompt service, plain advice. Request detailed information. Jaynes & Jaynes, 710 Kellogg, Washington, D. C.



Hotels Need Trained Executives

Nation-wide demand for trained men and women in all departments of hotels, clubs, and apartment houses. Uncrowded field; fine living, quick advancement in the big hotels of the United States—now America's Fourth Largest Industry. Statistics show that **ONE IN EVERY TEN HOTELS WILL HAVE AN OPENING FOR A MANAGER THIS YEAR.** Thousands of other positions also open to those who qualify through training.

The Lewis School guarantees to give you the valuable knowledge that it has taken some of the most successful hotel men years to obtain—men who are now making \$5,000 to \$50,000 a year. All of your training will be under the personal direction of Clifford Lewis—a hotel expert of national reputation. A few spare-time hours a week given to the simple, clear lessons of the course open the way to a good position, a fine living, and a handsome salary. The training will in no way interfere with your present activities.

Send today for **FREE BOOK "Your Big Opportunity."** Don't wait a minute—you may lose the opportunity of a lifetime. Mail the coupon NOW. Your whole future may depend on it.

Founded 1916
Lewis Hotel Training School
CLIFFORD LEWIS, Pres.
Room 2719
Washington, D. C.

Free Coupon
Lewis Hotel Training School
Room 2719
Washington, D. C.
Send me without obligation the **FREE BOOK "Your Big Opportunity."**
Name.....
Please Print Name
Street.....
City..... State.....

Electrical Engineering men with training are in demand. For more than a quarter of a century, this school has been training men of ambition and limited time, for the electrical industries. Condensed course in Electrical Engineering enables graduates to secure good positions and promotions. Theoretical and Practical Electricity. Mathematics. Steam and Gas Engines and Mechanical Drawing. Students construct dynamos, install wiring and test electrical machinery. Course with diploma complete.

In One Year
Over 3000 men trained. Thoroughly equipped fireproof dormitories, dining hall, laboratories, shops. Free catalog, 30th year begins Sept. 27, 1923.

Bliss Electrical School 402 Takoma Ave., Washington, D. C.

LEARN the BUSINESS of Advertising

QUICKLY BY MAIL

Our big new **FREE** book tells all about advertising. Pictures of nationally known advertising stars. Examples of their work in colors. Full information about our course, and the complete working outfit furnished free. Write.

PAGE-DAVIS SCHOOL
Dept. W-9 Page Bldg. Chicago

Great Inventors Now Teach You How to Invent

How to develop, patent and market your ideas; amazing new course teaches science of invention by mail.

Invention is an orderly process of the mind, which combines two or more known facts to produce a new fact. Anyone who develops the right mental process can become an inventor. Every successful inventor has this type of mind, developed by constant experience over a period of perhaps many years. Heretofore those who succeeded in the field of invention had to discover all the principles themselves. But, now, just as any student of medicine, law, or engineering can take full advantage of all the recorded experience in these fields of study, so can YOU take the same kind of short cut to the habits of thought, and the methods of work required of successful inventors.

Don't Waste Ideas! Every man at some time or other has an idea for something he would like to invent, but his mind doesn't know how to work. He doesn't know what to do about it—doesn't know how to think along inventive lines—and soon someone whose mind is trained along inventive lines invents just the thing you may have thought of.

Write for FREE Book

A wonderful book explaining this wonderful new course in Invention has been written and will be sent free to those genuinely interested. If you have ever had an idea for an invention, or if you would like to become a spare-time or professional inventor, and if you would like to know what to invent, send in your name at once. Only a limited number of these books are available for free distribution.

BUREAU OF INVENTIVE SCIENCE
29 WISNER BLDG., ROCHESTER, N. Y.

LEARN ELECTRICITY IN 3 MONTHS

Make this the most profitable and enjoyable summer of your life. Come to Chicago, the electrical center and the country's greatest summer resort city. Learn Electricity in America's oldest, largest and best equipped school. Earn your way, free employment dept.

FREE R. R. FARE now we will pay your railroad fare and give you free a course in auto truck and tractor electricity, a course in radio, and a life scholarship in the great Coyne School. This is the greatest offer ever made by a school. Write at once for particulars as we cannot keep this offer open long.

Write Today Coyne

Trade and Engineering Schools
39-51 E. Illinois St., Chicago, Ill
Dept. 39

PATENT ATTORNEYS

MILLIONS spent annually for ideas! Hundreds now wanted! Patent yours and profit! Write today for free books—tell how to protect yourself, how to invent, ideas wanted, how we help you sell, etc. American Industries, Inc., 501 Patent Dept., Washington, D. C.

PATENT applications filed on partial payment plan. Trade-marks, copyrights, etc. Milo B. Stevens & Co., 640 F Street, Washington, D. C. Estab. 1864.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

AGENTS AND SALESMEN WANTED

AGENTS—Sell patented cigar lighters and cigar-case moisteners. Big profits. Start making money at once. Write for circulars, cuts and sales plan. Drake Mfg. Co., Dept. P., Milwaukee, Wisconsin.

GET our plan for monogramming automobiles, trucks, hand luggage and all similar articles by transfer method; experience unnecessary; exceptional profits. Motorists' Accessories Company, Mansfield, Ohio.

MAN in each town to refinish chandeliers, brass beds, automobiles, by new method. \$10 daily without capital or experience. Write Gunmetal Company, Avenue "F," Decatur, Illinois.

AGENTS make 500% profit handling auto monograms, new pictures, window letters, transfer flags, novelty signs. Catalog free. Hinton Co., Dept. 125, Star City, Indiana.

AGENTS—Make a dollar an hour. Sell Mendota, a patent patch for instantly mending leaks in all utensils. Sample package free. Collette Mfg. Company, Dept. 467, Amsterdam, New York.

AGENTS make 140% profit. Eradium (luminous) Crucifix shines in the dark. Sells for \$2.00. Costs 84c. Complete line religious articles, crucifixes, bulbs, switch plates, house numbers, match boxes. Novel! Ornamental! Useful! Every home a prospect. Big sales. Get free demonstration outfit. The Pioneer Corporation, 1263 W. 63rd Street, Chicago, Illinois.

SALESMEN can make \$5.00 a day selling our calendars, pencils, signs, advertising novelties, yardsticks, whistles, etc. Liberal terms. Sells entire year. Fine side line. Local and traveling agencies. Model Calendar Co., Dept. 309, South Bend, Indiana.

BIG money and fast sales. Every owner buys gold initials for his auto. You charge \$1.50; make \$1.35. Ten orders daily easy. Write for particulars and free samples. American Monogram Company, Dept. 47, East Orange, New Jersey.

PATENTS. Write for free Illustrated Guide Book. Send sketch or model for free opinion of its patentable nature. Highest references. Prompt attention. Reasonable terms. Victor J. Evans & Co., 174 Ninth, Washington, D. C.

AGENTS: Big profits. Best and cheapest window letters made. Easily applied. Dime brings five samples. Particulars free. Staibrite Company, 1115 Second Avenue, New York.

57 MILES per gallon made with new patented gasoline vaporizer. Write for particulars. Vaporizer Company, Pukwana, South Dakota.

AGENTS—Clever Invention! Inkspoon makes every pen a fountain pen. Fast office seller; big profit, demand increasing everywhere. Exclusive territory offered. Sample free. H. Marul Company, Tribune Building, New York.

GET our Big Money proposition and Free Samples of easy applied Transfer Letters. Unlimited prospects. Auto Monogram Supply, 14 Green, Newark, New Jersey.

A BUSINESS of your own—Make sparkling glass name plates, numbers, checkerboards, medallions, signs; big illustrated book. Free. E. Palmer, 512 Wooster, Ohio.

SELL Minutemend for tires and tubes—cost 2c. Repaid; surpasses vulcanizing, saves 500% Every auto and accessory dealer buys. Profits amazing. Shaw made \$21 first day. Hart \$155 first week. Particulars and free sample. The Colonial Rubber Co., Dept. 88, Philadelphia, Pa.

LARGE manufacturer wants agents; sell advertised brand men's shirts direct to wearer. No capital or experience required. Free samples. Madison Mills, 505 Broadway, New York.

WHY work for others? Make and sell your own goods. We show you how. Enormous profits. Write quick for free book explaining everything. Thos. D. Steel, President, 622 Main, Richmond, Virginia.

\$1,080 made by Wingo in six weeks selling Never Fall Razor Sharpeners. Purdy made \$40.00 first day. Other inexperienced men cleaning up big money. Applewhite, La., six orders in thirty minutes. Hurry—investigate—exclusive territory. Write to-day. Never Fall Co., 152 Allen Bldg., Toledo, Ohio.

MAKE \$25 to \$50 week representing Clows' Famous Philadelphia Hosiery, direct from mill—for men, women, children. Every pair guaranteed. Prices that win. Free book "How to Start" tells the story. George Clows Company, Desk 24, Philadelphia, Pennsylvania.

AGENTS, \$60 to \$200 a week, free samples. Gold sign letters for store and office windows. Anyone can do it. Big demand. Liberal offer to general agents. Metallic Letter Co., 431 A, N. Clark Street, Chicago.

GREATEST sensation! Eleven-piece soap and toilet set, selling like blazes for \$1.75 with \$1.00 dressmaker's shears free to each customer; other unique plans. E. M. Davis Co., Dept. 59, Chicago.

\$10 WORTH of finest toilet soaps, perfumes, toilet waters, spices, etc., absolutely free to agents on our refund plan. Lacassian Co., Dept. 615, St. Louis, Missouri.

ONLY one sale a day means \$200 per month! Five sales \$1,000 per month! Marvelous new adding machine. Retail \$15.00. Work equals \$350 machine. Adds, subtracts, multiplies, divides automatically. Speedy, accurate, durable, handsome. Five year guarantee. Offices, stores, factories, garages buy one to dozen. A fortune for live agents. Write quick for protected territory and free trial offer. Lightning Calculator Co., Dept. P, Grand Rapids, Michigan.

EARN \$2.00 an hour in your spare time taking subscriptions for this magazine. Write to-day for the agency in your town. Popular Science Monthly, 225 West 39th Street, New York.

SELL Grito Laundry Tablets; big repeater; agents coin-ing money; send for free sample and particulars today. Grito Soap & Mfg. Co., Dept. 4, Rochester, N. Y.

EASY, pleasant work for mechanics, shop men, clerks during spare hours, will add many dollars to their salaries. Also want persons who can give full time. Big wages assured. Novelty Cutlery Company, 27 Bar Street, Canton, Ohio.



He Starts at \$5,200 a Year

One hundred dollars a week!—And only a few years ago his weekly wage was less than \$30. Didn't dream he could do it when he first took up the study of Higher Accounting under the LaSalle Problem Method; but he just couldn't help getting ahead—so he wrote—because he found it the most interesting thing he ever tackled.

Knew nothing about bookkeeping, but LaSalle quickly gave him the necessary foundation. Then, step by step, he was trained in the practical work of Cost Accounting, Auditing, Business Law, Organization, Management, Finance, Income Tax Procedure—not theoretically, mind you, but by the solving of actual problems lifted bodily from business life. As a result, he sits as Auditor at a big mahogany desk and commands a salary of \$5,200 a year.

Unusual Opportunities in Accounting

Typical, this man's experience, of that of thousands of ambitious men who have found their path to success in the LaSalle Problem Method. Never in the history of business has the need for trained accountants been so great or the rewards so attractive. The files of LaSalle Extension University contain literally thousands of letters reporting rapid advancement—incomes doubled, tripled and quadrupled as the result of home-study training. During three months' time, 1,089 LaSalle members wrote to the University telling of the "raises" they had got as a result of their training. The average increase per man was 56 per cent.

These men were not unusual; they had no "pull" or "luck;" they got their start by signing just such a little coupon as appears directly below this text. Mark that coupon, sign and mail today—and get the facts. We will promptly send you complete information regarding the training you are interested in; also a copy of that inspiring book "Ten Years' Promotion in One." "Get this book," said a prominent Chicago executive, "even if you have to pay five dollars for it." We will send it free.

Remember, the cost of LaSalle training is small and can be covered in easy monthly payments, if you so desire. The decision that you make this moment is important. Mail the coupon now.

LaSalle Extension University

The Largest Business Training Institution in the World
Dept. 783-HR Chicago, Illinois

Please send me catalog and full information regarding the course and service I have marked with an X below. Also a copy of your book, "Ten Years' Promotion in One," all without obligation to me.

☐ Higher Accountancy

Training for positions as Auditor, Comptroller, Certified Public Accountant, Cost Accountant, etc.

Other LaSalle Training Courses

LaSalle is the largest business training institution in the world. It offers training for every important business need. If more interested in any of these courses, check here:

- | | |
|--|--|
| <input type="checkbox"/> Business Management | <input type="checkbox"/> Banking and Finance |
| <input type="checkbox"/> Salesmanship | <input type="checkbox"/> Modern Foremanship |
| <input type="checkbox"/> Traffic Management | <input type="checkbox"/> Production Methods |
| <input type="checkbox"/> Railway Accounting & Station Management | <input type="checkbox"/> Personnel and Employment Management |
| <input type="checkbox"/> Law—Degree of LL.B. | <input type="checkbox"/> Expert Bookkeeping |
| <input type="checkbox"/> Commercial Law | <input type="checkbox"/> Business English |
| <input type="checkbox"/> Industrial Management Efficiency | <input type="checkbox"/> Commercial Spanish |
| <input type="checkbox"/> Modern Business Correspondence and Practice | <input type="checkbox"/> Effective Speaking |
| | <input type="checkbox"/> C. P. A. Coaching |

Name.....

Present Position.....

Address.....

RAG JAZZ Piano, Saxophone or Tenor Banjo in 20 lessons. Christensen Schools in most cities, or Learn by Mail. Write for Booklet, or money-making teacher's opportunity.

CHRISTENSEN SCHOOL
22 E. Jackson Blvd. Chicago, Ill.

DO YOU LIKE TO DRAW?

Cartoonists are well paid

We will not give you any grand prize if you answer this ad. Nor will we claim to make you rich in a week. But if you are anxious to develop your talent with a successful cartoonist, so you can make money, send a copy of this picture, with 6 cents in stamps for portfolio of cartoons and sample lesson plate, and let us explain.

The W. L. EVANS SCHOOL OF CARTOONING
825 Leader Bldg. Cleveland, Ohio



WANTED!
U.S. RAILWAY MAIL CLERKS

Steady Work. No Layoffs.
Paid Vacations.

Common Education Sufficient.
Send Coupon Today—SURE.

Name.....

Address.....

GET
\$1600 to \$2300
A YEAR

Men—Boys over 16 should mail coupon immediately

Franklin Institute, Dept. G276, Rochester, N. Y.

Sirs: Send me, without charge, (1) sample Railway Mail Clerk Examination questions; (2) schedule showing places of coming U. S. Government Examinations; (3) list of many Government jobs obtainable.



FREE

Actual Reports of Secret Service Operator 38

HERE is something money can't buy. More fascinating than detective stories. Confidential reports of a real operator—No. 38—to his Secret Service Bureau, headed by the most famous detective in America. Absolutely free. No cost. No obligations. Don't fail to send for them.

They may point the way to Big Money for you. See how the modern detective works. Read these inside stories of the solution of great mysteries. See what possibilities this most fascinating and eventful of all professions offers to you—and how you may fit yourself for it.

Be a Finger Print Expert

To command the highest fees, the Secret Service man must also be a Finger Print Expert. These reports show why. This profession may be easily learned at home, in your spare time. Wonderful opportunity in this UNCROWDED, PROFITABLE field.

Make \$5,000 to \$10,000 a Year

The unfilled demand for trained Finger Print men is increasing daily. Opportunity is waiting for you. No time to lose. Send today for these Reports, also our big Free book on Finger Prints. Gives all particulars and success stories of our graduates! Brilliant future ahead if you act now.

Learn at Home in Spare Time

And now you can learn the secrets of this science at home in your spare time. Any man with common school education and average ability can become a Finger Print Detective in surprisingly short time.

Special Offer Limited Time

Everyone getting these Free Reports will also receive my Special Offer of a Professional Finger Print Outfit, absolutely FREE. Made for a limited time only. Send coupon today—sure. Reports, Finger Print Book, and special outfit offer, all Free and Prepaid. Don't delay and perhaps forget. Do this right now.



← **Also
FREE**
Send the coupon

**UNIVERSITY OF
APPLIED SCIENCE**

1920 Sunnyside Ave., Dept. 1366, Chicago, Ill.

T. G. COOKE, Pres. University of Applied Science
1920 Sunnyside Ave., Dept. 1366, Chicago, Ill.

Dear Mr. Cooke: Please send me FREE and prepaid, Reports of Operator 38, your now illustrated book on Crime and Crime Detection and your Special Outfit Offer. It is fully understood I assume no obligation.

Name.....Age.....

Address.....

Town.....State.....

AGENTS AND SALESMEN WANTED

WHIRLWIND money-maker for agents—sample free—Sell powdered Handslick, an absolutely new, non-competitive and unbeatable hand cleanser. Removes grease, grime, ink, paint, etc., without slightest injury to skin. Its use spreads like wildfire. Cheaper than all others. Sells in cans (or bulk with dispensers) to garages, autoists, mechanics, factory and office folks, to housewives, hardware stores and auto supply houses. Huge quantities used weekly by mercantile houses. (Names on request.) Big repeat business assured. Exclusive agencies, crews working for you, fast sales, splendid profits and a permanent business for hustlers. Live ones can clean up \$500 a month. Send a 2c stamp for postage on free sample. Complete sales plan goes with it. Write quick to Solar Products Company, 126 W. Lake Street, Chicago, Illinois.

AMBITIOUS men, write today for attractive proposition, selling subscriptions to America's most popular automobile and sportsman's magazine. Quick sales. Big profits. Pleasant work. Digest Pub. Co., 1523 Butler Bldg., Cincinnati.

AGENTS—Best seller: Jem Rubber Repair for tires and tubes; supersedes vulcanization at a saving of over 800 per cent; put it on cold, it vulcanizes itself in two minutes, and is guaranteed to last the life of the tire or tube; sells to every auto owner and accessory dealer. For particulars how to make big money and free sample, address Amazon Rubber Co., 504 Amazon Building, Philadelphia, Pennsylvania.

AGENTS—Something new. Fastest sellers and quickest repeaters on earth; permanent, easy, profitable business; good for \$42 to \$58 a week. Address American Products Co., 5907 American Bldg., Cincinnati, Ohio.

SELL necessities. Everybody needs and buys the "Business Guide." Bryant cleared \$800 in July. Send for sample. It's free. Nichols Company, Box 118, Naperville, Illinois.

MAKE 600% profit. Free samples. Lowest priced gold window letters for stores, offices. Anybody can do it. Large demand. Exclusive territory. Big future. Slide line. Acme Letter Company, 2800 N. Congress, Chicago.

\$31.00 PROFIT with only \$1.50 selling Pure Gold Leaf Monograms for Automobiles—trunks, bags—(Window and Wagon letters). Applied instantly. No experience necessary. No. 1 Outfit brings you \$32.50—cost only \$1.50—you make \$31.00 profit. Get colored catalog. Full particulars. Free samples (36 designs). "Hurry." Nullife Auto-Aid, Hartford, Connecticut.

AGENTS: If you are making less than \$300 a month, our proposition on Sentinel Burglar Alarms for windows and doors will interest you. Many agents earn \$20 daily. Brand new inventions. No wires or batteries. Instantly attached to any door or window. No competition. Provides cheap burglar insurance. Big money makers. Write to-day for extremely liberal terms to agents. Sentinel Alarm Co., 1452 Marquette Bldg., Chicago, Illinois.

AGENTS double your money. Polmet polishing cloth cleans all metal. Retail 25 cents. Sample free. F. C. Gale, 15 Edinboro St., Boston, Mass.

AGENTS wanted—To sell world's best Nifty Pocket pencil sharpener. Sample 25 cents. Fred Voigt, Mount Vernon, Illinois.

AGENTS—\$5 to \$10 daily selling Snow Dust Washing Compound. Washes clothes without rubbing. Women wild about it. Big repeater. Free samples boost sales. Exclusive Territory, 300% Profit. Sample Free. Norman E. Conrad, Wabash, Indiana.

AGENTS—375% profit. Wonderful little article: something new; sells like wildfire. Carry in pocket. Sample 15c. Peters Mail Order House, 12 Harrison Avenue, Gardiner, Maine.

HOME employment evenings. Start little mail order business anywhere. Stamp brings instructive Booklet. Amos Pier, 72 Cortlandt Street, New York.

DISTRIBUTORS and agents wanted to market "Apple-O" the delicious pure fruit butter in powdered form. Excellent side line, big demand. Enclose dime for samples and particulars. Sales Manager, Box 423, Scranton, Pennsylvania.

CAR owner salesmen wanted to introduce wonderful new process tires and tubes. Guaranteed against rim cut, stone bruises and blowouts. Massively oversized! Exclusive territory. Free tires for your own car! Astonishingly low prices. Amazing mileage guarantee! Real live proposition! Write for Free Booklet. Postal will do. International Rubber Corporation, Box 116, Grand Rapids, Michigan.

NEW office article. Minute demonstration means sure sale. 100% repeater. Odiorne, 119 South Fourth, Philadelphia, Pennsylvania.

MEN only. Sell new novelty. Sample 25 cents. Howard Eddy, Meriden, Connecticut.

AGENTS make 100 per cent profit, selling National Fibre house brooms. Retail for \$1.00. Free sample proposition. National Fibre Broom Company, St. Louis, Missouri.

SALESMEN—Dollars are waiting for you! Wherever internal combustion engines are used—and that means everywhere. Motor Ignition Amplifiers sell themselves on their merits by easy demonstration. More power to a new motor, new power to the old—verily they sell because they excel—they serve power and conserve ignition system, reduce carbon deposits and insure quick start with complete combustion. Salesmen, agents, dealers—Investigate. Motor Ignition Corporation, Albany, New York.

RADIO—Our \$15.00 (tube) detector sets selling like hot cakes. Big opportunity. Write today. Simplicity Radio-Phone Factories (3), Cincinnati, Ohio.

YOU are worth more money—Let B & G Rubber Specialties get it for you. Forty-five fast sellers needed in every home. Profits extra large. Get right write now. B & G Rubber Mfg. Co., Dept. 477, 618 Penn Ave., Pittsburgh, Pa.

EVERYBODY uses Extracts. Sell Duo Double Strength Extracts. Complete line household necessities. Big repeaters. Write today. Duo Co., Dept. E86, Attica, N. Y.

TWENTY—big money—making opportunities free. Lawrence Products Company, Department 8, Beaver Dam, Wisconsin.

MEN'S shirts, easy to sell. Big demand everywhere. Make \$15.00 daily. Undersell stores. Complete line. Free samples to workers. Chicago Shirt Co., 9 South Clinton, Factory 220, Chicago.

AGENTS—\$5 to \$15 daily—Introducing New Style Guaranteed Hosiery—latest modes and shades—Nude, camel, silver, etc. Big profits. Repeat orders bring you regular income. You write orders—we deliver and collect. Experience unnecessary. Outfits contain all colors and grades including silks. Mac-O-Chee Mills Co., Desk 269, Cincinnati, Ohio.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.



A Big Raise in Salary

Is Very Easy to Get, if You
Go About It in the Right Way

You have often heard of others who have doubled and trebled their salaries in a year's time. You wondered how they did it. Was it a pull? Don't you think it. When a man is hired he gets paid for exactly what he does, there is no sentiment in business. It's preparing for the future and knowing what to do at the right time that doubles and trebles salaries.

Remember When You Were a Kid

and tried to ride a bike for the first time? You thought that you would never learn and then—all of a sudden you knew how, and said in surprise: "Why it's a cinch if you know how." It's that way with most things, and getting a job with big money is no exception to the rule, if you know how.

We Will Show You How

Without loss to you of a single working hour we can show you a sure way to success and big pay. A large number of men in each of the positions listed are enjoying their salaries because of our help—we want to help you. Make check on the coupon against the job you want and we will help you get it. Write or print your name on the coupon and send it in today.

American School

Dept G675, Drexel Ave. & 58th St., Chicago

American School

Dept. G675, Drexel Ave. & 58th St., Chicago
Send me full information on the subject checked and how you will help me win success.

- | | |
|------------------------------|-----------------------------|
|Architect |Lawyer |
|Building Contractor |Machine Shop Practice |
|Automobile Engineer |Photoplay Writer |
|Automobile Repairman |Mechanical Engineer |
|Civil Engineer |Shop Superintendent |
|Structural Engineer |Employment Manager |
|Business Manager |Steam Engineer |
|Cert. Public Accountant |Foremanship |
|Accountant and Auditor |Sanitary Engineer |
|Bookkeeper |Surveyor (and Mapping) |
|Draftsman and Designer |Telephone Engineer |
|Electrical Engineer |Telegraph Engineer |
|Electric Light & Power |High School Graduate |
|General Education |Fire Insurance Expert |
|Vocational Guidance |Wireless Radio |
|Business Law |Undecided |

Name.....

Address.....



Begin Today—Write for My FREE BOOK
I can make a good penman of you at home during spare time. Write for my FREE BOOK, "HOW TO BECOME A GOOD PENMAN." It contains specimens and tells how others mastered penmanship by the Tamblin System. Your name will be elegantly written on a card if you enclose stamp to pay postage. FREE BOOK—Write for it Today.

F. W. Tamblin, 437 Ridge Bldg., Kansas City, U. S. A.

Automobile Repairing Made Easy

By Victor W. Page

A thoroughly practical book containing complete directions for making repairs to all parts of the motor car mechanism. 1,056 pp. Price, \$4.00

POPULAR SCIENCE MONTHLY
225 West 39th Street New York City

AGENTS AND SALESMEN WANTED

GREAT profits assured capable men joining immediately national selling organization for Everflo Self-Filling Ink-Pencil Pen. Writes with ink instead of lead. Send for profit proposition. Everflo Pen Co., Dept. 55, Grand Rapids, Mich.

\$11.50 profit per 100 selling colored sign cards. 7x11 inches. Retail 15c. Every merchant wants some. Two samples 10c. Reigelman Co., P. S. Greenville, Pennsylvania.

WE want 50 more representatives to sell our children's and ladies' gingham dresses direct. New, exclusive styles. Loretta Froek Co., Dept. 15, Dayton, Ohio.

\$25.00 will be paid first person proving one-quart C-M-G. does not equal forty to sixty gallon gasoline. Quart \$2.50. Combination Motor Gas Company, 323 1st Avenue, Milwaukee, Wisconsin.

PHENOMENAL sales! Record breaker! Send postal. Warren & Howell 461 Eighth Ave., New York.

PORTRAIT Agents—\$50,000 is what "Picture Man Friedman" made canvassing. Free circular "Profits in Portraits" tells how. 24-hour service prints, finished portraits, frames. Samples free. "Picture Man Friedman," Dept. 87, 673 W. Madison Street, Chicago.

A BIG Money Maker and a pleasure for men, women, and children. You can make the most beautiful marble, turquoise, agate, tile and art work from common Portland cement, also beautiful pictures, picture frames and scenery. I will also tell you how you can make from twenty-five to one hundred dollars in an hour's time after learning how to do the work. Will pay five dollars if you cannot do the work by following instructions. My twenty-five dollar course of instructions for twenty-five cents silver. Based on 40 years' experience. Address B. F. Spencer, Instruction Dept., Elstnor, California.

MONEY back guarantee makes Premier Sharpener fastest seller. Hundreds getting rich. You can. Write Premier Mfr. Co., 815 E. Grand Blvd., Detroit, Michigan.

WE lead the U. S. A. in placing in the hands of high grade salesmen a campaign of exceptional earning possibilities. Last year, the year of business depression, one man earned \$23,757.45. Several of our masterful fighters are earning better than \$200.00 per week. With proven sales ability you need no experience. Our 133 page manual explains fully the plan whereby you may study and immediately start producing business. You sell a rental service of forceful advertising films to bankers and successful business men on an easy payment plan. They are displayed on local screens before the audiences seated in concentrated attention in darkened theatres. This high quality service is now sold in 32 states in successful competition with all other mediums. Alexander Film Advertising sells through the summer as well as the winter. Alexander Film Co., 1141 Main Ave., Spokane, Wash.

\$1000 before Christmas—you can make it—no experience necessary. Rapid selling, \$4.69 household necessity, wonderful gift. You sell, we deliver, pay daily. Eastern Keenware Co., Franklinville, New York.

LIGHTNING—Wonderful new electrolyte charges discharged batteries instantly. Eliminates old Sulphuric Acid method entirely. World has waited half a century for this invention. One gallon, retails \$10.00, free to agents. Lightning Co., St. Paul, Minn.

COMPLETE selling outfit free—Take orders for Good-year Guaranteed Raincoats from pocket size style book. Better goods. Lower prices. Big saving by selling direct makes sales easy. No experience needed. Quality, price, and styles get the orders. Write quick. Goodyear Manufacturing Company, 1757-e Goodyear Building, Kansas City, Missouri.

FASTEST 50c seller in 25 years. Wonderful new invention—just out. Nothing else like it. Fifty to 100 sales a day easy. Write quick. Sales Manager, Box 718, Springfield, Illinois.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

HELP WANTED

OUR genuine gold window sign letters are an excellent money-making proposition for handy men. Slann Sign System, 7505 St. Antoine, Detroit, Michigan.

BE a mirror expert, \$3-\$10 a day; spare time at home first; no capital; we train, start you making and silvering mirrors. French method. Free prospectus. W. F. Derr, Pres., 26 McKinley Street, Baldwin, New York.

MEN—Age 17 to 45. Experience unnecessary. Travel, make secret investigations, reports. Salaries, expense, American Foreign Detective Agency, 321, St. Louis.

SILVERING mirrors, French plate taught. Easy to learn, immense profits. Plans free. Wear Mirror Works, Excelsior Springs, Missouri.

WRITE photostats; \$50 each. Experience unnecessary; details free to beginners. Producers' League, 194, St. Louis.

DETECTIVES earn big money. Excellent opportunity. Travel. Fascinating work. Experience unnecessary. Particulars free. Write American Detective System, 1968 Broadway, New York.

BE a detective. Excellent opportunity, good pay, travel. Write C. T. Ludwig, 424 Westover Bldg., Kansas City, Missouri.

BE a Railway Traffic Inspector! \$110 to \$250 monthly expenses paid, after 3 months' spare-time study. Splendid opportunities. Position guaranteed or money refunded. Write for Free Booklet Cm-13. Standard Business Training Institute, Buffalo, New York.

\$150.00 weekly. Start automobile repainting, retrimming business, easily learnt, without experience or capital. Many positions now being advertised daily. Frederick De Wilde, Sheboygan, Wisconsin.

MEN—Make money in spare time mailing letters, unusual opportunity offered. Send stamped addressed reply envelope. H. Normande, 147 W. 23rd St., New York.

A Job for Life with Good Pay. Annual Vacation under "Sole Sam", is open to you. Write immediately for our book, "B-70", telling how to get it. Chicago Civil College, Kesner Building, Chicago.

Money made silvering mirrors, plating tableware, headlight. Outfits furnished. F. Decie Laboratories, 1133 Broadway, New York.

SALESMEN be your own boss. Largest commissions paid selling sanitary twisted wire brushes. Write for our proposition. Sanitary Wire Grip Brush Co., 29 Mercer St., New York City.

SELL tires—big profits. 30x3 1/2 tire costs you \$6.71. Guarantee with each tire. No experience or capital necessary. Sample furnished free, good steady proposition. Bedford Tire Co., 1680 Broadway, New York City.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

I Want A \$5000 Man In Every Town

This is nothing more than a "Help Wanted" Ad. But it offers you the most amazing opportunity in years. You may not be the man I want—but if you are—I'll Show You How You Can Earn From \$5000 to \$7000 a Year.

The Proposition

One of America's largest woolen mills, Taylor-Wells & Co.—for the first time in the history of clothing marketing has decided to manufacture and sell directly from the mills to the wearer garments of superb quality, fashioned from their own wools. An organization of special representatives is now being formed to represent Taylor-Wells & Co. in exclusive territory. In view of the fact that this organization is to be composed of the best grade of men I can secure—I am going to be mighty particular about—

The Man

He need not have selling experience. But he must possess loyalty, honesty, sincerity and a good reputation in his community. I do not want every Tom, Dick or Harry. I want men of whom we will be proud—and who in turn will be proud of us and our merchandise. I know our clothing to be of the highest grade and I want men of a like calibre.

His Earnings

Conservatively estimated a special representative should earn from \$5000 to \$7000 a year. The demand for our product will be great. Selling direct from the woolen mills to the consumer—we can sell *all wool* clothing at a price so low as to be astonishing. Our representative will practically build a business for himself in his territory. Customers who buy Taylor-Wells *all wool* clothes stay customers.

His Future

The sales organization now being formed is in its infancy. Within a short time District Managerships will be open. The men who join us now—and who "make good" place themselves immediately in line for a District Managership which should net him \$10,000 a year and more. The ambitious man with the determination to succeed will have no trouble in "landing" one of these openings.

Why You Must Act Quickly

This may be your one big opportunity. Do not delay! Write me immediately and use the coupon below for full details of this amazing opportunity. Territories will be going fast—so if you believe yourself the "right man" hurry!

TAYLOR, WELLS & CO.

DEPT. 129

2740 N. PAULINA ST.,

CHICAGO, ILL.



"From the Mills to the Millions"

STAMMER

If you stammer attend no stammering school until you get my large FREE book entitled "STAMMERING, Its Origin and The Advanced Natural Method of Cure," bound in cloth and stamped in pure gold. Ask for special tuition rate and a FREE copy of "The Natural Speech Magazine." Largest, best equipped and most successful school in the world for the cure of stammering. No sing-song or time-beat. School open all year. Now is the best time to enroll. Lee Wells Millard, Pres. The North-Western School, 2335 Grand Ave., Milwaukee, Wis.

Keystone Institute

"THE SERVICE SCHOOL"

A fully equipped school with expert instructors, organized to give intensive instruction in

2-Year Courses
Electrical Engineering
Mechanical Engineering
Accounting and Business Administration
16 weeks' course in Automotive Engineering

Day and Night Classes. Graduates are sought by large and small industrial establishments and are filling important positions in all sections of the country. Write for information on subject that interests you, to Keystone Institute. Address The Information Bureau, 133 North 4th Street, Reading, Penna.

\$100 a Week FOR DRAWING

How would you like a fine position at \$100 a week? If you like to draw, develop your talent in a practical way. Good commercial artists earn this much, and more. Well-trained beginners soon command \$50 a week.

Learn Quickly at Home

The "Federal" Master Course teaches you by mail in your spare time. No experience needed. Read "Your Future," a splendid book telling all about this remarkable course, and the success of Federal Students. If you are in earnest and 16 years old or more, write to-day for this free book, kindly stating your age.



Federal School of
Com'l Designing
3107 Federal
Schools Bldg.
Minneapolis, Minn.



"You Get The Job"

"We've been watching you, young man. We know you're made of the stuff that wins. The man who cares enough about his future to study an I. C. S. course in his spare time is the kind we want in this firm's responsible positions. You're getting your promotion on what you *know*, and I wish we had more like you."

The boss can't take chances. When he has a responsible job to fill, he picks a man *trained to hold it*. He's watching you now, hoping you'll be ready when the opportunity comes.

The thing for you to do is to start today and train yourself to do some one thing better than others. You can do it in spare time through the International Correspondence Schools—just as more than two million men have done in the last 30 years—just as more than 130,000 are doing today.

The first step these men took was to mark and mail this coupon. Make your start the same way—and make it right now.

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 7603-C, Scranton, Penna.

Without cost or obligation on my part, please send me full particulars about the subject before which I have marked an X in the list below:—

BUSINESS TRAINING DEPARTMENT

- | | |
|---|---|
| <input type="checkbox"/> Business Management | <input type="checkbox"/> Salesmanship |
| <input type="checkbox"/> Industrial Management | <input type="checkbox"/> Advertising |
| <input type="checkbox"/> Personnel Organization | <input type="checkbox"/> Better Letters |
| <input type="checkbox"/> Traffic Management | <input type="checkbox"/> Foreign Trade |
| <input type="checkbox"/> Business Law | <input type="checkbox"/> Stenography and Typing |
| <input type="checkbox"/> Banking and Banking Law | <input type="checkbox"/> Business English |
| <input type="checkbox"/> Accountancy (including C.P.A.) | <input type="checkbox"/> Civil Service |
| <input type="checkbox"/> Nicholson Cost Accounting | <input type="checkbox"/> Railway Mail Clerk |
| <input type="checkbox"/> Bookkeeping | <input type="checkbox"/> Common School Subjects |
| <input type="checkbox"/> Private Secretary | <input type="checkbox"/> High School Subjects |
| <input type="checkbox"/> Business Spanish | <input type="checkbox"/> Illustrating |

TECHNICAL AND INDUSTRIAL DEPARTMENT

- | | |
|---|--|
| <input type="checkbox"/> Electrical Engineering | <input type="checkbox"/> Airplane Engines |
| <input type="checkbox"/> Electric Lighting | <input type="checkbox"/> Architect |
| <input type="checkbox"/> Mechanical Engineer | <input type="checkbox"/> Contractor and Builder |
| <input type="checkbox"/> Mechanical Draftsman | <input type="checkbox"/> Architectural Draftsman |
| <input type="checkbox"/> Machine Shop Practice | <input type="checkbox"/> Concrete Builder |
| <input type="checkbox"/> Railroad Positions | <input type="checkbox"/> Structural Engineer |
| <input type="checkbox"/> Gas Engine Operating | <input type="checkbox"/> Chemistry |
| <input type="checkbox"/> Civil Engineer | <input type="checkbox"/> Pharmacy |
| <input type="checkbox"/> Surveying and Mapping | <input type="checkbox"/> Automobile Work |
| <input type="checkbox"/> Mine Foreman or Engineer | <input type="checkbox"/> Agriculture and Poultry |
| <input type="checkbox"/> Steam Engineering | <input type="checkbox"/> Radio |
| <input type="checkbox"/> Mathematics | |

Name..... 5-23-22

Street Address.....

City..... State.....

Occupation.....

Persons residing in Canada should send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada.

"HOW I BEAT THE GAME"

The Inspiring Story of how one poorly paid garage mechanic won success, his own business and a big income. Tells how you can increase your salary from 100 to 500%. Send for it today FREE.

Ambu Engineering Institute
Dept. 48 2632 Prairie Ave., Chicago, Ill.

\$1,000 REWARD if this is your FINGER PRINT

If this is your Finger Print or if you can duplicate this Finger Print with an impression from any of your fingers or the fingers of any of your friends, you are entitled to this \$1,000 Reward. We make this offer to prove the accuracy of Finger Print identification. Your Finger Print may be the lucky one. Send for full, complete, FREE explanation how to make the test. We will tell you also about a position we have for you.

FREE GUARANTEED POSITION OFFER
Finger Print profession wants men. Big pay, interesting work, and certain income. We will tell you how you can qualify. Send at once as offer is limited. No obligation—and no cost to you.
U. S. SCHOOL OF FINGER PRINTS
Dept. 448 7003 N. Clark St., Chicago

BUSINESS OPPORTUNITIES

USED correspondence courses sold, rented, and exchanged. List free. (Courses bought.) Lee Mountain, Pisgah, Alabama.

\$30 a week evenings home, small mail order business. Booklet for stamp, Sample and Plan, 25c. I trust you for \$3. Alpe Scott, Cohoes, New York.

ADVERTISE. Country town newspapers. Lists free. Fennel Company, Covington, Kentucky.

GET into the specialty manufacturing business. Amazing profits. We will send you free book explaining our system. Write immediately. A wonderful opportunity awaits you. Thos. D. Steel, President, 622 Main, Richmond, Virginia.

PATENTS—Protect your rights. Before disclosing invention write for booklet and blank form Evidence of Conception to be signed, witnessed and returned with rough sketch or model of your idea, upon receipt of which I will promptly give opinion of patentable nature and instructions. No charge for preliminary advice. Highest references. Prompt, personal attention. Clarence P. O'Brien, Registered Patent Lawyer, Southern Building, Washington, D. C.

UNLIMITED Possibilities: Formula, Trade Secret Business. Particulars, Dime. Co-Operative Service Bureau, 89H56, Kokomo, Ind.

SCHEMER Magazine, Alliance, Ohio, prints big profit schemes; one subscriber made \$25,000 from three; another \$10,000 from one. Try your luck. Year, \$1.00; 3 months, 25c.

RESPONSIBLE corporation wants general sales managers to open branch office, manage salesmen. \$500 to \$1000 necessary; expenses allowed to Baltimore if you qualify. Address Manager, 603 N. Eutaw Street, Baltimore, Maryland.

EXPERT Chemist will furnish Formula and Trade Secrets in all lines. Lists free. W. L. Cummings, Ph. D., Gordon Avenue, Syracuse, New York.

BE a detective. Excellent opportunity, good pay, travel. Write C. T. Ludwig, 424 Westover Bldg., Kansas City, Missouri.

ENTER a new business. Earn \$3,000 to \$6,000 yearly in professional fees making and fitting a foot specialty; openings everywhere with all the trade you can attend to; easily learned by any one at home in a few weeks, at small expense; no further capital required; no goods to buy, job hunting, soliciting or agency. Address Stephenson Laboratory, 15 Back Bay, Boston, Massachusetts.

WE start in business, furnishing everything. Men and women, \$30.00 to \$100.00 weekly operating our "New System Specialty Candy Factories" anywhere. Opportunity lifetime. Booklet free. H. Ragsdale Company, East Orange, New Jersey.

HOME business we furnish everything, start you and keep you going permanently. No experience required, learn 10 lessons to paint portraits and landscapes. Free booklet. Genuine offer. Tangley Company, 162 Main, Muscatine, Iowa.

PATENTS procured—Trade marks registered—A comprehensive, experienced, prompt service for the protection and development of your ideas. Preliminary advice gladly furnished without charge. Booklet of information and form for disclosing idea free on request. Richard B. Owen, 44 Owen Building, Washington, D. C., or 2276-Z Woolworth Building, New York.

PREPARE and sell your own products—Modern formulas, trade secrets, commercial information. Different, dependable. Catalog free. C. Thaxly Co., Washington, D. C.

JOIN National Institute of Inventors, 8 E. 14th Street. Strong protective membership society; will help secure, develop, manufacture and market patents; dues \$10 yearly; booklet free.

MR. ADVERTISER: Ask to-day for a copy of the "Quick-Action Advertising Rate Folder." It contains some really important facts which will prove interesting and valuable to you. It also tells "How You Can Use Popular Science Monthly Profitably." You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 225 West 39th Street, New York.

STAMPS AND COINS

CALIFORNIA gold \$ 1/4 size, 27c; \$ 1/4 size 53c. White cent and catalogue, 10c. Norman Shultz, Colorado Springs, Colorado.

LIKE Triangular Stamps? To introduce our Sudden Service Approvals we'll send triangular Flume, set China ships, large \$1.00 United States revenue, also packet 50 foreign, millimeter scale, perforation, gauge, ruler and bargain lists—for only 9c. Fennel Stamp Company, Department C, Fullerton Building, St. Louis, Missouri.

1000 American hinges and 100 different stamps, 25c. 50 French Colonies, 30c. 50 Portuguese Colonies, 35c. Lists free. Fine approvals. Elwood D. Weber, 812 South Avenue, Plainfield, New Jersey.

158 Genuine Foreign Stamps—Mexico War Issues, Venezuela, Salvador and India Service, Guatemala, China, etc., only 10c. Finest approval sheets 50% to 60%. Agents wanted. Big 72-p. Lists free. We buy stamps. Established 29 years. Hussman Stamp Company, Dept. 55, St. Louis, Missouri.

STAMPS, 20 unused. All different, 3 cents. Mention paper. Quaker Stamp Co., Toledo, Ohio.

STAMPS—50 varieties, Africa, Brazil, Peru, Cuba, Mexico, etc., and Album 10c. 50 different U. S. 25c. 1,000 hinges, 10c. 1,000 mixed, 40c. List free. I buy stamps. C. Stegman, 5949 Cote Brilliante, St. Louis, Missouri.

UNUSED French Colonial stamps, 47 different, 20c. Nickles, 123 Florida Avenue, Washington, D. C.

CALIFORNIA gold quarter size and Colombia nickel 30c. Villa coin and catalog, 10c. Homer Shultz, King City, Missouri.

OLD coins, large Spring selling catalogue of coins for sale free. Catalogue quoting prices paid for coins, ten cents. William Hesslein, 101A Tremont Street, Boston, Massachusetts.

17 VARIETIES Bulgaria stamps, 20 cents. List of 7,000 low-priced stamps free. Chambers Stamp Company, 1110 Nassau Street, New York City.

200 DIFFERENT stamps, 20c. Lists free. Michael, 5602 Prairie, Chicago.

THREE Nyassa Giraffe stamps free to approval applicants. Wilmar Edgar, Cherokee, Iowa.

BARGAIN packet stamps 10c. 300 good, mixed 30c. 500 superior assortment \$1.00. Approvals. Harvey Teeple, 8-19, Decatur, Indiana.

BEGINNER'S special. Loose leafalbum (complete) 1000 different stamps; liberal quantity hinges, etc., \$6.00 postpaid. Lists free. Baumann, 1033 Levee, Philadelphia, Pennsylvania.



Electricity at your finger ends

Know the facts in Electricity. They mean more money and better position for you. Hawkins Guides tell you all you need to know about Electricity. Every important electrical subject covered so you can understand it. Easy to study and apply. A complete, practical working course, in 10 volumes. Books are pocket size; flexible covers. Order a set to-day to look over.

HAWKINS GUIDES

3500 PAGES \$1 A VOLUME
4700 PICTURES \$1 A MONTH

These books tell you all about—

Magnetism—Induction—Experiments—Dynamometers—Electric Machinery—Motors—Armatures—Armature Windings—Installing of Dynamos—Electrical Instrument Testing—Practical Management of Dynamos and Motors—Distribution Systems—Wiring—Wiring Diagrams—Sign Flashers—Storage Batteries—Principles of Alternating Currents and Alternators—Alternating Current Motors—Transformers—Converters—Rectifiers—Alternating Current Systems—Circuit Breakers—Measuring Instruments—Switch Boards—Wiring—Power Stations—Installing—Telephone—Telegraph—Wireless—Bells—Lighting—Railways. Also many Modern Practical Applications of Electricity and Ready Reference Index.

SHIPPED TO YOU FREE

Not a cent to pay until you see the books. No obligation to buy unless you are satisfied. Send Coupon now—today—and get this great help library and see if it is not worth \$1.00 to you—pay \$1.00 a month for ten months or return it.

SEND NO MONEY

THEO. AUDEL & CO.,
72 Fifth Ave., N. Y.

Please submit for examination
Hawkins Electrical Guides
(Price \$1 each). Ship at once, pre-
paid, the 10 numbers. If satisfactory, I
agree to send you \$1 within seven days and
to further mail you \$1 each month until paid.

Signature.....
Occupation.....
Employed by.....
Residence.....
Reference..... P. S. SEPT.

FREE Auto & Tractor Business Book

Hundreds of big jobs now open paying from \$150 to \$500 a month. I have calls every day for Rahe trained men in electrical, mechanical, Auto and Tractor Work. Qualify in 8 weeks. Short time offer includes railroad fare, board and complete set of tools FREE. Offer withdrawn without notice. Write for big book and offer NOW, before it is too late.

Rahe Auto & Tractor School, Dept. 2871
4445 Grand Blvd., Chicago, or 9th & Walnut, Cincinnati



LEARN BY DOING

Every phase of all branches of

ELECTRICITY

taught by

Actual Practice

In America's foremost and best institution for trade training.

No Books Used

Individual Instruction.
Start Any Day

Write for FREE 64-page catalog

THE NEW YORK ELECTRICAL SCHOOL

40 West 17th St., New York City



You owe it to your home, your loved ones, yourself!

A beautiful little blue steel automatic 4 3/8 in. long by 3 3/8 in. deep. Holds seven .25 cal. bullets—any standard automatic ammunition. An ideal gun for a woman.

Heavy .32 cal. military model 6 1/8 in. long by 4 3/4 inches deep. Shoots ten shots—any standard automatic ammunition.

Both models are exceptionally fine guns that usually retail from \$15 and \$25 up. The very finest quality forged steel and expert workmanship throughout. Absolutely guaranteed! If you are not entirely satisfied, return within ten days and we will return your money at once. If any defects occur within one year we will repair or replace free of charge.

Send No Money!

unless you wish. Write clearly your name, address and model you wish and we will ship by return mail. You pay the postman this special price when he brings your automatic.

Denver Importing Company

Dept. A P. O. Box 276 Denver, Colo.

\$8.25
for 25 caliber
7 Shot Automatic~

\$10.50
for 32 caliber
10 Shot Automatic
Including Extra Magazine ~

MEN WANTED

write today to the

SWEENEY SCHOOL



Now, I will guarantee a real job to qualified Sweeney graduates. Learn the auto and tractor business. Learn a trade. Eight weeks course leads to employment. Free Railway fare to Kansas City. Wonderful offer to you from world famous Million-Dollar trade school.

Young man, the only difference between a rut and the grave is that the grave is deeper. I say, get out of the rut. Do the work you like. Be independent. Learn a trade. Be a mechanic. Get into the auto business. You can earn big money. You can travel and see the world.

I have helped 50,000 men to success. This Million-Dollar trade school is the greatest success factory you ever saw. The way to learn is easy. You don't need any experience. I teach with tools, not books. You learn your trade by actually doing the work.

You have a right to make a success of your life. Make a start now. I'd like to show you what thousands of men just in your position have done as a result of the Sweeney system of practical instruction. It's a shame for you to stick in a

rut or work at jobs you don't really like. Ask any Sweeney man. They are in good positions all over the country. Repairing and selling autos. Driving cars and trucks. Mechanics. Running garages, tire shops, battery shops. Welders. Handling radio supplies.

Learning is a real pleasure in the Sweeney School. World's finest equipment. Fine associates. Healthful surroundings. Entertainment after working hours. Instructors who take personal interest in you. Free radio course. Big radio broadcasting station.

I am now paying your Railroad fare to Kansas City and giving a free radio course. No extras. No books. You are sure of getting a job when you graduate. I can't tell it all here, but send for my big catalog. Investigate this real opportunity.

The Million Dollar
Sweeney
AUTOMOBILE
(and) TRACTOR
SCHOOL
Largest in the World
UNION STATION PLAZA
KANSAS CITY
MISSOURI
EMORY J. SWEENEY,
President
Dept. 1062
Sweeney Bldg.
KANSAS CITY, MO.
Send me Free Catalog and
your Guaranteed Job Offer.
Name.....
Address.....

FREE Simply send name today for my big 72-page catalog. Shows hundreds of pictures of men at work in the school. Tells all about wages, profits, opportunities in auto and tractor business. Explains step by step how you learn. Interesting letters from graduates telling how they made good. Shows how men come from all over the world to this big school. Makes you want to join the crowd. Tells everything you want to know about, including all the new radio details. Includes contract for employment. No cost, no obligation. Clip the coupon or a postcard will do. Get the catalog now—that's the first step. Don't put it off one minute. No colored students accepted.

LEARN A TRADE

Sweeney
SCHOOL OF AUTO-TRACTOR-AVIATION
D. 1062 SWEENEY BLDG. KANSAS CITY, MO.

HOW TO CONDUCT A RADIO CLUB

E. E. Bucher

Covers parliamentary procedure, indoor and outdoor experiments, 5,000-mile receiving sets, vacuum tube amplifiers and detectors, and many other subjects.

148 pp. Fully illustrated. Price 75c

POPULAR SCIENCE MONTHLY

225 West 39th Street, New York City, N. Y.

Radio Hook-Ups

In this book are shown all the best circuits for damped and undamped wave receiving sets, buzzer, spark coil and transformer sending equipment, as well as vacuum tube telegraph and telephone transmitters, wavemeters, vacuum tube measuring instruments, audibility meters, etc. Price, 75 cents

POPULAR SCIENCE MONTHLY


225 West 39th Street New York City, N. Y.

WE TEACH COMMERCIAL ART

Meyer Both College, a Department of the Meyer Both Company, offers you a different and practical training. If you like to draw, develop your talent. Study this practical course taught by the largest commercial art organization in the field, with twenty years' success—which each year produces and sells to advertisers in the United States and Canada over 10,000 commercial drawings. Who else could give you so wide an experience? Commercial Art is a business necessity—the demand for commercial artists is greater every year. It's a highly paid, intensely interesting profession, equally open to both men and women. Home study instruction. Get facts before you enroll in any school. Get our special booklet, "YOUR OPPORTUNITY"—for one half the cost of mailing—4c in stamps.

**MEYER BOTH COLLEGE
OF COMMERCIAL ART**
Michigan Ave. at 20th St., Dept. 35 CHICAGO, ILL.

NOTE:—To Art and Engraving Firms: Secure practical artists among our graduates. Write us.



Make Your Own Radio —and Save Money

Guaranteed Home Parts for immediate delivery. No. 319 Loose Coupler, \$3.20; No. 320 Variocoupler, \$4.75; No. 315 Variometer, \$5.00; No. 330 Condenser .0005 m. f., \$3.65.

Money Back if unsatisfactory
Shipped Anywhere—Prepaid

SQUARE RADIO CO.

Dept. B-9
112 Rutledge Ave., E. Orange, N. J.

Giblin-Remler INDUCTANCE COILS

INTERCHANGEABLE WITH ALL COIL MOUNTINGS



The new Giblin-Remler Coil has achieved a remarkable success. Placed on the market thirty days ago, it has already achieved enthusiastic response from all sections of the country.

Thomas P. Giblin, in designing the Giblin-Remler Coil has built an inductance coil that is infinitely superior in every respect to both the Honeycomb and Duo-Lateral Coils of which he is also the originator.

The Giblin-Remler Coil is equally effective on all wave lengths—the self capacity is far less than any previous compact inductance—this gives selectivity and sharp tuning for a given coil

which is of special advantage to the amateur who usually has an antenna of low capacity. The high frequency resistance is also lower than any previous type.

Giblin-Remler Inductance Coils are patentable—they are manufactured by patented machinery. This protects you and insures your receiving the genuine Giblin-Remler Coils.

If you cannot secure Giblin-Remler Inductance Coils from your dealer send to us direct. Order now as these coils will help you get truly wonderful results from your set.

REMLER RADIO MFG. CO.

E. T. CUNNINGHAM
General Manager

248 First Street
San Francisco, Calif.

154 W. Lake Street
Chicago, Ill.

Type and Number of Turns, Mounted	Price, Mounted	Type and Number of Turns, Unmounted	Price, Unmounted	Inductance in Milli-henrys at 1000 cycles Accuracy 1/2%	Natural Wave Length in Meters, Accuracy 1/2%	Distributed Capacity, in micro-micro-farads, Accuracy 1%	Wave Length Range in Meters using Condenser of .001 max. and .00004 mfd. min.		High Frequency Resistance in Ohms at Wave Length Shown			
							Minimum	Maximum	200	500	1000	2000
RG 20M	1.50	RG 20U	.70	.030	39	14.3	63	334	1.1			
RG 25M	1.50	RG 25U	.70	.041	47	15.2	75	389	1.5			
RG 35M	1.50	RG 35U	.70	.083	87	25.4	128	550	3.5			
RG 50M	1.60	RG 50U	.80	.169	114	21.6	185	785	8.8	4.4		
RG 75M	1.65	RG 75U	.85	.377	163	19.8	266	1170	28.3	12.1	6.2	
RG 100M	1.70	RG 100U	.90	.666	217	19.9	358	1550	80.3	26.8	12.6	
									1000	2000	5000	10000
RG 150M	1.75	RG 150U	.95	1.503	281	14.8	512	2320	69.8	23.8	7.1	
RG 200M	1.80	RG 200U	1.00	2.68	374	14.7	690	3110		50.6	12.5	
RG 250M	1.90	RG 250U	1.10	4.20	424	12.1	860	3880		87.5	19.9	
RG 300M	2.00	RG 300U	1.20	6.11	494	11.2	1030	4680		141	29.3	13.8
RG 400M	2.10	RG 400U	1.30	11.04	618	9.7	1380	6300			54.6	22.3
RG 500M	2.30	RG 500U	1.50	17.50	747	9.0	1730	7900			93.1	34.9
									2000	5000	10000	20000
RG 600M	2.40	RG 600U	1.60	29.2	1024	10.1	2260	10250		111	43.8	
RG 750M	2.65	RG 750U	1.85	39.0	1249	11.3	2660	11850			64	
RG1000M	3.40	RG1000U	2.50	71.6	1620	10.3	3570	16000			123	
RG1250M	3.80	RG1250U	2.90	108.3	1930	9.7	4380	19700				
RG1500M	4.40	RG1500U	3.50	159.8	2300	9.3	5300	23800				

These tests have been made by Robert F. Field of Cruft High Tension Electrical Laboratory, Harvard University, Cambridge, Mass.



Welcome to the Hottest Spot on Earth!

From Tourist Hotels in Death Valley Will Be Visible Both the Lowest and Highest Places in the United States

By John Edwin Hogg

THE ghastliest yet most entrancing desert on the face of the earth is to be made a vacation playground! Death Valley, that vaguely famous mystery spot in eastern California, 337 feet below sea level at its lowest point, sweltering under summer temperatures up to 160 degrees—is to be robbed of its sting and thrown open to tourists, who in winters to come may delve into its fascinating mysteries in ease and comfort.

Tourist Hotels Planned

This transformation is to take place when a Western railroad realizes its ambition of building an extension—for which ground has already been broken—into the valley, and of erecting a chain of first-class tourist hotels, disclosing to travelers a magnificent panorama whose scenic marvels have hitherto been locked from visitors by the hot hand of death.

So extraordinary and varied are the natural wonders associated with Death Valley that its ultimate opening to the tourist is expected to make it as nationally famous as is now the Grand Canyon of Arizona.

Right in the mouth of this inferno, where nature herself has poisoned the few springs, and where, in summer, a man without water may die of fever within an hour, is located Furnace Creek Ranch, one of the queerest farms in the world.

Here, 187 feet below sea level, alfalfa and



Once the bed of a vast inland sea, the parched floor of Death Valley displays interesting salt formations such as this. The weird pinnacles are almost pure salt, some of them three feet high, and all as hard as concrete


vegetables are raised, thanks to irrigation and the efforts of Indian farm hands.

Two white foremen met death by daring to spend a second summer at this ranch, and two others, equally courageous, went insane. Only one white man, Oscar Denton, of San Diego, has ever spent more than two summers at Furnace Creek Ranch, and he recently quit—after eight years—to be succeeded by Victoriano Cebellos, a Mexican.

At Ryan, in the mountains above this

ranch, one of the projected hotels will be built, and from its verandas the tourist will be able to see in a single glance both the lowest and the highest spots in the United States! The first is the dazzling, salt-crusted floor of Death Valley itself, averaging 276 feet below sea level; the second the magnificent, snow-clad peak of Mount Whitney, looming up a hundred miles away, above the Panamint Mountains.

Knowledge of the geology of this topsy-turvy region adds dramatically to the



Part of the Frying Pan salt marsh on the floor of Death Valley, 276 feet below sea level, is seen almost in the center of this panoramic view taken from the Funeral Mountains to the east

of the valley and at an elevation of about 4000 feet. In the background, about 30 miles distant, is the Panamint Range, which shuts off rain-bearing winds from the valley

Death Valley Photos Taken for Popular Science Monthly

ADORNED with bones of horses, the grave of a Furnace Creek ranch foreman, shown at the right, is one of many tragic spots in Death Valley. Driven insane by the heat, this foreman attempted a fatal flight from the merciless valley



THE traveler who runs out of water in Death Valley may count the span of life in minutes; for the springs are usually saturated solutions of poison. The Furnace Creek Ranch of the Pacific Coast Borax Company offers the one oasis to be found



TYPICAL VALLEY VISTA

Above is the extreme southern end of Death Valley, as viewed from Cave Canyon. This canyon drops down into the valley through the Avawap Mountains on the south, descending from an elevation of 5800 feet to 50 feet below sea level within a distance of nine miles. The automobilist has to make his own road down the wash



A RELIC OF '49

A ghastly reminder of the fate of early gold seekers who lost their way and perished during the rush of 1849, is this pile of wagon wreckage at Lost Wagons on the floor of Death Valley. Note how the wooden wheels have been perfectly preserved, due to the extraordinary dryness of the atmosphere

FAMOUS BORAX CLIFFS

Below are shown mountain stores of vast wealth—the borax cliffs of Funeral Range, bounding Death Valley on the east. Here is mined the world's chief supply of commercial borax. The cliffs rise to an elevation of about 4000 feet



ALONG the barren, shifting sand dunes of the snow white valley many a luckless traveler has lost his way and has perished in the inferno. The dunes shown above rise about 150 feet from the valley floor, forming vast mounds of powdered sand


A DESERT SIGN POST

Until recently the only sign posts in the desert hole were those erected by prospectors and other dauntless desert travelers. Signs like those shown below have been replaced by metal guide posts erected by the government



visitor's interest in it. In some dark, pre-historic age, when the western half of our continent was pushed up out of the sea, three great ranges of mountains were formed, creating the valley of mystery and tragedy that later earned its name by a propensity for swallowing up luckless prospectors in the days of the gold rush and later. These three ranges of mountains are the Funeral Range, forming the eastern margin of Death Valley close to the Nevada state line; the Panamint Range, bounding the valley on the west, and the High Sierras, the loftiest mountains to be found within the continental limits of the nation, and extending north and south almost the entire length of California.


When the western half of the continent was new, Death Valley was not the heat-tortured waste that it is today, for it was then a great salt lake, 100 miles long, and from 6 to 15 miles wide, lying between the Panamint and Funeral ranges. The water in this inland sea was simply retained in the great depression between the mountains when the continent was pushed up from the floor of the ocean.




Where It Really Gets Hot

TEMPERATURES up to 160° in the sun and 134° in the shade—the highest ever recorded on the face of the earth—have been registered at the United States weather station in Death Valley, shown above.

Extreme temperatures, officially recorded in the hottest and coldest spots on earth, and at cities in various sections of the United States, are indicated at the left. Temperatures, except the first, are taken in the shade



The above profile shows vividly the extraordinary geographical features surrounding Death Valley and causing its arid heat, while the map at the right gives its general location



The heat-tortured wastes of Death Valley, with its poisoned wells and salt marshes, hemmed in by mountain ranges, are shown in this bird's-eye view, including the route of the railway

and the location of the hotel that will be built to open the scenic wonders of the valley to tourists. Spots of strange romance and tragedy, pictured on page 20, are indicated



Death Valley's One Oasis

Furnace Creek Ranch, one of the world's most extraordinary irrigated farms, 187 feet below sea level, is the one oasis in Death Valley, the creation of the Pacific Coast Borax Company. Sufficient water to irrigate 65 acres is brought in from two large springs in the Funeral Mountains

virtually gone through a dry cleaning process, the winds proceed to the east of the Sierras. This accounts for the great Panamint Desert, where very little rain ever falls, and which composes the area west of the Panamint Range and east of the High Sierras.

In crossing the Panamint Desert, much of the moisture still left in the eastbound rain-bearing winds is evaporated. Then these winds bump against the Panamint Range itself—the great, gnarled peaks towering to more than 11,000 feet. Again the winds are driven upward, chilled and forced to precipitate on the summits of the range what little moisture they may still contain. By the time these winds pass beyond the Panamints, they are almost totally dehydrated, making of Death Valley a waterless desert—the one region on earth where rain is virtually unknown.

Yearly Rainfall Almost Zero

Scientific records of Death Valley rainfall, during the past several years, reveal that the average annual precipitation is a little less than three tenths of an inch, as compared with an average of over 22 inches in San Francisco. This precipitation may come in a single sudden shower, or may be spread out through the entire year. Its sum total is scarcely more than what most of us would consider a light fog.

Analysis of the atmosphere at Furnace Creek Ranch, on the floor of Death Valley, has revealed that the average moisture content of the air is less than one one-hundredth of one per cent. With practically no rain at all, and with the dry atmosphere, like a blotter, constantly soaking up all moisture, we can easily imagine what became of the inland sea that formerly existed over the floor of the valley. The sea simply disappeared into space, leaving a hole with a maximum depth of 280 feet below ocean level, and a valley floor incrustated with salt, soda, borax, and other mineral substances, to which no bottom has yet been found. The depression is really the "subcellar" of the United States—the deepest hole on earth, with the exception of the Dead Sea region of Palestine.

Besides the extreme dryness, latitude, and lack of vegetation there are two other



Oscar Denton, foreman of the Furnace Creek Ranch for eight years, is the only white man who ever survived a second summer in the blazing heat of the valley

factors contributing to Death Valley's fatal summer climate. One of these is the heavy atmospheric pressure resulting from the valley's depth below sea level. The other is the similarity to a bake oven between the heat-radiating lower slopes of the mountains. The Funeral Mountains on the east rise up almost perpendicularly from below sea level to more than 6000 feet. They are waterless, burned-out volcanoes without a sprig of vegetation. The Panamints rise on the west to heights above 11,000 feet, and are waterless and barren up to about 6000 feet from the valley floor.

Most mountains have a well defined "tree line," above which foliage disappears. In this region of nature's freakiness, the tree line is also found, but it is one below which, instead of above which, no foliage exists.

Mountainsides Are Burned Wastes

The tops of the Panamints are perpetually snowclad, and the resulting moisture gives them a luxuriant growth of piñon pine. Water from the melting snow runs down on the Death Valley side of the range, and supports a luxuriant growth of vegetation until all of it is absorbed by the trees and brush, or is evaporated. Below the 6000-foot level water rapidly vanishes, and with it the trees, so that the side of the range next to the valley is a burned waste.

Through the dry, transparent atmosphere of the desert the sun's rays pass with little or no obstruction, to beat with unrelenting fury upon the barren slopes of the embracing mountains and the salt and sand of the valley. The heat is in turn radiated into the atmosphere as from a furnace lining, so that the valley is a veritable bake oven from the first of May until the middle of October.

Some of Death Valley's victims have undoubtedly perished from thirst, for water holes of drinkable liquid are scarce. Many of the springs are saturated solutions of mineral arsenic, cyanid, and other poisons, which cause death or serious illness to the man who drinks from them. But the terrific heat, raising human blood temperature in a short time to an unendurable fever, has caused more deaths than thirst. The body of many a prospector has been found beside his full canteen.

When we consider Death Valley from the standpoint of its summer climate, its appalling waste, its strange legends of death and suffering, its complete isolation from the rest of the world, we naturally ask: "How on earth is it to be commercialized to tourist travel?"

Winter Climate Delightful

This question is easily answered. The winter climate of Death Valley is delightful. There are only a very few days from the latter part of October until the middle of May when the sun does not shine. During these months the temperature seldom rises above 70 degrees, nor does it fall lower than about 20 degrees above zero. The winter climatic conditions are similar to those found in the Grand Canyon, except that in Death Valley snow is unusual.

For vividness of desert coloring and titanic grandeur, Death Valley is unlike anything else on earth—a thrilling revelation even to the most seasoned globe trotter.

With all that it has to offer to the tourist of the picturesque, Death Valley has remained in virtual obscurity for the same reasons that the Grand Canyon of Arizona remained in obscurity until the Santa Fé system built a railroad into it, erected hotels, and began its exploitation to travelers. Now the same thing is to be done with Death Valley, through the efforts of the Pacific Coast Borax Company—the corporation that turned Death Valley's gift to humanity into the avenues of commerce—and its associate organizations, the two local railroads.


The Tonopah & Tidewater Railroad will carry the tourist from Ludlow, Calif., on the transcontinental Santa Fé system, to Death Valley Junction, where a refinery now turns out the world's main supply of borax. From Death Valley Junction the Death Valley Railroad (narrow gage) is extended into the Funeral Mountains to the borax mines at Ryan, the probable site of one hotel. From Ryan it is now a motor trip of 18 miles down through Furnace Creek Wash to the floor of Death Valley and to Furnace Creek Ranch, established by the borax company for the purpose of retaining the only available water supply until such time as it might be needed for the development of near-by borax claims. The water there is brought in by aqueduct from two large springs in the Funeral Mountains, and in sufficient volume to irrigate 65 acres of land. This remarkable farm produces garden truck and three crops of alfalfa a year, which is used to feed cattle, producing beef for the miners at Ryan.

Most of the work at Furnace Creek is accomplished by machinery, since exacting physical toil by men and animals is out of the question. The labor is done by Indians innured to the conditions, under the direction of an educated foreman.

Under the present project of opening Death Valley to tourists, Furnace Creek Ranch will undoubtedly become the site of a splendid winter hotel, similar to the projected tourist resort at Ryan.

Two-Man Clipper Trims the Hedge Evenly

A HEDGE-CLIPPER made like a farmer's power mowing machine, consisting of a long bar with a saw-tooth blade that moves back and forth as the operator turns a hand wheel enables the hedge to be cut evenly by the amateur. It is said that the hedge of the average house can be clipped in less than half an hour, and that




This machine will clip the average hedge in half an hour

the operation is so easy that it may be cut every three weeks—as a hedge must be if it is to look its best.

As the bar extends entirely across the top of the hedge, it is impossible for it to cut unevenly. One person supports one end, and turns the wheel; the other holds the opposite end and walks parallel to the clipper, taking care to keep the bar horizontal. A shoulder rest from which the machine hangs vertically enables one man to make side cuts on hedges not exceeding 45 inches in height.

Novel Fire Engine Has Detachable Pump



The pumping mechanism is wheeled to the water supply, as inset shows

IN A newly designed electric fire engine developed by a British firm the gas engine drives an electric generator and this current is used not only to supply electric motors built into the rear axles of the truck, but also to drive the pumping mechanism.

This pumping mechanism may be detached and wheeled to any convenient point. This feature is important where the source of water is a river, a well, or a



lake. The pump is a two-stage, high duty, centrifugal type, with a capacity of 300 gallons a minute.

Tool for Workbench Straightens Nails

EVEN bent wire nails are being salvaged from the waste piles in Germany and restored to usefulness by means of an ingenious nail straightener that may be fastened to the workbench.

Hinged to one end of the cast iron base is a long lever with a handle. A few inches from the fulcrum of the lever an iron rod is hinged, and to this is attached a claw which grips the head of the nail to be straightened. The nail is placed with its head in the slot of the claw and with its body between the jaws of a straightening die which is oper-

ated by a lever. The jaws firmly grip the body of the nail and when the long lever is drawn back, the nail is pulled through the eye of the die and effectively straightened, as pictured below.



When the lever is drawn back, the bent nail is drawn through the eye of a die and straightened

Voting Machine Arrests "Repeater"



The voter casts his ballot by dropping a ball into a slot above his candidate's name and party emblem

A VOTING machine that is simple in construction, yet performs the complicated tasks of registering ballots, detecting and announcing frauds, and arresting the offender, has been designed by A. Niflot, of New York City.

The machine, containing no springs nor electrical mechanism, is operated by dropping a small ball into a slot above the candidate's name and party emblem. When this has been done, the candidate's appreciation is expressed by a sign that flashes a "Thank you" directly beneath his photograph.

The voter who attempts to cast more than one vote for a candidate by dropping more than one ball in the slot is quickly detected. If two balls are inserted, the word "Fraud" appears outside the voting booth, a bell rings loudly and the would-be "repeater" is locked inside the booth until an inspector arrives. At the close of the voting period, a small lever, operated by the official in charge of the balloting, instantly reveals the vote.

Will This "Whirling Leaf" Flying Machine Solve Greatest Problem in Aviation?

Vertical Flight Is Aim of Revolutionary Helicopter

HAVE you ever observed one of the winged seeds of the maple or sycamore making its way to earth after it has been detached from its stem? Whirling like a miniature wind wheel, the seed, describing a spiral as it is carried by the breeze, often travels hundreds of feet before it strikes the ground.

With this little gyrating seed as a model and reversing its actions, two French engineers, Papin and Rouilly, have recently developed a revolutionary type of helicopter, or vertical rising air machine, that is attracting the attention of aeronautical engineers, not because of any spectacular success as yet in rising from the ground, but because it represents an entirely new and logical line of attack on the obstinate problem of vertical flight.

That the perfection of helicopters for practical use, capable of rising vertically and descending in confined spaces such as on the roofs of buildings, is entirely possible, is the belief of aeronautical experts, among them Dr. Albert F. Zahm, expert for the United States Navy.


The Screw Propeller Type

Until the Papin-Rouilly model made its appearance, the screw propeller type of helicopter, three variations of which are pictured on page 25, was the basis for most experimentation. In general, this type consists of two or more propeller screws mounted horizontally either on an airplane fuselage or on a vertical shaft with engines, fuel, and passengers carried below. Equal numbers of horizontal propeller blades revolve in opposite directions so that the body of the machine may not spin like a top. The chief problems encountered by experimenters with these machines are the difficulties of flying the machines horizontally and getting them down out of the air safely. The most serious drawbacks have been the weight of the machines in proportion to engine efficiency and the inability to develop motors that can be depended upon to maintain the machine in the air without sudden failure; for, whenever the engine stops, the machine cannot glide to the ground, but tends to drop like a rock.

These handicaps Papin and Rouilly have sought to overcome by their remarkably ingenious machine of winged-seed shape, which they have named "gyropter," to distinguish it from other helicopters. In designing their model, they argued that if it were possible to reverse the motion of the winged seed, it would ascend, cutting its way through the air in screw fashion. A series of



Resembling a winged seed, the revolutionary Papin-Rouilly vertical flight machine, shown above, is driven by an air blast that, forced by a blower turbine through an opening near the curved end of the single hollow propeller blade, impels the blade in the opposite direction, as shown in the diagram at the right



experiments soon convinced them that their theory was sound, and showed them that the perfection of a light, dependable vertical flight machine, acting as its own propeller blade, was within the range of possibility.

The Papin-Rouilly gyropter is in itself a single, whirling propeller blade, proportionally much longer than the blades of other airplane or helicopter propellers. This blade is attached to a ring-shaped body that surrounds and revolves around the cylindrical nacelle containing the pilot and forming the superstructure of the bowl-shaped body of the gyropter. The propeller is counterbalanced by a flat, circular casing that contains the motor and the blower turbine, which sends a blast of air under high pressure into the hollow propeller blade. The air, escaping near the curved end of the blade, imparts to the

tube extending from the nacelle. The tube, through which the blower turbine sends a strong blast of air, ends in an L, which may be turned to any angle around the longitudinal axis of the tube.

The reaction produced by the blast issuing from the L of the tube not only prevents the nacelle and its substructure from participating in the gyrating motion of the propeller, but enables the pilot to steer the gyropter at will.

The base of the nacelle is hollow and will keep the machine afloat when it rests on the water. It is provided with rubber cushions that act as shock absorbers if the gyropter descends to solid ground. The machine weighs about 1100 pounds.

The gyropter was invented by Papin and Rouilly in 1914 and great things were expected from it. Unfortunately, the outbreak of the war interrupted the experimental work of the inventors. One of them was sent back from the front to continue the work of perfecting the gyropter which, it was hoped, would be of great value for military reconnoitering and observation, since it would be less bulky and conspicuous than the necessarily large observation balloons. The inventor was handicapped by the lack of competent workmen.

Models Rise Readily

In spite of all difficulties, he succeeded, before his return to the front, in completing several small models that readily rose from the ground, but dropped when the fuses, supplying the motive power, burned out.

Not until last year did the inventors succeed in building a full size model, large enough to carry the weight of a pilot. The trials were not entirely satisfactory, for the machine failed to rise from the ground or the surface of the water. But the inventors are confident that their gyropter is based upon sound physical and mechanical principles and that its ability to rise in the air is merely a matter of equipping it with a more powerful engine.



This view of the launching of the machine shows the arrangement of motor and blower turbine in a circular casing, counterbalancing the propeller blade. Between the casing and blade is the pilot's cockpit

These New Aircraft Lift Themselves Straight Upward


TWO or more whirling, horizontal propeller screws, resembling airplane propellers, to lift passengers, engine, and fuel vertically from the ground, have been the rule in recent experiments with helicopters of the screw propeller type, from which the "falling leaf" type of Papin and Rouilly, described on the opposite page, represents a radical departure.

Machines of the screw propeller class pictured on this page represent the most promising of the latest developments in helicopter design, and the most successful of the recent attempts to remedy the difficulties of practical flight.

Italian Progress

Real progress in solving difficulties of making horizontal flights and of preventing the machine from rotating with the propellers has been achieved by M. Pescara, an Italian engineer. His machine, recently constructed in Barcelona, Spain, with the financial support of the French military aeronautical service, is lifted by two sets of double-plane propellers, each similar in appearance to the wing of an airplane and arranged in groups of six, one group above the other on a driving shaft. To prevent the machine from rotating, the two sets of propellers rotate in opposite directions about the vertical propeller shaft, and are so arranged that the pitch of the blades may be changed as desired.

© Popular Science Publishing Co., Inc.



Whirling in opposite directions, two groups of six biplane propellers, mounted one above the other on a vertical driving shaft, lift the Pescara helicopter to a height of four feet

while the apparatus itself was almost stationary.

Among the most recent American efforts to accomplish horizontal flight is the helicopter designed by Emile Berliner of Washington, D. C., resembling an airplane without wings. On each side of the fuselage is a 14-foot propeller, while a three-foot propeller is placed near the tail. All three are geared to the

is transferred into a horizontal pull of about 25 per cent of the lifting power.

While the Berliner machine has never been higher than 12 feet from the ground, experimental flights at College Park, Md., have been encouragingly successful.

Considerable success also has attended trials of a captive helicopter, invented by Lieut. Stefan von Petroczy of the Austrian Balloon Corps. This machine consists of a three-armed framework of steel tubing supporting a central shaft bearing two airplane propellers, each 20 feet in diameter and driven in opposite directions at a speed of 600 revolutions a minute by gasoline engines of Le Rhone type, each capable of developing 120 horsepower.

At the end of each arm spherical pneumatic shock absorbers are fitted, with a larger shock absorber in the center for easing the shock when landing. Above the air




Resembling an airplane without wings, the Berliner helicopter is lifted by a 14-foot propeller on each side of the fuselage and is steered by means of a three-foot propeller at the tail

screws is the cockpit accommodating two observers. Inside the cockpit is packed a giant parachute so arranged that it may be ejected and opened when the observer pulls a trigger, or the same result may be obtained by an automatic device controlled by the speed of the air screws, so that if the revolutions of the screws drop below a certain speed the parachute opens and the engines are stopped. The lifting capacity of the parachute supports the whole machine sufficiently for a safe descent without assistance from the air screws.

A Record Ascent

In tests the Petroczy machine has remained aloft for one hour and has risen to an altitude of 164 feet, with an average rate of climb of four feet a second, according to reports from Europe.

The offer of large prizes by the governments of several countries and organizations interested in the development of aerial navigation has induced many inventors to devote their genius to the solution of the helicopter problem. In the United States, Cooper-Hewitt built and tried out a number of models of his own invention with fair, but not convincing, success. Two French aviators, Damblanc and Lacoïn, collaborated in developing a helicopter which, however, came to grief in the tryout. Another French inventor, Oehmichen, built a light helicopter driven by a 25-horsepower gasoline engine and stabilized by a hydrogen-filled balloon, with which he made several ascensions, landing without injury to his machine.



Packed in the barrel-like cockpit of the Petroczy helicopter, pictured above, is a parachute capable of supporting the entire machine for a safe descent in case of engine failure

The helicopter superstructure rests upon a base resembling the chassis of a streamlined racing automobile, supported by rubber tired wheels. The fuselage of the car contains the gasoline engine of 36 horsepower. In recent preliminary trials the Pescara machine repeatedly left the ground and was maintained for several minutes at a height of four feet,

110-horsepower motor. The speed of the rear propeller, which is intended for steering, can be controlled by the pilot. This small propeller tilts the entire helicopter by slightly lifting its tail, causing the machine to move forward at the expense of lifting power. With a 1000-pound load, the inventor claims that only three per cent of the lifting power is lost in a tilt of 15 degrees and that this loss

New Phonograph Built like Human Ear

*Experts Amazed at Richness of Musical Reproduction
Due to Resonating Wooden Rods*

PROMPTED by a desire to preserve for future generations the art of the great singers of today, Charles A. Valentine, a banker of Yonkers, N. Y., has perfected an extraordinarily novel talking machine that reproduces in all their original beauty and quality the recorded voices of famous artists. A remarkable resonating system closely resembling the wonderful mechanism and preserving the delicate tone sense of the human ear, is the basis of the new instrument.

Uses Wooden Rods


Mr. Valentine's early experiments, seven years ago, convinced him that the outstanding imperfection in phonographs at that time was their failure to develop the overtones and so to reproduce the actual quality of the sounds created by the artist. With the knowledge that instruments and voices embodying the largest number of overtones are the most pleasing and effective, he worked out a system of resonant wooden rods, suggesting the so-called rods of Corti in the human ear, to vibrate in sympathy with the many overtones from the reproducing diaphragm of the phonograph and to amplify them so that they are no longer smothered. The result was the invention of Mr. Valentine's remarkable instrument.

Perhaps the simplest example of resonance is the tuning fork, which, when struck while held in the hand, produces very little sound, but when set in motion and pressed against a wooden surface generates a sonorous sound of considerable volume. In producing the sound, the wood acts as an amplifier of the principal vibrations of the tuning fork. The quality and quantity of resonance vary with materials and methods.

Several years of constant experimentation were required before Valentine discovered the best method of obtaining the resonating effect he sought. Then his problem was to arrange the resonating members to give the desired result. He finally accomplished this by inserting a number of thin strips of specially treated wood in a metal support called the "septum," or partition, and attaching the septum to the top and bottom of the sound chamber of the instrument. When the resonator is in position, it occupies the entire opening of the sound chamber.

What Is Tone?

To pick up all overtones and vibrate sympathetically with them, the resonator must possess members responding to all the principal overtones encountered in musical selections. Each of the $7\frac{1}{2}$ octaves of the piano is composed of eight full tones and five semitones. Each tone and semitone has its harmonics or overtones, produced when the principal tone is generated. The effect of the overtones can be readily gaged by comparing the tone from a piano having only one string with that of a piano having



The Tone Recreator and Its Inventor

Resonant wooden rods, inserted in the phonograph sound chamber, vibrate in sympathy with overtones from the reproducing diaphragm, and so amplify the overtones of the record disk that otherwise would be smothered

its full complement of strings. The tone from the single string will seem dead compared with the full tone from the normal piano. The full tone is created when sound vibrations from one string strike against other strings, setting up harmonic vibrations in them.

In the Valentine instrument from 60 to 120 resonating wooden strips, depending on the size of the machine, are exactly tuned to these various tones. The resonators of different lengths respond in sympathy with tones from the reproducing diaphragm and in so doing amplify the delicate overtones that otherwise would be completely smothered by the harsher full tones.


Like the Human Ear

The principle of Mr. Valentine's talking machine, while entirely new in musical instruments, has a near counterpart in the human ear. When sound waves strike the outer ear and are conducted through the outer passage or vestibule to the inner ear, they ultimately strike against the "organ of Corti." While the exact function of this organ is not definitely established, many theories have been advanced, most of them based upon the theory of resonance.

The organ of Corti consists of a membrane lined on both edges with parallel rows of heavier membrane, known as "rods of Corti." These rods bend at the top until they meet, thus forming in the angular space beneath,

How the Mechanism of Our Ears Reproduces Music

BY EMBODYING in the phonograph described in the accompanying article a device for reproducing every possible overtone, the inventor has sought to make the most of the complicated but beautifully efficient mechanism of the human ear.





How a simple tone gets through the ear to the brain is made clear by the accompanying cut-away view and diagram. Hit by the sound waves, the drum of the middle ear imparts its vibrations, through a tiny system of bony levers, to a membrane in the wall of the cochlea. This organ looks like a snail shell, is filled with

liquid, and contains within its convolutions thousands of what are called the "rods of Corti." As the liquid is agitated by a simple tone, the appropriate rod, or as some believe, the hair cells it supports, sends its impulse to the brain.

A much more involved process and one on which scientists are not agreed, is the sorting out and despatching through appropriate nerve channels of the many overtones that may come riding in with the fundamental tone. It is sufficient to understand that in the cochlea a complicated tone is resolved into its constituent fundamental and overtones, with a resulting impression in the brain of richness or other characteristic quality.

The diagram explains in an interesting way, also, how the Eustachian tube serves to equalize air pressure on both sides of the ear drum.





In this noise-eliminating reproducer, a wooden diaphragm with needle attached moves up and down with the record, while the tone arm remains stationary

an opening called the "canal of Corti." There are about 11,000 of these rods in each ear. Helmholtz expressed a belief that the rods were attuned to different sounds so as to vibrate in sympathy with them. Thus, when a complex sound wave enters the aural orifice, the rods that are properly attuned will be affected by the component tones and consequently will set up vibrations that are communicated by cells to the auditory nerve.

No Limit to Its Size

Mr. Valentine's invention is essentially a new musical instrument rather than an attempt to improve existing phonographs. Its adaptability to both home and auditoriums has been tested. A special auditorium model, in which the increased volume was created by 160 resonating strips and a large sized tone chamber, has been used successfully in a theater seating 1400 persons. The volume produced by this model is great enough to permit a pipe organ accompaniment. There is no limit to the size of the new instrument as it can be enlarged as desired merely by increasing the number of resonating strips, their dimensions, and the size of the sound chamber in which the resonator is placed.

The pleasing tone quality obtained is partly due also to a unique wooden dia-

phragm in the reproducer that reduces extraneous and mechanical noises caused by the motion of the needle and reproducing mechanism. The needle holder is rigidly attached to this diaphragm, which slides up and down in an air-cushioned groove, but the tone arm itself does not move. This feature removes a considerable portion of the weight from the needle and increases the life of the record. Furthermore, the absence of metal in the tone arm eliminates objectionable "tinny" sounds.

The remarkable sensitiveness of the reproducer permits the use of the finest needle or a heavier needle when greater volume is desired. With an extra loud-toned needle an exceedingly large volume


How resonant wooden rods for amplifying overtones are assembled on a metal partition



of tone is produced without injury to the tone quality.

After the grooves in the record are converted into sound waves by the vibrating diaphragm, these waves pass up through the wood sheathed tone chamber. As they expand they are forced to assume a "smoke ring" shape by passing around a tapering wooden core extending the length of the tone arm, which tends, the inventor believes, to mellow the tones. After reaching the end of the tone arm, the waves, now freed from many of the crude sounds, expand into the sound chamber, where they encounter the numerous resonating strips.

Each sound wave is made up of a multitude of single waves and each of the resonators within the pitch of the tune vibrates in sympathy with a tone corresponding to



To produce mellow tones, sound waves, encountering a conical wooden core placed in the center of the tone arm, are forced into the shape of "smoke rings"

one of the single waves. Delicate but essential overtones that under ordinary conditions would be lost are thereby amplified by resonance to their correct intensity.

Used in Radio Broadcasting

By its power to recreate the voice of a Galli-Curci or the playing of a Kreisler in all their volume and mellowness of tone, the new Valentine instrument suggests important possibilities for radio reception and broadcasting. Radio experts seem to agree that the phonograph is destined to play an important part in future broadcasting of the world's best music. Indeed, combination radio and phonograph cabinets are appearing in increasing numbers.

The most serious drawback thus far in the use of the phonograph for radio has been the fact that the voice of a singer or the strains of an orchestra must pass through two distinct sound transferring operations before they reach the ears of the listener, and that, in these two steps, much of the original tone quality is lost. First the tones of the voice or instrument must be transferred to the phonograph record, and from there they must be transferred through the radio apparatus. The problem has been to find a means of transferring the original musical selection without distorting it in the process.


Automatic Tip Cart Dumps Its Load when Tractor Backs

WITH an ingenious new automatic tip cart that may be used with any tractor, the operator, without leaving his seat, can raise the end gate, dump the load, and replace the tailboard of the cart in five minutes.

Two small wheels that pivot and swing freely like furniture casters, support the tip cart. The upper end of each caster spindle carries a toothed rack that engages another rack on a rod connecting with the end gate. Since the load is transferred to the spindles well toward their tips, the wheels tend to lag behind the cart and the pressure thus created keeps the end gate in position.

When the load is to be dumped, the tractor is stopped and the operator applies brakes to the tip cart wheels. He then reverses the tractor about two feet, and although the tip cart wheels cannot revolve, because of the brakes, the body moves rearward, pivoting on the wheels. This causes the gear segment on the spindle to move the segment on the end gate arm and lift the gate from its clips.


By this time the center of gravity of the load has been thrust beyond the center line of the wheels and the cart tips, dumping its




Insert shows mechanism by which the operator, braking the tip cart wheels and backing the tractor, dumps the load

contents. Still braking the cart, the operator drives the tractor forward, the cart tips back into place and the end gate drops into position for the next load.

Although the cart can be backed when necessary without prematurely dumping the load, the possibility of such an accident has led the makers to supply a pin that holds the rear body rigidly.



Whirling Blades Reduce Stumps to Chips




BAFFLED in his attempts to clear virgin land of stumps by the weaknesses of his stump pullers, Sylvester M. Hurd, of New Orleans, started work on a stump destroyer of his own conception. Recent tests with his first model proved so successful that arrangements are being made to manufacture it.

The machine consists of a heavy iron flywheel in the shape of a Maltese cross. This flywheel, which rotates at high

speed, is studded on all four arms by steel plates. At the ends of the cutter arms are sharp knives that dig into the soil and cut the tap root.

In operation the stump destroyer is backed up to the stump and the cutter arm rotated by a gas engine. As the knives revolve they are gradually advanced into the stump. The wood is pulverized, as the fast swinging blades rip and tear the fibers.



If the ship sinks, the cylindrical safes, ejected through the tops of the shaft, float until recovered

Marine Safes Will Float if Ship Goes Down

A NOVEL method of equipping a ship with four or more floating marine safes that will release themselves if the ship goes down and will float, even if the doors are open, has recently been devised.

The safes, manufactured of triple steel, lighter than the water they displace, are

mounted in a shaft or well that opens from an upper deck of the ship. Each safe is accessible to a deck through a door. The upper opening of the shaft is covered with canvas, so that in case of sinking the safes simply float out of the shaft as the ship goes down.

Thick walls and large blisters at the top and bottom filled with a light fireproofing material make the safe lighter than an equivalent bulk of water.

There Is Cash in Your Camera

THE next time you see something novel in the way of a new mechanical device or other scientific achievement that you think will interest **POPULAR SCIENCE MONTHLY** readers, take a picture of it and shoot it in.

Maybe your picture will win the first prize of \$25 in **POPULAR SCIENCE MONTHLY'S** camera contest.

\$50 in Prizes

awarded each month for the three most interesting photographs submitted. Prize-winners in last month's contest are:

FIRST PRIZE, \$25—Anthony Robinson, San Marcial, N. M. Subject: "Machine Wields Shovel Like a Man" (see page 36).


SECOND PRIZE, \$15—Dale R. Van Horn, College View, Nebr. Subject: "Bracket for Paint Pail Fastens on Wall" (see page 48).

THIRD PRIZE, \$10—George G. McVicer, North Bend, Nebr. Subject: "Harvester and Thresher in One Machine" (see page 42).

Electrified Map Converts "Geography" into Game

THE study of geography is made attractive in a school at Azusa, Calif., by means of an electrical map.

Towns and mountains are denoted by brass headed tacks, from which wires lead to a switchboard, where their names are



A small electric bulb on the baton lights up when the answer is given correctly

printed opposite the different holes. The circuit is completed through the brass pointer, which carries a small bulb near its tip.

As the teacher asks for a town, one boy plugs a jack into the proper switchboard hole. If the other boy touches the correct tack with the pointer, the light will flash; but if he is wrong, the lamp remains dark. Dry batteries are used.

Alarm Clock Lights the Fire in the Morning



FOR the benefit of persons who dislike to get up in the morning to light the fire, a Frenchman has invented a clock that lights an alcohol lamp when the alarm sounds.

The mechanism, released by the alarm, moves an arm, which removes a cap covering the burner of the lamp, while another arm rubs a point of ferrocerium over a rough stone and produces sparks that light the lamp.

If a pan of water has been placed on the lamp before retiring, the sleeper may have another beauty nap after the alarm has sounded, until the water for shaving or making coffee reaches the boiling point.

New Discoveries about Twins

Duplicate Children, Exactly Alike in Mind as Well as Body, Revealed by Amazing Scientific Studies

ANATION-WIDE twin hunt, following the recent dramatic death in Chicago of the famous Blazek sisters—"Siamese twins," joined together from birth—has brought to light the fact that there are now living in this country two attractive young girls, Violet and Daisy Hilton, who are also said to be fastened together at the spine in fashion similar to the joining of Rosa and Josefa Blazek.

Meanwhile science, investigating the always intensely interesting subject of twins, has made some astonishing discoveries, which will attract popular attention all the more strongly because of the legal and medical debate following the passing away of Rosa and Josefa Blazek, after their forty years of fame on the stage and in medical circles.

Two Persons or One?

The question raised at their death, as to whether these remarkable sisters really constituted one or two distinct persons, involved the inheritance of an estimated fortune of some \$200,000. If held by law to be inseparably one individual—as they were, in effect, held to be by the decision that prevented the doctors' effort to separate them and save the life of one—then the young son of Rosa would inherit the entire estate.

If, on the other hand, they were legally two individuals, the estate would be divided equally between Rosa's son and Josefa's living relatives.

Now, the amazing fact has been unearthed by scientific investigation that while Siamese twins, such as the Blazek sisters, may be utterly unlike in all respects, although closely shackled by bonds of flesh for life, certain ordinary twins may be so nearly identical—not only in appearance, but in mind and spirit—as to seem almost the same personality.

Dr. Arnold Gesell, director of the Yale Psycho Clinic, New Haven, Conn., has lately made a study of unjoined twin sisters who are in every respect normal children of above the average talent, yet who resemble each other amazingly, not only in looks, but in mental and spiritual traits as well.

That among the twins known to every reader, some may be of this technically called "duplicate" type, and others of the "fraternal" type—quite unlike although born together—is one of the conclusions of these recent scientific studies. "Siamese" twins might conceivably be of either type.

The original Siamese twins themselves, Chang and Eng, made famous by P. T. Barnum and exhibited for years in all parts of the world, bore no marked similarity in features, yet were strikingly similar in tastes. The mutual

adjustment of their movements was amazing. With bodies joined, the twins could tumble head over heels without the slightest inconvenience.

These twins were discovered in Siam and rescued from a tragic fate by a British merchant in 1824, when they were about 13 years old. Fearing that the strange brothers were evil spirits and might bring harm to his country, the superstitious king of Siam was planning to put them to death when the merchant prevailed upon him to allow the boys to be taken away for exhibition.

Records of at least six other physically shackled twins—both boys and girls—have come down through history.

Some biologists believe that fraternal twins, who may or may not be of the same sex, but show ordinary fraternal resemblance, are presumably derived from two separate ova. Identical twins, on the other hand, who are always of the same sex, are supposed to originate by division from one and the same fertilized ovum, while conjoined twins may have developed



Said to be joined at the spine in the same manner as the Blazek twins who died recently in Chicago, Violet and Daisy Hilton, 16-year-old twins recently attracting interest in San Antonio, Texas, differ widely in mentality, although strikingly similar in appearance and musical talent



From Gould & Pyle—"Anomalies and Curiosities of Medicine"

Above are the original Siamese twins, made famous by P. T. Barnum


from separate ova that have grown together during the prenatal period.

The remarkable likeness of the ten-year-old duplicate twin girls recently described by Dr. Arnold Gesell in *The Scientific Monthly* may be judged from the sectional views of the lower parts of their faces shown at the bottom of this page. Even a slight defect in the development of the upper right incisor of one is duplicated in her twin sister, while each has a small pigmented mole near the left corner of her mouth.

Dr. Gesell's admirably thorough study of them showed that their physical development at the age of nine years, their height, weight, head dimensions, pulse, blood pressure, muscular strength and degree of ossification of the bones of the hands were almost identical. Particularly astonishing in this list of similarities, was the coincidence of the patterns of the palms of their hands and the soles of their feet.


Most interesting of all is the mental similarity of the twins, discovered by Dr. Gesell's novel scheme of giving the twins a series of 25 educational tests. In many instances both girls made the same mistakes and showed the same tendencies of alertness, attention, deliberation, sense of humor, and emotional reactions.

Twins in Mind as Well as Body



Courtesy Dr. Arnold Gesell

SITTING in separate rooms and told to draw a man and a tree with a bench under it, these "identical" twin sisters produced the remarkably similar freehand drawings shown here. Especially astonishing is the fact that among



all the ways of visualizing the scene, the two children independently chose almost identical relationships between the three objects. Note their equally surprising resemblance in features. Even a small mole near the left corner of the mouth is duplicated

In Justice to the Crystal Detector

Inventor of the Lowest Priced Type of Radio Receiver Tells How to Get Hundred-Mile Distances with It

A STOPGAP of the past—only a beginner's plaything today." Thus you hear the experts speaking of the crystal detector—which, nevertheless, makes the greatest appeal in simplicity and economy to millions of radio users.

The father of the crystal detector himself defends, in the following interview, the brilliant possibilities of his invention.

This—the first article published by Mr. Pickard since America's radio boom—will undoubtedly raise a flood of vitally interesting debate.

By GREENLEAF W. PICKARD

Inventor of the Crystal Detector, now Consulting Engineer for The Wireless Specialty Apparatus Co.

*In an interview for
POPULAR SCIENCE MONTHLY*

WITH a nine-turn loop aerial, three feet across, using a crystal detector and tube amplification, I have enjoyed loudspeaker reception in Boston of radio-phone broadcasts from Schenectady, 160 miles away. Likewise, with a crystal detector I have heard, on occasion, Pittsburgh, Detroit, and even Chicago. The distances covered in the latter instances range from 475 to 900 miles.

Knowing from long experience what a crystal detector, under the best conditions, actually will do; knowing in what respects it is superior to a tube detector; knowing, also, the key rôle it has played in radio history, I cannot help wondering at a recent tendency on the part of some to speak contemptuously of it.

In fact, I believe that the future of radio in the American home lies with the crystal detector. Already we can confidently estimate that of perhaps 2,000,000 receiving sets in the United States, a majority use galena for detection. It is ideal for the beginner. It is invaluable for emergency and portable sets. Government radio stations constantly keep crystal detectors in reserve.

Where the "Knocks" Originate

Many of the uncomplimentary remarks now current concerning the crystal detector may originate with the old-line amateur—the man who has worked with radio from the beginning, for the sheer pleasure of it, and who is, perforce, the counselor of the beginner today. He has found the vacuum tube much more to his liking; he associates the crystal with the "ancient" days of radio; he is himself expert enough to use with maximum success the tube detector. Hence he spreads the gospel that the tube is the only thing.

Yet the radio novice doesn't know what real trouble is until he graduates from the crystal detector to the tube. His case is exactly the same as that of the beginner in




G. W. Pickard in his Boston laboratory

Was This the First Radio-Phone?


At right, reproduction of Mr. Pickard's original notebook memo, describing his apparatus with which, 20 years ago, what is said to have been the first radio-phone transmission of speech was accomplished. Six witnesses vouched for the successful functioning of the apparatus as sketched in the note and shown below in a hitherto unpublished photograph

Wireless Telephony



With the apparatus shown in the sketch, tones and articulation of the voice were transmitted between rooms. Containing "1, 2, 3 - -" was heard clearly, and at times, loudly in the receiver. A complete resistance was in one case secured (How do you get me?) The undersigned have listened at the receiver and have noted that both tone and articulation were present.

Wm. Barlett H. Pickard
F. M. Burke
R. M. Hall
S. M. Fung
H. M. Fung



In this primitive outfit, having a sparking frequency of between 5000 and 20,000 a second, modulated transmission was effected by changes in length of the tiny spark gap attached to the vibrating diaphragm

photography, who gets excellent results with a cheap and simple snap-shot outfit, but who fails disastrously when he first tries to use more expensive and delicate cameras.

Within the traditional 20 to 30 miles of a broadcasting station, a new radio-phone enthusiast should have the best results he

could wish for from a crystal set. An ever increasing number of broadcasting stations is almost certain to be established within the next year, and we may confidently expect, therefore, that hundreds of thousands of homes, now still remote from radio centers, will soon be within this "normal crystal detector range" of some new station. Of course, you cannot hope to operate a loudspeaker with a crystal detector, unless one or more amplifier tubes are added. But the average loudspeaker set, with its noises and distortion, is even less pleasant to hear than the phonograph of twenty years ago, whereas the crystal detector and head phone outfit is entirely free from distortion and noise.

It is significant that a standard set is now making its appearance, which can be bought in units, with only crystal detection at the start, units giving radio and audio frequency amplification being added later.

"THE crystal detector," says its inventor, G. W. Pickard, in this important article, "may be most effectively used in E. H. Armstrong's marvelous new super-regenerative circuits." Jack Binns further describes Armstrong's great invention and discusses its future possibilities on page 70.


As to reception over greater than the "normal" distances, I share the caution of others in not wishing to raise expectation too high. Yet I do believe that, under favorable conditions, with an excellent aerial and an efficient tuner, crystal detector reception up in the hundreds of miles need not be considered unattainable.

It is interesting to recall, by the way, that in distance of reception we are little in advance, today, over the records of 14 years ago, when, for instance, our fleet off Cape St. Roque received daylight messages from North Atlantic coastal stations, using the

silicon detector. In the vital war months of 1917 and 1918 at the Otter Cliffs Naval Radio Station near Bar Harbor, the greater part of our short wave reception was accomplished by a combined crystal detector and two-stage amplifier, and it was not uncommon for us to read low-power ship sets in the English Channel with the "phones on the table."

In amateur reception today, the problem of the aerial, although constantly harped on by radio writers, is still not taken seriously enough. Use of vacuum tube amplification has increased our tendency to

neglect the aerial—and the consequence has been much avoidable annoyance and expense in many a beginner's receiving station. The ideal aerial should be at least 40 feet above the ground, and from 150 to 200 feet long. If it is possible to elevate the horizontal part of the aerial 80 or 100 feet above the ground, so much the better.



One of the first radio stations in the United States—Blue Hill Observatory, Mass., where Mr. Pickard's kite-flying experiments in 1898 opened a remarkable wireless career

An Untold Romance of Invention

By S. K. Hibbert

BUT for an odd accident that happened to Greenleaf Whittier Pickard—radio engineer—one spring morning at Cape May, N. J., in 1902, the amazing era of wireless progress through which we have just passed might have been set back dozens of years.

Inventor of the crystal detector, and a notable figure in recent radio history, whose real contributions to the present situation are yet almost unrecognized by the general public, Mr. Pickard has had a career that fits with amazing fidelity the traditional scenario of the great American "success" story.


A grandnephew of the poet Whittier, the future radio inventor knew in his early days the inky life of printer's devil, on the Portland, Me., *Transcript*, his father's newspaper. And later, as in all good romances of this kind, from Benjamin Franklin's down to date, the youthful Pickard not only wrote parts of the paper, but set type on his own copy. Later, and again like Benjamin Franklin, he took to flying kites in the interest of science. This was after a college course, during which chemistry and a complicated geological theory preempted the youthful Pickard mind. It is strange that one of the most notable joint creators of the vast radio industry of today should have entered that particular field of endeavor through an effort to help future generations—literally a thousand years, or more, hence—determine if the ice ages of hundreds of thousands of years ago were caused by variations in the carbon dioxide content of the earth's atmosphere.

A Genius for Wireless

In pursuit of the facts that, when tabulated through countless generations, would help prove or disprove this particular hypothesis, Pickard, fresh from Massachusetts Institute of Technology, went to the Blue Hill Observatory, Milton, Mass. While he was there engaged in fishing down the secrets of the upper air with kites, the Smithsonian Institute asked the Blue Hill Observatory to conduct experiments that would show the effect of aerial height on wireless transmission. Pickard being on the ground, was thus, by accident, drawn into wireless work. So marked was the genius that he showed in the succeeding experiments, that a few years later the American Telephone and Telegraph Company, anxious to develop, if possible, a wireless telephone, called him to help in

their laboratories. And it was in the Bell Telephone Company offices—Milk Street, Boston—that on September 2, 1902, Mr. Pickard uttered into his own primitive, weirdly conceived transmitter what is said to have been the first spoken sentence ever transmitted by radio. No historic phrase was his. "How do you get me?" he said. They got him well; tone and modulation were good.

Somewhat earlier, Mr. Pickard had directed the establishment of a wireless telegraph station at Cape May, N. J. And here it was that, on May 22, 1902, he made, by sheer accident, plus an observant eye and keenly thoughtful mind, his most famous discovery. He was working that day with a detector consisting of fine sewing needles laid lightly across a pair of



The world's first radio compass, operated successfully in 1907 by G. W. Pickard at Dorchester, Mass.

carbon blocks, in series with three cells of a dry battery and a telephone receiver.

"Being exasperated by the microscopic 'fry' of my detector," he relates the incident, "I attempted to check the annoyance by cutting out two of the three dry cells. The signals continued to come in, weaker, but clear. Suddenly, to my utter amazement, as I glanced over the apparatus I discovered that I had cut out not two but all three dry cells! My telephone diaphragm was being operated solely by the energy received on the aerial! Nobody believed at that time that such a thing was possible."

Birth of the Crystal Detector

Here was the accident that resulted in the development of the crystal detector as commonly used today. Followed brain work and incredibly patient effort. Handling two jobs in Boston in the daytime, and working at home late into the night over his own experiments, with only five hours' sleep in 24, for months on end, Pickard not only developed the crystal detector as we know it now, but carried on a wide range of other wireless work, in the course of which he erected the world's first radio compass—a huge and gawky affair, nearly 20 feet on the side. A United States Navy officer was sent to inspect it, and was inclined to scoff at its size. "How could we use an affair like that on ship-board?" he asked. Pickard, undaunted, continued his radio compass work, and later perfected the first portable loop aerial.

It is an interesting fact that from 1906 on, the inventor's radio laboratory was established in the old home, at Amesbury, Mass., of another famous man of the same family—John Greenleaf Whittier.

Meanwhile, as a result of the Cape May accident, Mr. Pickard was carrying on his experiments with minerals that in contact would prove to serve as detectors for radio signals. He tried out literally thousands of substances, and discovered about 250

(Continued on page 90)

With aerials of much greater length than this, however, it is not possible to tune down to the present broadcasting wave lengths.

A clamp on the water pipe near its entrance—not on the radiator—is about the best ground connection you can have. If you are fortunately enough placed to have an aerial of this type, and to be able to keep it away from trees, bushes and buildings, you may reasonably hope for better than average reception on crystal detector sets. It is significant that most of the reports of remarkable distance records come from small towns where presumably a long, well-placed aerial can be erected.

Much Depends on the Tuner

Next in importance to the aerial is the type of receiving tuner that should be employed. For effective short-wave reception one should avoid all forms of tuner in which, when adjusted for amateur or broadcasting wave lengths, there is any considerable amount of winding not in circuit. Such unused wire, often called the "overhang," gives rise to dead-end effects, which usually seriously weaken the signals.

Why some amateurs with crystal sets can hear radio broadcasts over hundreds of miles, while others cannot hear a station 30 miles away, is still largely an insoluble mystery. In my own experience I find that, while I easily pick up Schenectady—an unusually powerful station, of course—signals from the nearer station at Springfield, Mass., are uncertain. In fact, tests have shown that they begin to fade about 15 miles from Springfield, in the direction of Boston.

It is quite possible that high resistance in the surface soil accounts for this. When the ground around Springfield is soaked by a heavy rain, I have found the reception is noticeably better.


As a general thing, about all we can say is that the greater success of one amateur over another—their sets being equivalent—is to be accounted for largely by local topographical and atmospheric conditions. The swinging or fading effect you so often notice in received signals is probably the result of rather local atmospheric conditions—probably within fifty miles of your own station.

I have often noticed, for instance, that simultaneous signals originating in Chicago, Pittsburgh, and Newark go through exactly the same phases—indicating that the cause of the fading, in my case, is local to Boston.

Radio Wave Chutes

Again, many unusual successes in hearing distant broadcasts may be traced to the proximity of a body of water. As long ago as 1908, while mapping wave fronts from my transmitting station in Amesbury, Mass., using the world's first portable loop aerial, I demonstrated conclusively that streams of water act like radio wave chutes, concentrating the signals. A valley also will often act as a natural wave chute, and there sometimes appears a reinforcement of signals at or near the junction of sea and land.

Variations in the quality of the galena used in crystal detectors, of course, also accounts in part for the greater sensitiveness of some sets than others. An unusually sensitive crystal is something to be eagerly sought and carefully treasured. Ninety per cent of the ore we mine is discarded at once, as unsuitable for detectors, and in the manufacture we often emerge, finally, with



This medium priced new radio receiving set consists of two units. The one at right, which can be added any time after the purchase of the detector unit at left, contains four tubes giving both radio and audio frequency amplification

only a few pounds of usable fragments to the ton.

Whether or not local conditions make crystal reception abnormally good in your vicinity, I believe it safe to recommend starting in with a crystal set, or, if you already have a tube detector set, adding a crystal detector to your equipment, for its greater efficiency and portability.

The Ideal Set for the Home


In fact, as I have said, the ideal radio receiving set for the home will ultimately be found to comprise multi-stage radio frequency amplification, a crystal detector, and one or more stages of audio frequency amplification. No progress yet achieved in radio invention has made me modify this opinion. If "wired wireless" broadcasting becomes common, the crystal will still be the cheapest and clearest detector for use with it. The positively phenomenal

(Continued on page 90)

Home Made Sets with Unusual Ranges

Correspondents of POPULAR SCIENCE MONTHLY, located in the towns indicated on the map at right, report reception on crystal detector receiving sets of broadcasts proceeding from the General Electric Company's Schenectady station and from the Detroit "News" over the remarkable distances shown

SOME CRYSTAL DETECTOR RECORDS—WHO CAN BEAT THEM?



WHILE the average user of a crystal detector receiving set seldom hears broadcasts from stations more than 15 or 20 miles distant, a number of radio amateurs have described in recent letters to POPULAR SCIENCE MONTHLY instances in which they have heard radio-phone broadcasts from hundreds of miles away.

The location of their stations and approximate distances of reception are shown on the above map.

Their reports are of particular interest in connection with the article by G. W. Pickard published in these pages.

POPULAR SCIENCE MONTHLY wants to hear from readers who can show crystal detector reception over still greater distances.

Some of our correspondents give descriptions of their sets and hints as to the reasons for their remarkable records.

LAWRENCE BERNERT, Burlington, Wis., writes:

"I attribute my success in hearing music and talks over a distance of 700 miles from WGy (Schenectady) to a very sensitive spot on the galena, a good aerial ground, sure connections, and fine tuning.

"My aerial is of the inverted 'L' type, 70 feet long and 50 feet high, four wires spaced 18 inches apart, with a lead-in of 20 feet. My ground connection is made to the radiator and the water main."

VIRGIL KOLB, Princeton, Ind., writes: "My installation consists of a home-made loose coupler, a 43-plate Murdock variable condenser, and a Great Lakes mineral detector.

"My aerial is of the three-wire 'T' type, suspended between a sycamore and a maple tree, 132 feet long and 35 feet high.

"When I first heard WWJ, Detroit, Mich., about 330 miles away, I had a 1000 ohm Brandes single receiver and a one-wire aerial, which was 75 feet long and 25 feet high. The music came in clear, and the announcements were perfect.

"Then I put up a three-wire aerial and heard WGy, Schenectady, N. Y., the first night, just as clearly as I heard WWJ. This of course was early in the spring, when static was not so bad, but I still can hear music when the atmospheric conditions are good.

"I can't account for hearing this long distance unless it is due to the fact that there is positively no leak to my aerial and the wires connecting the secondary circuit are bare. The variable condenser is used in the secondary circuit. The ground wire is attached to a copper pan about two feet in diameter, sunk three feet into the ground."

As in nearly every other case, HERBERT GIFFIN, of Gambier, Ohio, attributes his success to his excellent aerial. He writes:

"I am using a 'Duck' navy type receiving transformer, fixed condenser, Murdock .001 mfd. variable condenser, galena detector and Murdock 2000-ohm phones.

"My aerial is two wires 160 feet long, spaced four feet apart and 40 feet high, of inverted 'L' type, and to its length many people attribute my long range reception. I have heard WGy (about 500 miles) and KDKA (Pittsburgh, about 130 miles)."

Three-Wheeled Truck for Road Building Runs Backward

CEMENT contractors and road builders are now speeding up their work in several localities by another adaptation of the industrial truck which appears this time as a small three-wheeled unit that runs backward and will handle materials very rapidly over any ground.

A self-dumping body holding one cubic yard qualifies the unit for contracting work. The broad tires enable the truck to work over soft ground without danger of being mired and the three wheels have been adopted after much experiment because they permit the truck to make shorter, quicker turns and work in the confined space of excavations as well as on such jobs as road building. As the unit is small, a 30-horsepower engine gives it adequate power.

The chief use of these trucks is to haul cement and aggregate from the large trucks direct to the mixer. No shovel-




Above: Loading material from a large truck. At the right: Dumping the load into the hopper of a concrete mixer

ing is necessary on jobs where these units are used if full advantage is taken of their capabilities. Cement, sand, and crushed stone are dumped into the body directly from the large trucks, and carried to the hopper of the concrete mixer.



Tempered Air Massages Suffering Patients

MASSAGE by powerful vibratory air currents propelled by a magnetic motor is the latest means of therapeutic cure invented by Dr. E. C. Miller, of Zurich, Switzerland, for cases where the



Vibrating paper strips show the effect of rapid, intermittent air blasts

pain is so acute that the slightest mechanical contact is intolerable.

The air waves are intermittent, and of varying temperatures and the impact upon the skin is said to be highly soothing.

The air currents are produced by a tiny piston under the action of a fluctuating



The cover has been removed to show the vibrating piston

electromagnetic field formed by an alternating current of high frequency. The piston moves at the rate of 100 strokes a second in a cylinder open at one end.

On each stroke, as the piston is attracted by the magnetic field, air is drawn into the cylinder, and is promptly expelled when the reversal of the field forces the piston outward. The stroke of the piston is only about one-eighth of an inch, but the rapidity of vibration is such that the air waves combine into an intermittent air blast.



Rotary Wire Brush Cleans Metal Surfaces

A CIRCULAR steel wire brush rotated by compressed air at a speed of 4200 revolutions a minute has been found effective in cleaning scale, corrosion, and dirt from metal surfaces.

The air motor consists of three cylinders enclosed in the handle housing. By using an aluminum casing reinforced with steel bushings it has been possible to reduce the total weight of the brush to 14 pounds.

Steel box cars with a surface area of 1400 square feet were cleaned by a six-inch brush in 7½ hours.

Light Car Makes Eighty Miles to the Gallon

WEIGHING only 175 pounds, including the motor drive wheel, a new two-passenger motor car is able to maintain a speed of 30 miles an hour with gasoline consumption of 80 miles to the gallon. The car is only 35 inches wide with a tread of 30 inches and an overall length of 108 inches. The height of the car with its top up is slightly over five feet.

The sides and frame of the car are made of wood and the spring suspension is a derivation of the old-time buckboard. It is expected that the car will sell on the market for less than \$300.



This midget motor buckboard, weighing 175 pounds, travels 30 miles an hour

Boat Can Be Rowed in Three Sections



A ROWBOAT that can be broken into three parts, each of which is a watertight and navigable craft, has been invented in Provincetown, Mass.


The hull of the boat is in three parts, and each is closed by a small wooden bulkhead.



Ordinarily, the parts are held together by iron pins fitting in the holes of a lock joint connecting the sections.

The purpose of the invention is not to make the boat unsinkable, so much as to provide a craft for summer "stunts."

Replacing Ties Now a One-Man Job



Ratchet handles, turning a gear, draw the tie from beneath the rail by a cable attached to a hook at one end of the tie

WITH the aid of a machine recently designed to extract and lay railroad ties, one man can remove a defective tie embedded in stone ballast and put a new tie in its place in 24 minutes, completing work that formerly required one hour and 12 minutes of his time. Two men, working with the machine, can replace more than five ties in one hour without disturbing the roadbed. This represents an estimated saving of \$80 a year for every mile of track.

The total annual saving effected by the machine may be realized from the fact that more than 10½ per cent of the ties on which the rails of our railways rest must be exchanged for new ties each year. The number of ties to be renewed on American railways during the present year will exceed 90,000,000.

In removing a tie by the machine method, the spikes holding down the foot of the rail are first drawn and the tie plates knocked out. Then a telescoping tie hook is fastened around one end of the tie. The changing machine is placed on the rails above the tie and is securely braced against the rails by means of an anchor hook. A pulling cable is attached to the tie hook, passed under the rails, around a pulley and to the pulling gear equipped with ratchet handles. When the gear is turned by the handles, the tie is pulled to the side from under the rails.

To put the new tie in place, the action of the machine may be left as it was during the pulling operation, or it may be reversed, if the new tie is to be moved in place from the opposite direction.

Spring Fastener for Belt Takes Up Slack

WHEREVER small machines driven by round leather belts are in use, a new and ingenious belt fastener will be found preferable to the old style fastening in which a hole was punched in each end of the belt and a hook inserted.

The new device consists of a spring connected with a split ferrule that is slipped over the end of the belt. The enlarged ferrule ends are then forced down into the leather, and a permanent connection is made, since the spring takes up slack.



A split ferrule with spring is slipped over the end of the belt

Phonograph Alarm Wakes Sleeper with a Tune

"WAKE me up with my favorite record" may yet become the good night request if an interesting clock invented by Joseph M. Andre, Jr., of Brockton, Mass., comes into general use.

The clock consists of a cabinet containing a complete phonograph mechanism and an alarm attachment connected with the brake of the talking machine. At night the record is placed in position and the alarm set for the rising hour. At the designated time, the sleeper is awakened by the tuneful melody of his favorite record.




At rising time the clock starts the record

Nitrogen as Tire Filler

THAT tires filled with nitrogen will maintain their hardness for more than a year on cars driven thousands of miles over country roads was demonstrated in recent tests conducted in Germany. Loss of the nitrogen proved to be surprisingly small, and the rubber was preserved in better condition than that in air filled tires.

Tires filled with pure oxygen deteriorated very rapidly in the tests, indicating that oxidation is largely responsible for the destruction of automobile tires.

Roller and Scraper Combined for Roads



Dirt at the edges of the road is scraped into the center by a steel bar suspended from a boom at each side of the machine

HAND labor in making country road repairs is almost eliminated by a new machine that collects its own dirt as it advances, and rolls it into a compact surface. A steel bar suspended from a boom at each side of the combined road scraper and roller scrapes up the excess dirt at the edges of the road, and leads it into the

hollow usually worn in the center. As this depression is filled in, a heavy roller in the rear of the machine packs the dirt solidly.

The height and angle of the scrapers can be varied by hand wheels, so that the road can be finished with any contour desired. Unusually smooth roads, it is said, are produced by the combination machine.



Store Window Swings Open to Display Goods

AN ELECTRICAL store in Los Angeles has found a way to swing its show window wide open so that the display of house furnishing goods may be presented to window gazers more effectively.

This was accomplished by hinging the huge plate-glass pane and its sash at one side and hanging the outer edge of the sash from a quadrant on the ceiling. During all but inclement weather the sash can be unlocked and pushed around on its track flat against the side wall.




Cyclomobile Is Midget Auto, All but the Engine

A NOVEL "cyclomobile," designed and built by E. D. Prince, of Wilmington, Del., is propelled by pedals, but in other respects it is a tiny automobile with regular steering wheel, windshield and lamps.

The driving mechanism was taken from an old bicycle. The body was constructed of galvanized iron, No. 24 gage, and is nine feet three inches long by 31 inches high. Regular bicycle wheels were used, but to obtain better spring suspension the rear axle works through auto ball-bearing housings mounted in square blocks of cast iron. These are bolted endwise to the ends of two single sheave auto springs attached to the frame by a knee plate 21 inches forward of the rear axle. The result is a semi-cantilever spring suspension.

Mechanical Ox Walks over Ground

FOR farms where the soil becomes unusually soft after a rain, so that the ordinary wheeled tractor loses its pulling force, a mechanical motor-driven ox, or walking tractor, has just been invented. It is equipped with wheels so that it may easily be pushed along a road like a wheelbarrow; but in actual service a pull on a lever brings the curved steel "feet" in contact with the ground, and the machine walks ahead, step by step, pulling the plow behind it.



Revolving cranks in this strange walking tractor, lift the legs and feet, move them forward and then push them down

The top of each stiff steel leg is attached to a rocking pivot, so that the steel bar swings from a moving support as a leg does from the hip. The power is derived from a gasoline motor through a short crank, corresponding to the knee, to which the leg is pivoted about one quarter of the distance from the top. A similar crank pointing in the other direction is attached to the opposite leg.

As the cranks revolve, the legs and feet are lifted, moved forward, dropped to the earth, and then pushed back and down with great force, owing to the short leverage of the crank.

An ingenious system of gears solves the problem of walking machinery. If both legs were attached to the same axle, an instant would come when both

feet would be off the ground—an instant that corresponds to the "dead center" in rotary machines.

To avoid this, the cranks work on an elliptical gear, so that the rate of revolution is speeded up as the foot leaves the ground. It moves forward very quickly, like the foot of an animal, and pushes to the rear slowly. Hence the tractive effort is constant.

The motor is of eight brake horsepower. The controls are within convenient reach of the man guiding the tractor. The construction of the machine makes it possible to turn it at the end of the field without leaving the furrow. Aside from guiding, the walking tractor requires little attention from the driver.

Faulty Vision the Rule

EXAMINATION of 10,000 employees in factories found 53 per cent with uncorrected, faulty vision. Of 675 employees in a typewriter company 58 per cent were found to be in need of glasses. Among 3000 employees in a paper-box factory the percentage of normal was only 28.

Tiny Flask Boiler Will Clean Pipe Quickly

NICOTINE and tobacco residue can be quickly removed from a pipe stem by means of a tiny steam generator consisting of a glass bulb connected with the pipe stem by rubber tubing. Steam generated by placing water in the bulb and holding it over a candle flame cleans the pipe chamber.



The steam pipe cleaner in action



Practice Tube Measures Singer's Lung Power


A NEW practice instrument to aid singers and speakers in developing breath control and lung power has been invented by J. Burlington Rigg, of Oak Park, Illinois. The apparatus consists of a cylindrical, transparent tube with its upper end open. This tube, which is graduated, and mounted on a standard, is provided with an inlet near its lower end for the breath.

Within the transparent cylinder is mounted an opaque cylinder, which is raised against gravity by the pressure of the breath acting on its lower end. The user of the device can see at a glance how much lung power he possesses and determine accurately how long he can sustain his breath with a given degree of power.

Machine Wields Shovel like a Man



Pivoted by a series of levers to the piston of a compressed-air engine, the scoop first shovels a load of material, then lifts the load and drops it into a car at the rear



A MUCK - HANDLING machine that is so compact it will pass through a space little wider than an ordinary door has been constructed for use in metal and coal mines. Its actions are similar to those of a man using a long handled shovel.

A scoop 30 inches wide is pivoted by a series of levers to the piston of a compressed-air engine. As the piston is drawn into its cylinder, the scoop is brought into position at the base of the pile. Air is then let into the cylinder, thrusting the shovel forward and up.

After the scoop is filled with the muck or broken material, a further movement of the air piston swings the hopper upward over the air engine and to the rear, where the load is dropped into a car. This portion of the action is similar to that of a workman throwing a shovelful of dirt over his shoulder. The machine is on a set of

trucks with a width corresponding to the track gage. The base of the working parts is mounted on a swivel to permit digging on any side.

As fast as the machine advances into a pile of material new tracks are laid for it to run on.

In one test made in a metal mine, this loading device with four men as helpers advanced into a mammoth pile of broken material at the rate of one foot in 28 minutes. The best that six men could do without the loader was one foot in 70 minutes, proving the machine to be three times faster, with a saving of 30 per cent in labor.



Fence Type Aerial for Autos Is Permanent


BY BUILDING an aerial in the form of a low six-strand fence around the top of an automobile and using the engine frame as the ground, a motor company of Detroit has widened the field of the portable wireless outfit by making it possible to receive messages without halting for earth connections. With a car equipped in this fashion it is feasible to drive 100 miles into the country and listen to broadcasting throughout the journey.

The aerial is formed by binding six strands of wire around insulated posts at the four corners of the car top, then connecting all the wires at one corner and leading them into the car through a weather-proof insulator over the driver's seat.

Staple Extractor Combines Lever and Hammer

AN INGENIOUS staple extractor that combines in one tool the functions of lever and hammer has been invented by David R. Schoonover, of Tuxedo Park, N. Y. The extracting head is mounted on the end of the lever arm and is removable for sharpening or for replacement. A short distance down on the lever a swinging hammer is attached.

The length of the hammer is such that when the head is lifted and dropped, it strikes the extractor on its flat head, driving the prong under the resisting staple, which can then be easily drawn.



When dropped, the swinging hammer drives the extractor prong under a staple



Telephone Meter Tells How Long You Talk

TELEPHONE calls in Everett, Wash., are metered just like gas or electricity and the bills of subscribers are reckoned according to the time consumed by their conversation. The telephone meter was invented by Major Garrison Babcock, of Seattle, formerly of the United States Signal Corps, and has been adopted by the Puget Sound Telephone Company.


When the conversation begins, the mechanism of the meter is automatically set in motion and registers every interval of 15 seconds as long as the conversation continues. The exact time can be read on the three dials of the instrument, which is enclosed in a metal case and resembles the watt-hour meters in use on electric light circuits. When the conversation is finished and the receiver hung up, the meter mechanism stops.



Adjustable Paint Spray Gun Is Economical

A PAINT spray gun with which the operator can regulate the form of the spray, and the angle at which it leaves the nozzle has recently been devised to permit a painter to spray inaccessible corners without waste of paint. The new device has seven adjustments. A flat fan spray can be projected either vertically or


horizontally, and its width can be varied from four to 30 inches. The narrow spray is used to paint I beams under eaves or in the apex of a roof. It can throw a cone shaped spray 10 feet.



Possible angles and forms of spray

Are There Other Universes than Ours?

Astounding New Theory Pictures Ours as a Mere Pinwheel among Millions of Other World-Groups



Astronomy's Photographic Masterpiece—A Spiral Nebula

Are spiral nebulae such as this, photographed from the Mount Wilson Observatory, merely gaseous whirlpools close to the borders of our universe, or is each nebula a separate universe of solar systems as vast as the billion-starred system of suns in which we dwell? Many astronomers now believe that our universe is but one of countless "island universes," thousands of light-years apart.

THOSE who love to moralize about the infinitesimal nothingness of man and his world in comparison with the vastness of the universe should be happy now. For out of the present controversy about the dimensions of our billion-starred universe has emerged the astounding probability that it is only one of at least 700,000 similar universes that can actually be photographed with modern high-powered reflecting telescopes.

A Revolutionary Theory

This theory of "island universes," as it is called, is in many ways the climax to the drama begun more than 5000 years ago when first the Chinese, the Egyptians, and the Babylonians attempted to find some connection between the phenomena of seasonal changes and the mysterious movements of sun, moon, and stars. It is in amazing contrast with the theory dominant from the times of Hipparchus and Ptolemy to about the sixteenth century, that the universe had the earth for its center, with sun, moon and stars as satellites. The theory of island universes makes the earth and our entire solar system an

utterly insignificant speck in the heart of a comparatively insignificant star cluster.

Prominent in the controversy which has brought the island universe theory to the fore, are Dr. Harlow Shapley, newly appointed director of the Harvard College Observatory, and Dr. Heber Curtis, director of the Allegheny Observatory, Pittsburgh, Pa.

According to Dr. Harlow Shapley, the system of stars to which our sun belongs is far larger than it has hitherto been supposed to be. This system is often described as the *galactic universe*. It is called "galactic" because its form is now assumed to be more or less defined by the glowing zone known as the galaxy, or Milky Way. The term "universe" is a misnomer, since nobody supposes that this system includes the sum total of existing matter. Beyond its bounds, as generally defined, lie the spiral nebulae, of which hundreds of thousands have been observed and of which more will be said later in connection with the island universe theory. Moreover, there may be, and probably are, unthinkable multitudes of celestial objects more remote than any yet observed.

Our galactic system is a much flattened



This remarkable edgewise view of a spiral nebula reveals the surrounding ring of dark matter. It is characteristic of nearly all spiral nebulae. Such an opaque ring, astronomers assume, borders our own universe. Note, too, the lens shaped form of the nebula. Photographs such as these require from 10 to 12 hours' exposure in cameras attached to the world's largest reflecting telescope.

star system, containing, according to the most conservative estimate, upward of a thousand million stars, of which our sun is one. The flatness of its form is well expressed by comparing it with a grindstone or a rather thin watch, but we have no reason to assume that its outline is circular. A plausible guess assigns to it the complicated form of the spiral nebulae, which we shall presently describe. Our solar system lies somewhere near the middle

plane of the "grindstone," though probably not, as was once supposed, in a central position with respect to its circumference. Looking along this plane, we see the stars densely crowded in a belt that encircles the sky. This is the Milky Way. Looking away from the plane, our gaze encounters a much thinner layer of stars, which therefore appear sparsely distributed over the heavens.

If we compare the galactic system to a country and the stars to its inhabitants, we shall find that, like human beings, the citizens of this far-flung empire have a strongly gregarious tendency. Isolated existence is not popular among the stars. They tend to cluster in celestial towns and villages, so to speak. The sun inhabits one of these communities.

Although the stars in our local cluster are in rapid motion, they have plenty of elbow room, and the chances of a collision are extremely remote. The sun's nearest stellar neighbor, Alpha Centauri, is so far away that, if it were suddenly annihilated, its light would continue to shine in our skies for 4.3 years. In other words, its distance from the solar system is 4.3 light-years, a light-year being equivalent, in round numbers, to nearly 6,000,000,000,000 miles.

"Why do modern astronomers find such a measuring rod necessary?" it has frequently been asked.

Earthly Units Inadequate

On the surface of the earth, distances can be expressed in units such as inches, feet and miles. Even on the moon, astronomers can state the diameter of craters and width of valleys in miles. But such everyday units of measurement become hopelessly inadequate when the dimensions of a star are considered, as, for example, distances on the surface of our sun. It is practically impossible to measure sun spots in earthly distances, and indeed the diameter of the earth itself is none too large a unit.



Dr. Heber Curtis

Director of the Allegheny Observatory, Pittsburgh, Pa., whose researches support the "island universe" theory



Is Our Universe like This?

THE spiral nebula, as pictured in the above diagram, is usually seen to consist of a large lens-shaped central nucleus from which extend two curving arms which, as they wind outward in the same plane, become more fragmentary. The shaded portion represents the dark band usually seen on the outside of the spiral arms, supposed to be a ring of opaque matter.

Dr. Harlow Shapley holds that the spirals are masses of nebulous matter on the outskirts of our galactic system, the diameter of which he estimates at 300,000 light-years, with a thickness of about 30,000 light-years.

Holding the theory, on the other hand, that the spiral nebulae like our own galaxy are separate "island universes," Dr. Heber Curtis says that our universe is probably not more than 30,000 light-years in diameter, and not more than 5000 light-years in thickness.


For measuring the distances from the sun to its planets, the so-called astronomical unit is employed, being the average distance from earth to sun, or 12,000 times the diameter of the earth. "This unit, 93,000,000 miles in length, is ample for the distances of planets and comets," according to Doctor Shapley. "It would probably suffice to measure the distances of whatever planets and comets there may be in the vicinity of other stars; but it, in turn, becomes cumbersome in expressing the distances from one star to another, for some of them are hundreds of millions, even a thousand million, astronomical units away."

As a consequence, the astronomical unit is not used for such measurements and instead, astronomers introduce the "light-year." It is the distance that light, with its velocity of 186,000 miles a second, travels in one year. It is equivalent, as stated above, to about 6,000,000,000,000 miles.

More distant parts of the galactic world have been explored, not only with the telescope, but also by means of celestial photography, which is far more powerful than telescopic vision. Besides hosts of star clusters, the camera reveals immense clouds of nebulous matter; some, as shown by the spectroscope, consisting of gas, and others of cosmic dust, lighted up by stars in their midst. One of the most striking recent disclosures of astronomical photography, is the fact that many of these nebulae are dark, or only faintly luminous, and are therefore seen as opaque black masses.

The Congregations of Stars

Toward the outer limits of the galactic system, Shapley places certain dense aggregations of stars known as globular clusters, of which about a hundred have been enumerated. He finds that one third of these are more than 100,000 light-years away from us, while the most remote of all—"N. G. C. 7006"—is at a distance of 220,000 light-



What Makes the Milky Way?

HOW the Milky Way is explained by the theory that our system of stars is a spiral nebula is shown in the above diagrammatic cross section. Standing on our globe and within the central nucleus, and looking along the plane of the spiral, we see millions of vast suns, each appearing as a tiny white speck in the starry clouds that

form the arms of the galaxy. These clouds produce the effect we call the Milky Way. If, however, we look along the axis of the spiral, at right angles to the plane of the arms, we see relatively few stars. At the right is the great star cloud of Sagittarius, in the Milky Way. Each tiny speck is one of the suns of our galaxy



THIS SPIRAL NEBULA REPRESENTS OUR OWN UNIVERSE

THIS TINY SPECK MIGHT BE THE LOCAL CLUSTER TO WHICH OUR OWN SUN BELONGS

AT AN IMMENSE DISTANCE, THIS SPIRAL NEBULA IS OUR NEAREST NEIGHBOR AMONG A MILLION OTHER UNIVERSES

500,000
LIGHT YEARS

A COMPARATIVE CLOSE-UP OF THE STAR CLUSTER WHICH MIGHT INCLUDE OUR SUN

A PHOTO DIAGRAM OF THE UNIVERSE

THESE pictures constitute a unique chart to help you visualize your own relationship on the earth to the universe as a whole and the incredibly vast reaches of interstellar space. Following the present theory of Dr. Heber Curtis and other astronomers, a remarkable photograph of a magnificent spiral nebula is taken to represent our universe—500,000 light-years distant from its nearest neighbor among countless other universes—in which each tiny speck represents a local star cluster. Hidden somewhere in this cloudy cluster, among suns trillions of miles apart, is our own solar system.



HIDDEN SOMEWHERE IN SUCH A STAR CLUSTER IS OUR OWN SOLAR SYSTEM

years, or more than thirteen and a half thousand million times the distance of the earth from the sun!

As these clusters undoubtedly belong to the galactic system, the latter is supposed to have a diameter of something like 300,000 light-years. Shapley supposes that the globular clusters are being drawn into this system from outer space and that they gradually break up into looser aggregates under the gravitational pull of the surrounding stars. This would explain why they occur only at the edge of the galaxy.

Galaxy Is Smaller, Says Curtis

Doctor Curtis, adhering to an older view regarding the size of the galactic system, believes that it is not more than 30,000 light-years in diameter and perhaps 5000 light-years in thickness. To the globular clusters he assigns an average distance from our earth of about 10,000 light-years.

We have now come to the leading bone of contention among contemporary astronomers—the spiral nebulae. In appearance, a spiral nebula is a sort of celestial pinwheel. Viewed sidewise, it is generally seen to consist of a large central nu-

cleus, from which extend two curved arms. These objects are, however, very much flattened, so that an edgewise view takes the shape of a narrow spindle. Running through the middle of the spindle, in the direction of its length, is a dark band, supposed to be a ring of opaque matter bordering the nebula.

A few spiral nebulae have been known for generations, but their great abundance in the heavens was entirely unsuspected until the late Professor Keeler began to photograph them at the Lick Observatory about the year 1900. According to recent estimates, at least 700,000 and possibly a million or more are accessible to celestial photography.

One of the strangest things about the spirals is their distribution over the sky. None is found in the Milky Way, and few near it. Lastly, the few spirals whose motions have been determined with the spectroscope are found to be traveling at an amazing speed with respect to our system—in one case, as fast as 1100 miles a second—and most of them are receding from us. Their spectra seem to show that they are, at least in part, solid or liquid.

According to Shapley, the spirals are

masses of nebulous matter lying outside the galactic system and repelled from it by some force such as radiation pressure. If we adopt this view, we must regard our own stellar system as constituting by far the largest part of the visible universe and the spiral nebulae as objects of secondary importance hovering on its outskirts.

A much more grandiose view is held, however, by many astronomers, of whom Curtis has recently been the leading spokesman. As we have seen, Curtis assigns more modest dimensions to the galaxy than does Shapley, but for his conservatism in this respect he makes ample amends by his speculations that the spiral nebulae are not gaseous objects "of secondary importance" but rather aggregations of stars, in all important aspects like our own universe.

A Mere Drop in the Bucket

That the mighty system of stars to which our sun belongs is a mere drop in the celestial bucket was a common belief among astronomers during the first half of the nineteenth century, the theory having first been formulated by the great Sir William Herschel. It was then supposed that there was no difference between nebulae and star clusters except that the former were too far away to be resolved into stars by the biggest telescopes. Humboldt described these supposedly remote nebulae as "island universes." Later, the spectroscope proved that many nebulae are clouds of gas and clusters of stars, and hence their telescopic

appearance is not necessarily an indication of great distance.

Thus the theory of island universes fell into discredit, but thanks to modern study of spiral nebulae, the theory is now enjoying a new lease of life. According to Curtis and others, the spirals are immensely distant systems of stars, as big, on an average, as our billion-starred system.

An Invisible Screen

Curtis has likewise suggested an explanation of the fact that no spiral nebulae are seen near the Milky Way. They are, he thinks, as common in that direction as any other, but are screened from our sight by a ring of dark matter bordering our system, similar to that which, as we have already mentioned, borders many spiral nebulae.


For, as was suggested, many astronomers now maintain that our own billion-starred universe is itself a spiral nebula. The ring of dark matter assumed to surround our universe, points toward this conclusion because a similar ring is found in most spiral nebulae observed—for example, the nebula pictured in edgewise view on page 37. Another indication is the familiar Milky Way, which is easily explained as a result of perspective if we consider it as the equator of our lens-like star system.

Many spiral nebulae register as tiny specks of light on photographs taken, with an exposure of many hours, by cameras attached to the most powerful telescope in the world. If the theory is correct that assumes them to be vast "universes," thousands of light-years in diameter, it is evident that they must be almost inconceivably far away. Curtis has estimated, in fact, that while a few spirals, such as the Great Nebula in Andromeda, which is visible to the naked eye, may be as near as 500,000 light-years, the most remote of these objects, known only through telescopic photographs, are at a distance of a *hundred million light-years*. It would serve no useful purpose to turn this figure into miles; but it may be of interest to note, by way of comparison, that the distance of the sun from the earth, 93,000,000 miles, is equivalent to only eight light-minutes, while the distance from the earth to the moon is only 1.3 light-seconds.

Marvels of Photography

Lastly, consider what it means to photograph an object a hundred million light-years away from the earth. Before registering itself upon the photographic plate, the light utilized in this process has not only performed an enormous journey in space—retaining its identity and its power to record a faithful image of the thing from which it came—but it has also performed an enormous journey in *time*. We do not photograph the object as it is today, but as it was a *hundred million years ago*.

Reciprocally, suppose that a spiral nebula is situated at this distance and that on one of its worlds there are astronomers who have developed




"Dark Nebulae"—a Stellar Mystery

THE long black lanes in this Yerkes Observatory photograph—apparently vacancies among the stars—are, in reality, masses of opaque matter, silhouetted against the starry background. These "dark nebulae," when photographed with a powerful reflecting telescope, appear to be physically connected with the masses of bright nebulous matter seen in the picture


such powerful telescopes that they are able to photograph our solar system in some detail. What sort of earth do the pictures they are now taking reveal? Perhaps none at all—since it is not absolutely certain that our planet existed a hundred million years ago. But in any case, a very different earth from the one we know. A primeval globe, upon which, if a "close-up" could be taken from this stupendously distant point of observation (and

they are distant from us 500,000 to 10,000,000, or more, light-years.

Shapley: The spirals are probably of nebulous constitution, and possibly not members of our own galaxy, driven away from the regions of greatest star density.



This refracting telescope, in which the image of a heavenly body is refracted through a lens to the eyepiece, is one of two types of instruments in use at the Lick Observatory, Mount Hamilton, Calif., for study of celestial bodies



The remarkable photographs of spiral nebulae and star clusters reproduced on these pages, were obtained by powerful reflecting telescopes such as the Mount Wilson Observatory instrument shown above. Here, images of celestial bodies are reflected from a large mirror to a smaller mirror and thence to the photographic plate. Driving clocks move the telescopes to follow the apparent movement of the stars, due to the earth's rotation

of course we don't wish to suggest seriously that it could), the picture would probably disclose no trace of life—certainly no trace of human life.

The Two Theories

In conclusion, the controversy between Curtis and Shapley over the nature of spiral nebulae and the dimensions of our galaxy may be summarized as follows (Bulletin of the National Research Council, Number 11):

Curtis: Our galaxy is probably not more than 30,000 light years in diameter, and perhaps 5000 light-years in thickness.

Shapley: The galaxy is approximately 300,000 light years in diameter, and 30,000, or more, light-years in thickness.

Curtis: The clusters, and all other types of celestial objects except the spirals, are component parts of our own galactic system.


Shapley: The globular clusters are remote objects, but a part of our own galaxy. The most distant cluster is placed at about 220,000 light-years away.

Curtis: The spirals are a class apart, and not intra-galactic objects. As island universes, of the same order of size as our galaxy,


Cableway Builds Houses of Concrete Slabs

BUILT of blocks piled one upon another, like toy houses in a nursery, artistic concrete homes have recently been completed near Reading, Pa., by an ingenious method that bids fair to answer the problem of cheaply supplying American families with attractive dwellings.

With an estimated shortage of half a million houses throughout the country, builders have been searching for some system of house construction that will allow rapid fabrication at low




How the cableway is used in cellar excavation



The first step—concrete is carried in buckets on the aerial railway and poured into molds. After the concrete sets, the slabs are stacked at either side

speedily excavates the cellar.

When all the slabs are completed, the forms are removed and the aerial railway is hooked to an excavating shovel, which carries the loose dirt to a dump outside the building area. The cableway then handles the slabs, from the stacks to their positions in walls or floors, swinging them into place with a minimum of labor. The foundation units are first carefully leveled. These blocks contain holes into which fit dowels of the wall blocks, thus fixing exactly



Erecting the house with pre-cast concrete units

cost and at the same time produce structures measuring up to the standard of architecture in the average community. The chief disadvantage of several proposed methods of erecting concrete houses by the use of portable forms into which the fluid concrete is poured has been a sameness in architecture.

The new system tried out at Reading, departs from these methods by employing pre-cast concrete slabs that can be built up from the ground to any height and in any shape.

For the first time in the history of house construction, a unique aerial railway, slung from inexpensive portable supports at opposite sides of the building site, is used

at Reading to handle the heavy concrete slabs. On these cableways are mounted traveling carriages moving transversely and equipped with chain blocks. Three building operations are performed by the cableways—the casting and stacking of the concrete slabs, excavation for the foundation, and the erection of the building itself.

In making ready for a pre-cast house by the new method, the forms of finished wood, or a combination of wood and steel, are hauled to the center of the lot and assembled. Concrete is mixed, carried by cableway to the molds, and poured. After the concrete has set, the slabs are picked up by the cranes and carried to each side of the site, where they are stacked for three days while the curing process goes on. At frequent intervals during this time the slabs are sprayed with water to keep the outer surfaces moist. During the curing process the cableway, equipped with digging bucket,



Floor slabs come from the forms sufficiently smooth to finish without plaster. The units, when placed side by side, form a beamed ceiling. Note dowel pins and air spaces


the position of wall units into which the floor slabs are also doweled.

By taking extreme care in constructing the portable molds, it is possible to produce slabs with such smooth surfaces that they can be left untreated or covered with plaster or stucco at the owner's wish. Floor slabs are cast with one side ribbed to give a beamed ceiling effect to the rooms below.

The method used in joining the wall slabs leaves a dead-air insulating space between them that has been found effective in normalizing the inside temperature.

Full equipment with which to cast a two-story, six-room house, with bath, 14 by 43 feet, consists of 60 forms costing about \$6000. But as each set of forms can be employed on at least 100 jobs, the cost of each form is reduced to the low figure

of one dollar. Mr. William Painter, inventor of the method, has estimated that with a crew of experienced workmen a six room house can be erected in nine days.




Traveling carriages, equipped with chain blocks, lay the concrete units of the floor as shown above

Tractor Hauls Compressor to Job and Runs It

FACED with the problem of supplying air compression machinery in quick time and at a minimum cost, a firm in St. Louis, specializing in demolishing concrete walls and buildings, finally hit upon the idea of a combination truck body, tractor, and compressor.

The outfit consists of an air compressor mounted on a built-up truck body and a small farm-type tractor. When a call comes for the outfit, the tractor is hooked to the truck and drags it to the job. There the tractor climbs to the truck body on



portable skids. After it is blocked solidly, the flywheel is belted to the air compressor.


With this combination one power plant does the work of two at a saving in maintenance and upkeep.

Carbon Dioxid Bombs Put Out Coal Fire

CARBON dioxid bombs are being used successfully to extinguish fires in the interior of huge piles of coal in storage. Wherever a fire is feared, steel bombs filled with liquid carbon dioxid and equipped with fusible plugs are inserted in various parts of the pile. If the temperature of the pile rises to the point where ignition is likely to take place, the plug melts and the carbon dioxid escapes, cooling the coal and extinguishing the fire, should there be one.

Another method is to drive long pipes into the coal where smoke is thickest and pour carbon tetrachlorid through them. This liquid forms a vapor, five times heavier than air, which sinks downward and deprives the fire of the oxygen necessary to maintain combustion.

Single Machine Cuts and Threshes Grain



THE demand of farmers for a combined harvester-thresher has been met by one of the leading implement manufacturers with a machine that cuts the standing grain and elevates it to a motor driven cylinder near the front of the machine, where it is threshed. The grain runs into sacks on a platform at the side of the machine. A man riding on this platform ties the sacks as they are filled and throws them in piles along the route. Later they are picked up and hauled by trucks to storage or to market.


The straw from the threshed grain is thrown to the rear of the machine as it progresses, so that it may be plowed under to enhance the fertility of the soil.

The combination machine is drawn by a 10 to 20 horsepower farm tractor and two men can operate the whole outfit. When the ground and other conditions permit, a wagon is attached to the side of the machine and the threshed grain is elevated directly into it, thus saving the cost of sacks and the labor of handling them.

Striped Stone Forms Diary of Miners' Work

IN THE British Museum has been placed a stone taken from the watering trough of a coal mine in South Shields, which bears a faithful record, day by day and week after week, of the days during which the miners labored and the nights and holidays during which they rested.

Narrow white streaks formed by white, calcareous mud deposited from the water denote the nights. During the daytime the coal dust mingled with this mud, the blackened deposits thus representing the working days. Week ends and holidays are marked by wider white streaks.



Successive layers of white and black mud form a record of miners' work



Radium Attacks Cancer in Plant Experiments

CCANCER specialists, including Dr. Isaac Levine, of the Montefiore Hospital, New York City, have undertaken a series of experiments with plants in the hope of finding the possible cause and cure of the dread disease that has baffled physicians for years. They are studying the effect of cancerous growths upon normal plants, first inoculating the plants and later treating them with radium tubes inserted into the growth.

Results so far obtained show a definite breaking down of the plant form of cancer under the emanations from radium. Further study, it is hoped, will reveal the most effective way of carrying on the treatments.

Although the high voltage X-ray machines that have come into general use during the past year will continue to be an important means of reaching deep seated cancerous growths, there are, of course, many cases in which the radium tubes can be inserted directly into the tumor without damaging the adjacent tissue.

Endless Treads Pull Glass Into Tubing

MACHINES that pull perfect tubing from furnaces of molten glass are a recent development of the glassmaking industry that may make "blowing" a thing of the past.

While following closely the general methods of hand operation, the machine makes possible continuous production by means of a rotary blowpipe and mechanisms that exerts a constant pull on a piece of glass tubing.

Hand operation in making a tube requires two men. One man holds a large mass of molten glass on the end of a blowpipe. While he blows, a second man sticks a metal instrument, called a "punty," into the glass and backs away down a long walk, drawing the tube after him until all the glass on the end of the blowpipe is exhausted. By the mechanical method, the blowpipe is mounted inside a reheating furnace in an inclined and elevated position. While the pipe turns on its axis at a fairly high rate of speed, a supply of molten glass pours slowly over it, so that there is always a mass of glass on the tip of the pipe. The glass flows off the end of the pipe by gravity and by the pull of the machine.

The glass cools as it drops from the tip of the blowpipe, and forms a long straight tube supported by a line of idler wheels, which extends about 125 feet to an ingenious power-driven pulling machine. Here two endless chains carrying grips resembling the treads on a continuous tread tractor rotate in opposite directions, holding the tube between them firmly enough to exert considerable pull, but not firmly enough to break it.

Once the temperature of the glass has been properly adjusted, the production of any given size of tubing is practically automatic.



Drawn from the tip of a blowpipe mounted inside the reheating furnace shown above, the glass is pulled out into a tube by a power machine (at left), consisting of two endless treads that grip the tube between them. The tubing is supported on idler wheels

Street Corner Crashes Fill Auto Graveyards



Fifteen per cent of crashes with street cars are caused by attempts to beat cars across intersections

Attempts to turn corners too quickly on wet pavements cause 40 per cent of skidding accidents

One fourth of all auto mishaps occur at street intersections where drivers abuse right of way rules or fail to signal

AN ACRE OF WRECKED CARS
Of the 600,000 motor accidents that yearly produce twisted piles of wreckage such as this, only one in every 500 can be classified as "unavoidable"

Turning in the middle of the block is the most common cause of accidents that occur between street intersections

EVERY 25 seconds last year, carelessness caused an automobile accident involving personal injury. Nearly 12,000 persons were killed, and 1,500,000 injured. Every large city has its "graveyard" where wrecked cars too badly damaged to be worth salvage are piled by the acre. And among the thousands of accidents represented by these tragic junk heaps, less than one fifth of one per cent—one in every 500—can be classified as unavoidable. Inattention of drivers is the chief cause

of automobile disasters, and the greatest danger points are street or road intersections where 25 per cent of all accidents occur according to statistics compiled recently by the Automobile Club of Southern California from a tabulation of 1000 accident reports. These reports reveal that of the wrecks at street intersections, 40 per cent are caused by overturning, 28 per cent by failure to give an "arm signal," 24 per cent by abuse of "right of way," and eight per cent by cutting corners.


Between street intersections or in open country driving occur 19 per cent of the accident total. Most of these are caused by turning in the middle of the block. Other causes, classified in the order of their importance, are:
Cars struck while parked, 10 per cent.
Faulty brakes, nine per cent.
Skidding, six per cent.
Mishaps on curves, four per cent.
Collisions with street cars, two per cent.
Glaring headlights, one per cent.

Endless Chain Excavator Dumps Its Own Load

EXCAVATING with a conveyor belt is now proving practical with an ingenious machine consisting of an endless chain carrying grab buckets that are forced into the ground by gravity as the machine descends, removing the earth.

As soon as the buckets have filled an earth container in the center of the machine, the whole outfit is hoisted to the top of the excavation, where the dirt is automatically dumped from the side into trucks.

An electric motor drives the two independent systems of buckets by a worm gear connected with the conveyor by a link chain. The buckets, wide and shallow, almost meet at the center of the excavation. Earth is scraped from the center to the edges of the hole, then carried up the sides and dumped into the container as the buckets pass over the driving wheel for the return trip. The entire machine may be rotated so that the buckets can dig on all sides.



Hoisted to the top of the hole, the excavator described above automatically dumps its load



Electric Spark to Light Aviator's Cigarette

A SAFE cigarette lighter and holder for airplane use has recently been invented. The novelty of the holder is embodied in the electric spark that lights the cigarette. The spark gap inside the holder is connected with the magneto of the plane motor by a light flexible cord.

An insulated holder totally incloses the burning tip and prevents sparks from flying.

San Diego Opens Nature's Treasures to the Public

REALIZING that natural science is too vital a subject to be locked up in the rooms of a building, San Diego, Calif., has carried its museum to an entire community, opening the vast treasure chest of nature to all. Enthusiastic "nature hikes" are taken by San Diego grown-ups and children under a lecturer's guidance. The following article on this novel municipal enterprise may awaken other cities to the possibility of making science an increasingly popular adjunct to civic spirit.

A NATURAL history museum that is almost the equivalent of a free University course always open to the public, offering to an entire community entertaining instruction in scientific subjects, is becoming one of the most popular of all civic enterprises in San Diego, Calif. There the term "museum" no longer means merely a storehouse of prehistoric skeletons and dusty stuffed animals, but a depository of interesting things that directly affect every-day life.

On the assumption that comparatively few people will go to a museum to inspect the newly unearthed skeleton of a dinosaur, while almost the entire population will turn out to examine the carcass of a mountain lion killed by high school boys, directors of the museum have substituted, instead of a series of lectures, a series of "nature walks."

Recently a lecturer for the museum met his audience on a California sea beach. To the audience every object in sight was familiar; yet when the lecturer began to talk about the shells and pebbles along the seashore and to tell of the life and habits of the shore birds, the commonest objects assumed a new and fascinating meaning. Many of the audience collected shells



One of the "nature walks" conducted by the San Diego, Calif., National History Museum. A geologist is explaining the formation of the country to an interested audience

named and described by the lecturer. Others took notes for future reference and study.

Soon after the first "nature walk" book-sellers in the city reported a marked increase in the sale of popular books on geology, birds, botany, and kindred subjects, demonstrating that the museum had succeeded in awakening scores of persons to the marvels of nature all about them.

On another walk, the museum geologist accompanied his audience to the highest point near the city and from there explained the geological history of the surrounding

country. This trip ended at a fossil bed, where each person gathered interesting specimens. Other walks led to forests where birds, plants, and insects were studied.

Not content with capturing the interest of the man on the street, the museum invaded the city schools, in the form of 50 cabinets, each containing



The museum invades the schools with cabinets, each containing 35 specimens of animals, birds, plants, and stones

in five drawers 35 specimens of stones, shells, birds, animals, and plants. With each cabinet went literature prepared by the museum staff, supplementing the nature study course prescribed by the school authorities. A cabinet remains for five weeks in each school.

Mirror at Blind Crossing Warns Motorists

FAMILIES living near a "blind crossing" at Rochester, N. Y., have erected at their own expense a mirror that gives motorists a view down the track, thus warning them of approaching trains in time.

The contour of the ground at that point prevents a view of the track until the motorist's front wheels are actually on the rails. The mirror provides sufficient time for the application of brakes when danger threatens.

The need for better protection is reflected in the 1921 death toll from railroad crossings. During last year, according to a re-



port from the Interstate Commerce Commission, 1500 autoists were killed and 4500 seriously injured in crashes at road and track intersections. A large proportion of these accidents were due to inability of drivers to see the tracks in both directions.

Animal Gland Industry Becomes Important

MANUFACTURE of medicinal and surgical products from the various glands of domestic animals slaughtered in the big packing houses is becoming an increasingly important and diversified industry in the United States.

The first substances of this nature produced in commercial quantities were rennet and pepsin, according to the United States Bureau of Chemistry. Later came the manufacture of pancreatin from pancreatic glands and extracts of the thyroid glands.

Glands and tissue are obtained from cattle, calves, sheep, and hogs, and are sold by the packers to pharmaceutical houses. One concern, it is reported, now puts out 35 preparations for medicinal and surgical use extracted from these glands and tissues.

Camera Brings Strange News from Far Corners


Figure Floating Is the Latest Water Sport



Roads worn far below the surface of the fields by the passage of innumerable feet, as a river slowly wears its way through rock in producing a canyon, are to be found in remote provinces of China. Wind, carrying away the dust of traffic aids in producing a deep cut such as that shown above



An automobile can be used as a duck blind without the slightest attempt at concealment, it was found last season, provided the hunters keep out of sight or sit very quietly in the car. Sitting still in a duck boat is not always easy, but hunters should be able to remain motionless in a comfortable auto




"Figure floating," in which swimmers, grasping each other's arms, and legs, form symmetrical groups, has become a popular water pastime in England. Members of the Beckenham Ladies' Swimming Club are shown above forming a "crystal"




Twenty thousand tons of pure table salt, stored in piles in the open air, is the season's "crop" from a 1000-acre "salt farm" on the California coast. The salt is handled by conveyors like sand


For the benefit of tourists, an automobile map measuring 10 by 20 feet adorns the front of a garage in a small South Dakota town. The map, in colors, shows the available roads for many miles



In this factory ramps hold the running gear at convenient height for final assembly. Tractors depart under their own power



This "travelers' palm," in Nigeria, West Africa, gets its name from the fact that each branch provides a drink of water



Racing Cars Will Signal the "Pit" by Radio

RACING cars equipped with radio sets for sending and receiving will soon participate in long distance motor classics. The antenna will be strung along the streamlined tail piece and communication will be maintained throughout the race by head phones and transmitter slung over the mechanic's head.

Louis Chevrolet, one of America's best known drivers, who is equipping


his car in this manner, expects to save many minutes by being able to signal the "pit" when he intends to stop for new tires, gas, and oil.

For ordinary road work the outfit is grounded at a convenient hydrant, but during contests a "ground" will be obtained by utilizing the automobile engine and frame. In preliminary tests the speedway radio outfit has already demonstrated its usefulness.

Gage Gives Area of Hides as Pin Traces Edge

SIMPLIFIED, compact gages for measuring the area of tanned hides have just been perfected to take the place of the complicated and expensive devices formerly used. The instrument, placed approximately in the center of the hide, has a heavy circular base of cup shape, the center pin of which forms the pivot for the rotatable superstructure of the measuring mechanism. Around a spring roller, two chains of equal length are wound, the ends of which are attached to the pin that the operator moves in a vertical position along the edge of the hide. The two chains are kept taut.

As the pin is moved around the outline of the hide, the entire superstructure makes a complete revolution around its center pivot. This revolving motion is transmitted to the calculating mechanism by means of a rotating cone through a contact disk. The ingenious calculating mechanism translates the geometrical values of these motions and compounds them, so as to indicate the area of the hide in square inches or centimeters.



Placed in the center of the hide, this mechanism computes its area



Deadly Gas Protects Vault from Safe Cracksmen

A FRAGILE glass container filled with deadly gases and attached to the door of a safe or vault is a device invented by Walter C. Beckwith, of Fostoria, Ohio, for protection against safe cracksmen and burglars.

The container and its holder are locked to the safe directly over the crack between safe door and jamb. Any movement of the door or an unusual jar, such as might result from an explosion, breaks the bulb and releases the fluid, which kills instantly. Any attempt to remove the protection by drilling it from the door also breaks the vial.


Typewriter Prints Whole Word at a Touch

TAKING advantage of the fact that 22 words constitute 31.8 per cent of all the words in common use, an inventor has perfected a typewriter the keys of which print whole words instead of letters. The machine is said to save 20 per cent of the



The new word writer

typist's time. As one instance, the key with the word "and" may also be used in combination with single letters to produce "sand," "land," "grand," etc. For mercantile houses where commercial abbreviations recur frequently the specialized



Word keys can be combined with letter keys to form longer words



characters may be placed on the keys and printed with a single touch. The word keys are around the rim of the keyboard.

Another feature of the machine is the carriage return, which brings the carriage back to the beginning of the line by a slight movement of the little finger.

New Style Electric Iron Cannot Scorch Clothes

A NEW and unique principle for the regulation of temperature has been developed for use in an electric flatiron. The device maintains a steady, even heat that will not scorch or burn the fabric on which the iron is being used.

A small vertical post mounted on a piece of spring metal over a cell of metal alloy is connected with the current switch. When the heat of the iron melts the alloy, the spring tilts the post, which breaks the circuit. As soon as the molten mass is cooled again to a solid, the post is drawn back to its normal position and the electric circuit is closed.



The circuit breaking post, shown in diagram, and its position in a flatiron shown in cross-section

Wonder Microscope Aids War on Germs

Marvelous New Instrument, Using Ultra-Violet Rays, Photographs Wriggling Microbes Enlarged 12,000,000 Times

© Popular Science Publishing Co., Inc.

By Wilfred S. Ogden

IN THEIR relentless war on microbe-bred disease, scientists now have at their disposal a powerful new weapon in the form of a marvelous microscope that, by employing "dark light" — invisible ultra-violet rays — faithfully photographs the form and structure of *living* bacilli magnified 12,250,000 times!

The importance of the new instrument, perfected by Dr. J. E. Barnard, in charge of the British National Institute of Medical Research, lies in the fact that it shows sharply the living microbe 12 times larger than do other microscopes, which, in addition, reveal the tiny disease breeders only as dyed and shriveled corpses.

Minute markings, never before disclosed, can now be studied. In fact, the results so far obtained by Doctor Barnard by the use of ultra-violet rays seem to open up possibilities for the observation and photography of figures and events in the mysterious microscopic realms of the universe. In his experiments Doctor Barnard first used violet light, then the ultra-violet rays that gave him still better detail; and now he is experimenting with "soft" X-rays—weak X-rays that do not penetrate bone—the wave length of which is shorter than that of the ultra-violet rays. Possibly it will be only a matter of time before radiographs will be available, revealing heretofore hidden details in the structure of these microscopic enemies of man.


Only a short time ago the accurate results obtained by the newest super-microscope were considered just as visionary as these possibilities of the future may seem today. For years the microscope has been limited to a useful magnification of 1000 diameters, or an enlargement of a million times. Beyond that point it has started to break up light itself, giving a larger image but no more details.

Invisible Light Preserves Details

Doctor Barnard has preserved details along with greatly increased magnification by the employment of ultra-violet light, which shows up the microbes in relief, because they are less transparent to ultra-violet rays than to ordinary light, and increases resolution or definition, because of the shortness of its wave lengths.

Resolution depends upon two principal factors. One is the diameter of the aperture of the objective, which governs the amount of light admitted. The other factor is the wave length of the light used. The wave lengths of the different colors that constitute white light vary. As we approach the violet end of the spectrum the wave lengths become shorter. Those of ultra-violet rays are extremely short, and those of radium rays the shortest known.

In his experiments Doctor Barnard met



The Powerful New Microscope at Work

IN THE circular inset is a photo micrograph of the *living* germ of anthrax, magnified 12,250,000 times, taken by means of ultra violet rays in the new Barnard microscope pictured above. Compare this photograph with the one at the right representing the best results previously obtained—a photograph of *dead* and stained anthrax germs magnified only 1,000,000 times. In the new instrument ultra-violet rays, produced by an electric spark, are condensed through a quartz lens, then split up by quartz prisms. One of the rays is then reflected upward through the slide to be examined and the microscope with the attached camera

and overcame a number of obstacles. First, ultra-violet rays will not pass through ordinary optical glass, and it was necessary to construct all the microscope lenses of quartz or fluorite crystal, to permit their passage.

Since ultra-violet light is invisible, its presence is only made manifest by its effect on a photographic plate or on a fluorescent surface. This necessitated a special eyepiece fitted with a fluorescent disk and (in the case of photo micrographs) specially prepared photographic plates with a minimum amount of gelatin on the surface, as gelatin is also impervious to the rays. Again, for certain powers of magnification, it was found necessary to insert glycerin between the object and the microscope, to occupy what would otherwise be an air space, thus providing continuity for the rays between the quartz condenser, the quartz slide containing the specimen, and the objective. Glycerin possesses about the same refractive index as quartz crystal, and permits passage of ultra-violet rays.

To obtain an idea of the instrument as a whole, picture a powerful microscope, with all lenses and other portions through which invisible ultra-violet rays have to pass, of


quartz crystal. Where in the ordinary microscope the eyepiece would be, is a camera, mounted on a vertical rod so that it can be swung round. On the same shaft is mounted a special eyepiece—known as the "fluorescent ocular"—for the purpose of focusing.

Rays from Spark Separated

To obtain the ultra-violet rays, Doctor Barnard uses a two-inch electric spark between electrodes consisting preferably of cadmium or osmium. By means of a complex arrangement of prisms, not only is the visible spectrum of the spark obtained, but the ultra-violet rays, in which there is a considerable range of wave lengths, are separated so that rays of only one wave length may be employed.

Thus, after the rays from the spark have been condensed through a quartz lens, they pass on through two quartz prisms that split them into their various wave lengths. One of the rays is caught and thrown upward into the microscope by a quartz reflecting prism and so on to the object under examination. The photo micrograph is taken by the camera in the usual manner.

Motor Driven Slicers Pulverize Soil



A TRACTOR-TILLER, invented by Thomas William Hicks, of Minneapolis, Minn., chops the soil like meat in a rotary chopper, accomplishing more work in a day, it is claimed, than three men with two tractors hitched to five ordinary plows and harrows.

After the plowshare enters the top soil and turns over a furrow, two slicers making 500 revolutions a minute, chop and mangle the soil, weeds, humus, and stubble, leaving the earth in a thoroughly pulverized state.

Power is supplied by a four-cylinder tractor motor that drives the slicers as

Rapidly revolving slicers, shown in the inset, tear into the furrow. They are driven by the tractor motor



well as the tractor. When the ground has been prepared for the seed bed, a special grain drill attachment sows the seed, spreads lime and fertilizer and finishes the job by packing down the seed furrow with a layer of soil.

Rotary Stone Polisher Is Driven by Air

ROTARY air-driven stone polishers that do the work in one tenth the time required by hand polishers have been perfected by a Cleveland company to meet the needs of the monument industry.

The heart of the machine is an air turbine wheel made in a single piece and tooled so accurately that it rotates at high speed with only 1/32-inch clearance all around. By means of a universal holder a tool can be substituted quickly. Water for the cutting surface is supplied automatically at any desired rate. The turbine polisher will work on 80 pounds air pressure and consumes only 15 cubic feet of free air a minute.



Rounding the edges of a stone with the air driven polisher

Lamp and Copy Holder Combined for Typist

A COMBINATION lamp and copy holder recently placed on the market serves the double purpose of giving an adjustable support to the notebook of the typist and a light for reading the notes without eye strain.

The apparatus has a double ball-and-socket base that may be screwed to the typewriter table or stand. In one of the sockets rests the ball of the lamp holder, in the other that of the copy holder. Each arm is double jointed and can be adjusted to any desired position.

The lamp is shaded so that the eyes of the typist are protected from the glare and the copy holder is provided with a slideable guide that can be moved from line to line as the work progresses.

Another type of the same appliance can be fastened to the wall instead of to the table or desk.



Bracket for Paint Pail Fastens on Wall

HOUSE painters and outside decorators will appreciate the portable paint pail bracket recently perfected by Dale Van Horn, of College View, Nebr.

The bracket is made of light strap iron arranged in the form of a staging support. One of the sides of the triangle is split to form a straddle legged support. Another side is turned up and sharpened for insertion between two adjoining rows of clapboards. A clip on the end of the horizontal member holds the pail handle, the second point of leverage being provided by a long narrow plate on which the pail rests.

Bracket fastened to clapboards

The prong is forced up under a clapboard and the weight of the device drives the straddled legs into the wall below. The action of the bail clip and the narrow plate is to hold the handle away from the pail, giving the workman free access to the paint.

To remove the holder the painter grasps it near the outer ends, lifting it away from the building. The prong comes away without wrenching or twisting.

Vacuum Tube Radio Set only Six Inches Long

VACUUM tube radio receiving outfits comprising a complete tuning unit and a regenerative or feed-back vacuum tube circuit, yet measuring only six inches long, three inches wide, and 3 1/2 inches high, have been produced by a French radio firm.

The knobs and switches for varying the tuning coils are placed on top of the small case. Each knob has 11 points. The vacuum tube socket is located between the two knobs.



Note vacuum tube between the knobs

Two variable condensers, one in series with the antenna and ground and the other connected across the secondary of the inductance, provide means for fine tuning. Binding posts for all connections are placed on the front face of the cabinet. The entire cabinet weighs only 2 1/2 pounds.



Road Maps by the Wayside Guide the Tourist

LOST roads and blind detours will be things of the past when a highway guidepost invented by Albert Ruebsamen, of Decatur, Illinois, comes into general use.

Mr. Ruebsamen's invention comprises a glass sided box perched on a post for installation beside the highway. Four glass faces present maps mounted behind water-tight glass. Each map gives details of routes leading from its location with full information about garages, hotels, and camping spots. By pivoting the box the tourist can swing any one of the glass faces into convenient reading position.

New Lamp for Workbench Casts No Shadows

LAMPS that cast no shadows on the workbench, but concentrate the illumination upon any part of the work, from any angle, have recently been invented.

The principle involved has been used to some extent in the lamps used above billiard tables. A circular frame holds a series of small mirrors within its rim, so that the light is concentrated into a cone that lights all sides of the object equally. Instead of being divergent, the rays converge toward a point.

The fixture is arranged to travel on an overhead trolley. By pulling upon any one of four adjusting cords attached to the rim of the shade, the worker can make the beam of light fall from any angle or height.



By an ingenious arrangement of small mirrors shadows on the work are entirely eliminated


Canaries Gassed to Test Safety of Masks

IN TESTS to determine just what protection an army gas mask will give against certain gases encountered in industrial accidents, the United States Bureau of Mines has been "trying it on the canary."

A test is conducted in an air-tight room lined with sheet metal and inclosing a special measuring apparatus. A fire is kindled, and a suction pump draws a certain amount of the fumes through the canister of a mask into the glass compartment containing the canary.

The canary is so sensitive to noxious fumes of all kinds that the protection given by the mask can be estimated with accuracy.

The experiments showed that the army gas mask will protect from suffocating smokes and gases of fires, but will not assure protection from carbon monoxid.



Drawn by a pump, poisonous fumes pass through the mask canister into a compartment containing the bird



Camp Heater Torch Can Be Packed into Kit

FOUR hours on a pint of gasoline is the fuel consumption record of a combination blowtorch, soldering iron and camp heater. The outfit consists of a cylindrical chamber where the fuel is compressed by means of a hand plunger and a burner to which different tips for soldering may be attached.

A heavy cotton wick leading from the fuel chamber to the atomizer assures an even flow of gasoline when the torch is held in any position. For camp use the flame can be directed against the cooking utensils and adjusted to provide any degree of heat.

The device weighs only two pounds with a length of 17 inches and a diameter of 1 1/2 inches. This size makes it possible to pack the torch in the average tool box or kit, and thus it is an ideal heating unit for an automobile camping trip.

Soldiers Ride a Six-Foot Ball for Exercise

ACROBATICS atop huge pushballs are taking the place of the stereotyped forms of setting up exercises at some of the army camps. One soldier climbs on top of the six-foot sphere and endeavors to hold his balance while his comrades manipulate the ball first one way and then the other in an attempt to dislodge him.

When one soldier slides off, another takes his place. A stop-watch held by a referee times each man's ability to cling to the ball.



How long can he stay on top of the ball, while others roll it?

THE only foods that attack the surface of aluminum cooking vessels are oranges, lemons, brussels sprouts, and tomatoes, according to Prof. John Glasier of Glasgow University, Scotland.

Toy Balloon Sails 102 Miles in Contest




Distances covered by toy balloons that made the longest flights from Antwerp, Belgium, are indicated in the map below. Entries in the contest, just before 4000 balloons were released, are shown in the photograph



A PEASANT in Duisburg, Germany, was surprised recently to see a toy balloon come bobbing out of the air and drop in his yard. Attached to the little aircraft was a postcard carrying the request that the finder sign his name and return to a department store in Antwerp, Belgium, 102 miles away. For this the peasant received first prize in a contest conducted by the store. Of 4000 balloons released, the one alighting in Duisburg carried the farthest.

Considering the fact that the balloons were released on a day when rain fell heavily, the distances covered were remarkable.

The second prize entry covered 91 miles and the third, 81 miles. Many more traveled over 25 miles before being forced to earth by gas leakage.



Tug on a Cord Closes Automatic Gate

OPENED from any convenient distance by a light tug on a cord, an automatic collapsing gate, invented by Bernard L. Todd, of Des Moines, Ia., will rise through snow or mud and operate in the winter as well as in the summer. When closed, the gate, five feet high and constructed of metal, lies in a horizontal position. When swung to one side, the bars close into a vertical mass.

Instead of springs or ratchets, an adjustable weight is used. This is heavy enough to raise the gate after it has been lifted the first few feet by a pull on the cord. This device is successful because as the bars start to fold together, the center of gravity of the gate moves rapidly toward the gatepost, and the weight soon overbalances the gate. The latter, however, is heavy enough to remain firmly in place after it has been lowered.


Colored Nets Fool Fishes

BECAUSE fishes are "wise" enough to steer clear of white nets, fishermen of Dalmatia color their nets with brown and bright green dyes, extracted from the bark of plants. Into these nets the fishes swim unsuspectingly, possibly because the green and brown nets resemble sea-weed.

Stretching Machine Used to Treat Clubfoot

ONE of the machines invented and employed by Dr. Adolph Lorenz, famous Viennese "bloodless surgeon," for the treatment of the disease known as clubfoot, is being used with success by American physicians in the cure of such cases. The machine was left in America by Doctor Lorenz when he returned to Europe.

Cure of clubfoot in extreme cases of long standing is practically impossible, and even radical surgical operations can seldom produce more than slight improvement. But if treatment is begun while the afflicted person is young, the orthopedic adjustment practised by Doctor Lorenz is often followed by beneficial results. For this



Hand Tool Coils Wire Springs Evenly

WIRE springs of any material and in any moderate diameter and pitch can be quickly and evenly wound by a hand precision tool now on the market. The spring winder consists of a handle, one end of which terminates in a friction chuck for holding the wire as the spring is built up, and an adjustable guide that can be set for any desired pitch of winding.

The end of the wire, threaded through the tool, is caught in a vise that also holds the mandrel.




Fastened in the machine, the deformed foot is slowly drawn into shape

treatment Doctor Lorenz invented his machine.

The crippled foot of the patient is firmly fixed in the apparatus and then the displaced parts are gradually drawn and twisted into the proper position. In this way the contracted tendons, muscles and ligaments are by slow degrees stretched, so that they permit the bones of the foot to assume a normal position.

A MAGNIFYING glass that rests on its own support the proper distance away from the object to be magnified represents an important improvement over the old fashioned hand-held glass. The new glass is rectangular instead of circular, permitting a greater amount of reading while the glass is in one position.

Oblong Reading Glass Focuses Itself



The rectangular glass, resting on supports as shown

in inset, permits easy reading

Tests Prove Value of Geophone in Mine Rescue



Rescuers, using two sensitive

phones, locate signals from buried miners

RECENT tests by the United States Bureau of Mines have revealed the effective range of the geophone, a sensitive sound detecting instrument used during the war, in aiding the work of rescuing miners trapped far below the surface during mine disasters.

The tests proved that the geophone would detect sounds of a sledge through coal veins from 800 to 1200 feet away. Through the earth cover of mines the sledge could be heard 300 feet distant. Other operations, such as tamping, dropping rocks, and shoveling, could be picked up at distances varying from 175 to 1000


feet, depending on their nature and the terrain through which the vibrations were forced to travel.

By setting up two geophones at some distance apart and noting the comparative strength of the sounds it is possible to locate the victims of a mine disaster.

The geophone is a refinement of the microphone type of telephone receiver. It consists of a small cylindrical case about one inch high and three inches in diameter in which two mica or metal diaphragms support a relatively heavy lead weight. From the diaphragm chamber a small opening terminates in an attachment for a rubber



How the geophone, pictured in diagram below, is used to locate miners trapped hundreds of feet below the surface of the earth



ber tube leading to the ears of the user.

In practice, two geophones are used. They are placed on solid earth in an upright position. If the earth in any direction is being tamped or shocked, the vibrations are transmitted to the geophones. The thin membranes communicate the vibrations to the observer's ears.



Ultra Violet Rays Used to Cure Sunburn

ACTING on the theory that "like cures like," physicians at the Broad Street Hospital, New York, claim to have obtained encouraging results through the use of the equivalent for sunlight, in healing sunburn produced by too many hours at the seashore.

The properties of sunlight, according to Dr. A. J. Barker Savage, superintendent of the hospital, are virtually reproduced by a newly designed lamp that throws off ultra violet rays. These rays, says Doctor Savage, kill bacteria and gradually heal the burned and injured tissues.

When under treatment, the patient wears glass goggles to protect his eyes, just as he would in the bright sunlight.

Dredger Truck Cleans Irrigation Ditches

FOR cleaning irrigation ditches in agricultural districts, a newly designed bucket dredge mounted on a three-wheeled truck that pulls itself along the side of the ditch by a cable, has been found to be simple and economical in operation.

The working parts of the machine include a two-cylinder gas engine of 15 horsepower which operates the bucket dredge, and a drum on which the propelling cable is wound. The free end of the cable is fastened to a stake driven into the

bank, and as the cable is wound on the drum, the machine pulls itself toward the stake.

The single front wheel of the truck is a roller. In the rear are two wheels mounted on a long axle, which extends far beyond the platform truck. This makes it possible for the rear wheels to straddle the ditch unless it is too wide. In that event, the extension wheel is strapped to a pontoon. The operation costs are between \$183 and \$365 a mile.



When the ditch is too wide for the machine to straddle it, one of the rear wheels is lashed to a pontoon, as shown above

Camera Man Ambushes the Elusive Saw-whet Owl

A TRIPOD, with legs nearly 12 feet long, to elevate a camera to otherwise inaccessible positions, and an adjustable mirror to throw rays of sunlight against dark nest openings, enabled Robert B. Rockwell, a bird lover of Denver, Colo., to obtain the remarkable photographs of the rare saw-whet owls shown on this page.

The large mirror, which Mr. Rockwell says is one of the most indispensable parts of his outfit, is fitted upon a tripod with an adjustable head, permitting the photographer to throw a brilliant beam of light on any object that is in shadow, and thus making fast exposures possible. Through its use he obtained bird pictures that otherwise would have been photographic impossibilities.

Remaining specimens of the saw-whet owl usually make their home in hollow stumps and dead tree branches in the most deserted sections of the country and few of them are ever seen except by chance.

Camera Makes a Daily Record

It was Mr. Rockwell's fortune to come upon a nest at a time when four eggs were nearly ready to hatch, and his camera recorded day by day the rapid growth of the fledglings. The nest was found in an old woodpecker hole in a dead yellow pine tree in the Wildcat Point country, about 25 miles south of Denver. Framed in the hole was the face of Mrs. Owl, calmly surveying the intruder. Climbing the tree, Mr. Rockwell and his companion carefully cut out a piece of the wood below the entrance hole to permit a view of the interior. At the bottom of the nesting cavity, which was about 10 inches deep, were found four white eggs lying in an accumulation of chips.

Nailing the piece of trunk back into place, Mr. Rockwell departed, to return to the nest again about a month later. On this trip he was rewarded by finding four tiny birds. The young ones differed strikingly in size, the largest one being fully twice the size of the smallest. This fact, according to Mr. Rockwell, seemed to substantiate statements that the eggs of this owl are laid at intervals of two or three days, and that incubation begins as soon as the first egg is deposited.

Tripod Solves Difficulties

Photographing the young ones was strenuous work. Unused to the bright light and the heat of the sun, the birdlings wilted and were able to keep their eyes open only a few moments at a time. They opened their beaks, panted violently, and were always moving, making anything but instantaneous photography impossible. Use of the long-legged tripod and mirror finally resulted successfully.

When first born the saw-whet owl is an exceedingly small bird with actions like a chicken; but within a few weeks it grows to the size of its parents. Unlike most others of the owl family, the saw-whet is not a fighter. The murderous beak is present, but it is seldom used.



Framed by the entrance of an old woodpecker's hole was the face of a saw-whet owl, calmly surveying the intruders. In this nest were found four white eggs



Twelve foot camera tripod, and mirror to reflect sunlight on shady spots, used in photographing the young saw-whet owls



These baby owls were found in one nest. The difference in their size is due to the fact that the eggs are laid at intervals of two or three days, resulting in similar irregularity in the time of hatching. The fledglings show no fear even when they are handled and petted

How to Disguise a Camera

DULL green and brown screens of thin cambric, with a hole cut in each to fit tightly about the lens tube, form an effective disguise for the camera in bird photography, according to Herbert Keightley Job in his new book, "How to Study Birds," (The Macmillan Company.)

"Most birds are afraid of a camera set near the nest," says Mr. Job. "But most of them will return before long if the instrument is properly disguised."

From actual experiences Mr. Job offers many practical suggestions to camera hunters for successful bird photography.

Power Saw Turns Driftwood into Cash

ON ONE of the sheltered shores of San Francisco Bay, is a diminutive firewood plant that is successfully turning driftwood into commercial kindling.

Forty dollars a day, filtered from the ocean tides, forms the livelihood of C. M. Stoneburner, of Oakland, Calif. Waste that others passed by, Mr. Stoneburner has utilized as the foundation for a lucrative business. In his back yard the waters of San Francisco Bay daily bring a new supply of floating driftwood that, with the aid of a power saw, is turned into stove length fuel that sells readily at a good price.

The drifting timbers consist of pier dolphins that have been eaten off below

water level by marine borers, wreckage, logs, and the thousand odds and ends from industrial plants along the water front and the streams that empty into it.

Some of the lumber is 20 feet in length and several feet in diameter. The drift timbers are sawed into lengths varying from eight feet to 16 feet, then rolled up a steplike incline by means of a rope. The largest are split into halves or quarters with wedges and sledge hammers. The rest of the work is done on an ingenious saw table. This table is a rocking frame with a 14-inch top and a four-inch upright back piece, which holds a log against the blade of a rotary saw permanently stationed at one end of the table on a separate framework.

The rocker table moves forward and backward between stationary guides over a balancing point. To accomplish this, the table is made with only two legs, both of which are pivoted at the bottom on a long iron pipe acting as a central shaft of rotation. Thus the pipe is the center of a circle of which the legs and table are the radius, as the log describes a circumference which bisects the buzzsaw. A saw capable of cutting a 12-inch log is driven by a gas engine of about four horsepower at 800 revolutions a minute.

Two men can easily cut up four cords of block wood a day. This brings the operators \$40 for a day's work, a tidy bit of "drifting cash."




Above: Towing in flotsam to be turned into firewood. At the right: Cutting a 10-inch timber held on the ingenious rockertable



Can You Stand on Your Upper Teeth?

ONE of the most amazing muscular feats ever performed is being exhibited by Gladys Portia, a woman gymnast, who can support her entire weight by her upper teeth alone. Upside down, bent almost double, and with only the grip of her jaws on a rubber pad to sustain her, she is able to maintain this position for more than a minute by her remarkable sense of balance.

The remarkable development of the muscles of the neck and throat, as well as those of the jaws, necessary for this trick of balancing, can readily be seen



Firemen Display Skill

FIREMEN of Paris recently built a special tower on which they gave a spectacular exhibition of skill in performing daring feats required in fire fighting, such as scaling walls with ropes and ladders, climbing sides of buildings from sidewalk to roof without aid, jumping into nets, erecting long ladders, and passing hoses.

Dummy Cow Teaches the City Man to Milk

A DUMMY cow built of four wooden legs and a canvas sack, to teach city men to milk, is helping to solve the unemployment problem in England. Graduates of agricultural training schools are now able to milk a cow properly, although they may never have seen one.

The sack is filled with a liquid having the same specific gravity as milk, and the rubber teats of the training machine are ingeniously constructed to act like those of a real cow under pressure of the milker's hands.

Except for the lack of a tail to whip into the milker's eyes



Extraordinary flexibility of muscles is required to perform this unusual feat

by comparing the line from the chin to chest with that of an ordinary person standing with chin raised in the air.



The substitute cow is a canvas bag supported by four wooden legs


and the ability to put its foot into the bucket, the machine is for all practical purposes a faithful likeness of nature.

Sail Pushes Chinaman's Wheelbarrow

THE wheelbarrow is still the Chinaman's motor truck because the footpaths of the interior cities of China are usually too narrow for any other vehicle; but the Orientals are progressive enough to mount sails on their barrows when the wind is fair.

In a stiff breeze, the assistance given by a small square sail in pushing the load is said to be astonishing—in fact, the coolie has little work to do other than to hold the rear of the barrow off the ground and occasionally act as a brake.

The rigging of these sails is elaborate, but while they draw well when the wind is dead astern, the coolies do not attempt to take advantage of a quartering breeze or to tack into the wind. Theoretically, a sail would have some tractive power under even those conditions, but John Chinaman is a highly practical man.



With sails rigged to their wheelbarrows, Chinese coolies "have it easy" when a stiff breeze blows

Ice Cream Wagon Is Motorized

MOTOR driven ice cream wagons are making their appearance on the streets of some cities. Instead of pushing his stand along by hand and calling the children with a bell, as in the older days, the "hokey pokey" man now motors along at 20 miles an hour, and heralds his coming with a whistle or a more elaborate compressed air calliope.

The ice cream car consists of a canopied cart body mounted on three wheels, with the engine over the front wheel. A small motorcycle engine furnishes the motive power, and at the same time drives an air compressor that operates the calliope. The engine is placed as far away from the ice cream as possible, to avoid spoiling the flavor of the cream by gasoline fumes.

The additional customers reached by the motorized cart more than pay the increased cost of operation, it is reported.




Mounted on three wheels, the "hokey pokey" cart is propelled by a motorcycle engine, which also blows a calliope

"Tone" of Automobile Cylinder Measures Its Volume

A NEAT and reliable method of measuring the cubic contents of automobile cylinders by means of sound has recently been perfected by M. F. Charron-Godet, professor of physics at the University of Angers, France. His invention rests on the acoustic principle that the pitch of the tone produced by vibrations of an inclosed mass of air varies with the volume.

Usually when the owner of an automobile notices that the sound produced by the running of his engine is no longer an even "purr" but has a distinct rhythm or beat and that one or several cylinders "knock," he looks for the cause of the trouble in inequality of the cylinder volumes. He dismantles his engine and measures the cubic contents of the cylinders by pouring oil in one after the other and comparing the quantities required. The results obtained by this crude method of measuring are exceedingly unreliable and the process is undoubtedly "messy."

In the ingenious Charron-Godet measuring device, called the acoustic volu-



Two sounding pipes, one connected with a measuring cylinder, the other with the cylinder to be measured, are attached to a bellows bulb supplied with air from a tire pump

meter, one of two short sounding pipes, which are of the same length and diameter, is connected with the cylinder to be measured. The other is connected with a measuring cylinder with slidable piston, the stem of which is calibrated to indicate the cubic contents of the space above the piston head.

The free ends of the two sounding pipes are connected by a Y-tube with a tire pump and an interposed elastic bellows bulb.

When the pump is worked and the bellows bulb inflated, the sounding pipes will "speak." If the pipe connected with the measuring cylinder gives a tone of higher pitch than the pipe connected with the cylinder to be measured, the piston rod of the measuring cylinder is drawn out until the tones of the two pipes are exactly alike, producing no perceptible "beat" or trill. The calibration on the rod of the piston indicates the exact cubic contents of the cylinder measured. If the pipe of the measuring cylinder is lower in pitch than that of the tested cylinder, the piston of the former is slowly pushed in until the notes of the pipe are alike.

So exact are the results of this method of measuring, that it can safely be employed to measure the cubic contents of small, irregularly shaped objects or of substances in powdered form which could not be measured otherwise.

Drummer Can Tune Kettle Drum with His Feet


DANCING to jazz music will be more popular now that Adolph Wiedoeft, of San Francisco, Calif., has worked out a scheme by which the tone of the drum's "boom" can be altered at will. Wiedoeft's device is foot operated.

All the tightening clamps are connected through gears with a universal joint that leads to the pedal controls. By pressing on one of the pedals the drum membrane is either tightened or loosened, thus instantly changing the tone. By working all the clamps together an even change in tone is made over the surface of the membrane.

© U. & U.



By pressing a pedal, the drummer adjusts the drum membrane



Crowd Psychology Studied in New Street Car

BY PLACING the least attractive seats where crowds tend to gather and providing a central exit, Peter Witt, of Cleveland, Ohio, has designed a type of street car that not only takes care of a load in rush hours far more quickly than the usual model, but keeps the passengers contented as well.

The car is designed throughout to conform to the psychology of crowds. The entrance is at the front and the exit at the center. But the passenger may use either door. If he enters in front, he pays his fare as he gets off. The center door is "pay as you enter."

In the front half of the car, the seats are longitudinal; in the rear, transverse. Since most people get on at the front entrance, they naturally move to the rear to sit in the more comfortable transverse seats. This movement equalizes the load, and the wide aisle in the front section gives space to take on a big load of passengers quickly at trans-



How the arrangement of more comfortable transverse seats in the rear keeps the crowd moving away from the front entrance, is shown in the diagrammatic view. Inset shows interior view of the car

fer points without the usual confusion.

The passenger pays his fare when he passes the conductor's box in the center, even if he is not getting off at that moment. Once in the rear section, with his fare paid, the conductor pays no further attention to him.

This street car has been used successfully in handling crowds in large cities.

Wallboard Fasteners Do Away with Ugly Nails

SELF clinching fasteners for wallboard, devised by Charles A. Upson, of Lockport, N. Y., eliminate the unsightly nail heads that are always in evidence when wallboards are

fastened with nails in the center of panels.

Mr. Upson's invention consists of a small steel plate about one inch square with five prongs pointing in different directions. These




How the prongs, nailed to studding, grip the wallboard

are first nailed to the studding of the room. When the wallboard is placed over the studding, hammer blows cause the prongs to penetrate the board and bend over.



At left: Nailing fasteners to studding. At right: Hammering wallboard on fasteners



"Dew Pond" Supplies 120 Gallons Daily

BASED on the principle of bringing moisture laden air in contact with colder ground surfaces inclosed by embankments, a "dew pond" for condensation and storage of atmospheric moisture has recently been invented by S. B. Russell of Gosmore, Hitchin, England. Similar reservoirs are being projected for arid areas of Queensland, Australia.

A dew reservoir 30 feet square will collect 24,000 gallons of water in a year, or an average of 120 gallons daily during the hot summer months and 50 gallons daily for the remainder of the year. This is ample supply for the average farm.

The Russell reservoir consists of a concrete cistern about five feet deep,

with sloping concrete roof, above which is a protective fence of corrugated iron which aids in collecting and condensing vapor on the roof and prevents evaporation by the wind. The floor of the cistern is flush with the ground, while sloping banks of earth around the sides lead up to the roof.


Moisture draining into the reservoir from the low side of the roof maintains the roof at a lower temperature than the atmosphere, thus assuring continuous condensation.

At one side of the reservoir is a concrete basin set in the ground. By means of a ball valve, this basin is automatically kept full of water drawn from the reservoir.

"Window Shutter" Plane Rises from Roof

THE long dreamed of airplane that can both rise from and alight on the roof of a city building is now heralded in a machine of entirely new wing design exhibited recently in Paris. The supporting wing sur-

© K. & H.




Small, adjustable planes, like slats in a window shutter, form the supporting wing surfaces

faces are composed of a series of small, adjustable planes, each with a chord of about six inches, and arranged like the slats in a window shutter. The machine is made even more peculiar in appearance by a pronounced "stagger" to the wing system.

The wing elements are made of thin sheets of duralumin, with a filling of compressed cork, which permits the fireproof metal wing to be shaped.

Instead of using ailerons or flexible wing-tips, the inventor simply pivots each wing. To get the usual aileron control, vertical rods are run from each of the round central spars supporting the wings, and are linked with cranks projecting from each wing. These rods are connected with the controls so that all the wings on one side may be tilted in one direction, and the other side turned in reverse direction.



Wedge in Door Jam Keeps Burglars Outside

A PORTABLE door and window lock that can be carried in the pocket and applied anywhere without nails or screws has recently been invented by B. N. Wickwire, of Carbondale, Pa.

It consists of a wedge that is placed between the door and the door jam.

The wedge carries a series of fine teeth that are brought lightly into contact with the wood by pressure upon a lever. If any one attempts to open the door the movement wedges the lock into the jam and the teeth grip so firmly that the entire door-frame must be torn away, the inventor declares, before the lock can be forced.

Rocks to Give Oil when Wells Run Dry

Mountains of Shale Promise Last Reserve as America's Oil Supply Diminishes

TO OWNERS of 9,500,000 automobiles in the United States the rapid depletion of our oil resources is causing real concern.

The following article, giving assurance of underground reservoirs of the precious liquid still to be tapped, and of shale mountains to be crushed and distilled as a last resort, may serve not merely to allay immediate alarm, but to stimulate greater care in conserving the diminishing supply of wealth from existing wells.

By Ernest Welleck

WHEN the oil wells run dry—then what?

Feverishly draining nature's rich underground stores to provide gasoline for our automobiles and fuel for our engines of industry—consuming each year millions more barrels of oil than we produce—we are suddenly confronted with the statement of the United States Geological Survey that we have used up all but 7,000,000,000 barrels, the entire remaining oil supply in the United States.


At the present rate of consumption, and allowing for an average increase in requirements of about 50,000,000 barrels a year, according to George Otis Smith, director of the Geological Survey, this remaining supply would be exhausted, if imports were barred, in about 20 or 25 years! Even now, the annual volume of our imports of oil, principally from Mexico, is increasing.

The situation would be alarming indeed, both for the automotive industries and the various industries using petroleum for heating purposes, if they were dependent for their oil supply on the production of the oil wells. But hope for an adequate supply for many years to come lies in recovery of the rich deposits of oil that remain underground, and in immense, untouched beds of oil shale.

Enormous Deposits

After all America's oil wells shall have ceased "gushing" or yielding oil even as modest "dusters" under their own pressure, and even after the large underground deposits shall have been exhausted, there will still remain these enormous deposits of oil shale to draw upon, capable of yielding from 20 to 90 barrels of petroleum a ton, equivalent to from 2 to 9 barrels of gasoline.

Ingenious methods of extracting the underground deposits after wells have ceased to flow are even now meeting



How Crushed Shale Gives Up Its Oil

ABOVE is one of the types of retorts or "stills" that have proved successful in extracting crude oil from oil shale, by subjecting the shale to terrific temperatures. The heating chamber is divided into three compartments, one above the other, in each of which runs a moving conveyor. The arrangement of these carriage chambers permits the graduation of heat, ranging from 250° F. in the top chamber to 650° F. or more in the lowest chamber. Crushed shale, dumped into the top level, and carried along by the conveyors, is subjected gradually to increasing heat. Through a system of valves, the vapors are carried from the chambers in conduits and drawn by a vacuum fan to chilling and washing tanks, where they are condensed into oil.



One of the oil shale mountains in the vast deposits covering 5000 square miles in Colorado, Utah, Wyoming, and Nevada



Oil shale formations such as this, in Colorado, are potential sources of billions of gallons of crude oil. Oil is extracted by crushing and distilling the shale

with comparative success. The "mining" of oil shale, however, still remains in an experimental stage; and while the experiments are of tremendous importance from the standpoint of future requirements, it is safe to say that the utilization of the shale deposits on a large scale will begin only when all methods of extracting the underground deposits of crude oil have been exhausted. But that the day will eventually come when our shale deposits must meet our ever increasing demand, is indicated by records of oil production and consumption in the United States.


To date, although less than one sixth of the world's original oil supply was contained in the United States, the 258,000 oil wells of this country have produced a total of about 5,430,000,000 barrels of crude oil, or 62 per cent of the world's aggregate production.

The Production Rate


Continuing the rate of production of the past 65 years, the remaining 7,000,000,000 barrels would not become exhausted for 75 years; yet these figures are deceiving. From 1860 to the present date the production in the United States has more than doubled every 10 years and there is every reason to believe that this tendency will continue to keep pace with the steadily growing demand. The production of crude oil in the United States in 1921 reached 469,639,000 barrels; about 65,000,000 barrels were exported, while the imports, principally from Mex-



Apparatus for recovering oil from shale deposits is shown above. Mined from the cliffs, the shale is carried in conveyor buckets to a crusher, and then to a distilling retort where it is "cracked" into oils. The residue then passes to a second crusher where it is pulverized for recovery of metals



"Oil mining" as it is being carried on experimentally in Estill County, Kentucky. Sloping tunnels are driven to the oil bearing "sand," a porous limestone which is mined like coal. As this "sand" is broken, some of the oil drains into a sump, from which it is pumped into a tank



Compressed air is being used successfully, as shown above, to recover oil in districts where wells have run dry. Air under heavy pressure, forced into one of the abandoned

wells, pushes the oil through the sand, away from the well. This migrating oil eventually reaches neighboring wells which slowly fill and become productive once more

ico, reached double that figure, about 137,000,000 barrels, thus bringing the total domestic consumption of petroleum in 1921 to 542,000,000 in round figures. Of this total, 52 per cent was used for fuel purposes under boilers or in Diesel engines, 28 per cent in the form of gasoline for automobiles, auto trucks, gasoline launches and gasoline engines in general; 10 per cent was used for lighting purposes in the form of kerosene, 5 per cent for lubricating oils and 5 per cent for miscellaneous purposes.

Consumers of fuel oil and gasoline are obviously those most vitally interested in the future of the oil supply. Twenty-five years ago there were but four motor vehicles in the United States; today their number is nearly 9,500,000, with the promise of a steady increase every succeeding year. According to the most careful estimates, the average annual gasoline consumption per motor vehicle is about 450 gallons.

Mountains of Shale

Oil shale deposits, which seem to offer future guarantee against an acute shortage, are so enormous in the United States that they insure an adequate supply for the needs of this country for several hundred years.

One of the largest and richest deposits is in the Green River section which covers between 5000 and 6000 square miles in Colorado, Utah, Wyoming and Nevada. The possible yield from these mountains of oil shale is estimated at from 200,000,000,000 to more than 300,000,000,000 barrels of oil. The shales of Colorado alone promise to yield more than 58,000,000,000 barrels, or about $6\frac{1}{2}$ times the quantity of oil produced in the whole world from 1857 to the present day.

With the mountains of shale to fall back on as a final, although expensive, reserve, engineers meanwhile are devoting their first attention to means of prolonging the life of existing oil wells by improving methods of blasting, pumping and the use of compressed air.

When Oil Ceases to Flow

Oil experts have estimated that not more than 25 per cent of the oil, even in the richest deposits, ever reach the pipe lines. Fully 75 per cent remains underground because the gas pressure is not strong enough to push the oil toward the well and to the surface. Consequently, when an oil well ceases to flow under its own gas pressure, artificial means of extracting the liquid are necessary. In some cases the life of an oil well is prolonged by allowing it to rest for a time; sometimes blasting at the bottom of the well will restore the flow, and, as a last resort, remains pumping, which is slow, tedious and expensive.

In Estill County, Kentucky, and Ventura County, Calif., where the oil-bearing stratum is within 150 or 200 feet of the surface, tunnels have been driven through the overlying unpermeable shale to the oil bearing "sand," which is now being mined like coal. The "sand," which in some cases contains as much as 25 per cent by volume of crude

oil, averages about six to 10 gallons a ton.

Recently another new method has been tried with success in oil districts which had been abandoned because the well had ceased to flow. In one of the abandoned wells a pipe was inserted through the air-tight cap of the well tube. Through this pipe air was forced under heavy pressure into the well. The compressed air took the place of the natural gas that had formerly forced the oil to the surface, and with irresistible force pushed the oil through the sand, away from the source of

the pressure. The result was that the migrating oil eventually reached neighboring wells, which thereby became productive again.

When, at last, restoration methods such as these shall have drained the wells until production faces a standstill, then the time will have arrived for attacking the problem of producing oil from shale. If the oil were contained in the pores of the shale, as it is in oil "sand" and in the pores of porous rocks, production of oil from shale would be a simple mining problem. Oil shale, however, contains no oil at all, but various decomposition products of fossil organic matter which, when subjected to destructive distillation, yield first a heavy solid or semi-solid bitumen,

The "Cracking" Process

As the distillation continues, this bitumen is vaporized and "cracked" into a large variety of petroleum-like oils, including light and heavy oils and gasoline, paraffin and a series of by-products. The result depends upon the character of the shale, the preliminary treatment of the rock, the method of distillation and the temperatures to which the shale is exposed during the process. The Colorado shale, for example, yields products similar in constitution to a mixed base petroleum oil such as is found in the Mid-continent field; the Canadian shale is more like an asphaltic base oil, such as California crude,


and contains but little paraffin; the Nevada shale, on the other hand, contains a large percentage of solid paraffin wax.

The preliminary treatment of the shale, in preparing it for the distillation process, merely involves the crushing of the shale to fragments, about $\frac{1}{4}$ in. or less in diameter, which are fed into retorts and subjected to high temperature.

Three Successful Shale Methods

The three most promising methods so far successfully tried on a large scale for "cracking" the heavy bituminous product of the destructive distillation of shale, are those invented by Dr. W. M. Burton, of the Standard Oil Company, and Doctors Rittman and McAfee during their researches at Columbia University. In the Burton process the "cracking" takes place under a continuous pressure of about 75 pounds, at an average temperature of about 700 degrees F. In the Rittman process the "cracking" is carried out in the vapor stage by passing the vapors under a pressure of 300 pounds and at a temperature of about 700 degrees F. through externally heated vertical pipes.

The third process, that of McAfee, avoids the use of pressure, uses a temperature of only 500 degrees F. and depends upon the chemical reaction of aluminum chloride for the "cracking" of the oil. It produces a sweet smelling, strictly saturated gasoline of low boiling point which requires no refining, and a coke-like carbon easily removed. The process is more costly than the other two, because no economical method has been evolved for recovering the aluminum chloride used in the process.



Stopping a Leak

TO prevent evaporation of crude oil—the cause of one of the largest single losses to which the oil is subjected after it is taken from the ground—storage tanks in the Panama Canal zone have recently been equipped with metal protective awnings, as shown above.

The interval of a few days in which crude oil is stored before being transferred to the pipe line results in a total annual loss from evaporation of about 122,100,000 gallons of gasoline in the Mid-Continent field alone. At 22 cents a gallon, this is a money loss of \$26,862,000, and represents about three per cent of the total gasoline produced in the United States.

Safety Fender Sets Brakes and Stops Car at First Impact


The Month's News of Ingenious Automobile Accessories, Useful to Every Car Owner, Told in Photographs




This handy vest-pocket tool contains three folding blades which are shown as used for spark-testing. They are useful also for other purposes around an automobile



The instant the resilient bars of this safety fender strike a person or object, electrically controlled mechanism cuts the ignition and sets the emergency brake



This little pressure tank contains enough carbon dioxide gas to inflate the average tire to 60 pounds pressure. The compressed gas may also be used for putting out fires



All magnets used in the Ford flywheel magneto can be re-magnetized at once from a storage battery by this series of coils



Resembling pencils in size and shape, 17 positive elements in this new type of storage battery are bolted to a top plate. These pencils fit into corresponding holes in the negative element



This new water pump for Ford cars is driven by an extra belt placed over the fan belt from the driving pulley




A thin, stiff piece of steel with handle attached, forms a handy tool for removing tires

The editor will be glad to supply names and addresses of manufacturers of devices mentioned in this issue



A convenient dimmer switch consists of an aluminum arm attached to the steering wheel within easy reach of the thumb

Autos Blaze Airplane Trail in Desert



IF AN airplane crashes or is forced to land in a trackless desert, how may its pilot send news of his plight to the outside world, or how can rescuing parties locate him?

That flying above desert solitudes might be made safe for a proposed transarabia airplane flight, nine British military automobiles recently blazed a trail across the Syrian desert. This was done by playing "follow the leader," with each automobile making still deeper the ruts left in the sand by the car ahead.

The airplanes followed this trail. When an engine "died" or a plane was otherwise disabled, the pilot reported his accident by wireless as he glided to the ground. Rescuing parties immediately set out and, by keeping to the trail blazed in the hard sand,

had little difficulty in finding a pilot should he happen to be in trouble.

After many experiments, it was found that the track made by the automobile wheels in the sand served the purpose well. Over stretches of rocky lava country, however, the path was also marked by craters formed by exploding large bombs.

The trail-blazing party made an accurate survey along the route. This, by the way, was accomplished largely by the aid of wireless broadcasts. Each night the surveyors determined their position by the stars, and to do this an exact knowledge of the time was necessary. A small portable wireless set, erected in the desert, received the time-tick sent out from the Eiffel Tower in Paris, 2000 miles away.

AS a special service to readers, the Editor will be glad to supply the names and addresses of manufacturers of devices mentioned in this magazine.

Nine Mice Make a Meal for Hungry Trout

HOW did a three-pound brook trout come to swallow nine fieldmice for one meal? When the fish was caught in John's River, Canada, by J. E. Barbour, of Paterson, N. J., nine mice were taken from



Here's the three-pound brook trout with its meal of nine mice

its stomach. How did this trout overtake the mice simultaneously?

For an answer, Mr. Barbour suggests that the mice started to swim across the stream, and, overwhelmed by the swift current, were swept into the pool where the big trout was lurking.


Electric Motors Convert "Gas" Bus into Trackless Trolley

GASOLINE motor-buses are being converted into electric "trackless trolleys," replacing the gas engine with electric motors and control. This new type of vehicle is expected to find its chief use on suburban routes where trolley wires are in place, but where traffic is too infrequent for regular trolley-car schedules





A special trolley-pole allows the bus to round corners or run close to curb

CURRENT is taken from a two-wire trolley system. In crowded traffic the speed of the bus can be held at any point by means of notches on the control pedal. For sudden grades and heavy load conditions, the driver can give the bus unusual acceleration by increasing the speed of a small regulating motor any desired amount



COILS UNDER THE HOOD

Under the left side of the hood are resistance coils and switches, as shown in illustration A. Arrangement of two street-car motors in tandem and of the units under the hood are pictured at the right. The control is by pedal




SWITCH CONTROLS CURRENT

The current is controlled by a revolving sequence switch under the right side of the hood, as in illustration B. The speed of the revolving switch depends entirely upon the speed of the motor, permitting gradual acceleration

Gas Plant Turns Refuse into Power, Light and Heat

ON FARMS or in manufacturing plants, waste of vegetable origin, like wood chips, sawdust, bark, nut shells, fruit stones, sugar cane and cotton seed may be turned into profit by a miniature gas plant of great simplicity in which refuse is distilled to yield heat, gas for lighting or heating, tar and other valuable by-products.

In the producer plant, the waste is stored on a platform on the same level as the opening through which the generator is charged, and is thrown into the feeding shaft which leads to the distilling chamber. There it is subjected to destructive distillation, releasing gas,



Gas and tar released from waste by distillation are separated, the gas passing to a scrubber, where it is purified, then into distribution pipes

tar and ashes which are carried along by the draft.

These products are conducted through a dust-collector and a washer to a two-stage centrifugal separator, which removes the tar and allows the gas to pass to the scrubber, where it is freed from any remaining impurities. The gas may then be conducted to a storage tank or fed direct to the pipe system which carries it to the places where it is used for heating or illuminating, or for generating power.

One manufacturing plant, utilizing waste sawdust and shavings, reports that the gas plant has wiped out the company's fuel bill.



Puzzled Consumers Learn How Meter Works

REALIZING that the consumers of measured service are inclined to doubt the correctness of their bills, especially when they are unfamiliar with the mechanism of the meter, the municipal water department of Los Angeles, Calif., has placed a demonstration water meter in the lobby of its office.

The mechanism of the meter is incased in glass so that the workings of all parts can be observed, including the registering gears turning the indicators of the dials. Two nickel-plated pipes connect the meter with the service pipes of the municipal water supply system.

Tiny Field Mouse Builds Its Nest Skilfully

THE dwarf mouse can give the birds a few pointers on how to build nests. Among the reeds this little animal skilfully fashions the home that two or three times a year shelters a litter of five or six mice.

The full grown rodent is only a trifle more than two inches long, reddish brown on the back, yellowish on the sides, and white on the under side.

It builds its nest of swamp grass and stalks of reed, shredded into long fibers by its sharp teeth. The fibers are skilfully woven into a spherical basket, open at the top, lined with thistledown and silky fibers from the seed pods of other weeds.

The nest is merely the summer home of the mouse, where it rears its young.



Shredding reeds into long fibers, the mouse skilfully weaves its nest



"Best Sellers" to Be Sold by Slot Machines

SLOT machines for books are shortly to make their appearance in restaurants, railroad terminals and stores. Each machine holds twelve books displayed behind a glass front.

To operate the device, the purchaser notes the number on the book he wants and adjusts a handle at one side to produce that number. A coin inserted in the slot, accompanied by a slight pull on a loop, releases the book, which drops into a trough at the base of the machine.


Spurts of Light Analyze Machinery's Motion

MOVEMENTS of high speed machinery, too rapid for the eye to detect, can be slowed down for study and analysis by means of an ingenious new mechanism known as an oscilloscope which, strangely enough, makes use of a peculiar, sluggish property of the eye called "persistence of vision."

By means of the new device, the working of individual parts of the mechanism can be easily discerned, and erratic or abnormal action detected and remedied. The drive wheel of a locomotive speeding a mile a minute, for example, could be studied by observers

on a speed car equipped with the device and traveling neck and neck with the locomotive. To the observers the wheel could be made to appear as if it were stationary.

The oscilloscope consists of an electric gear box which makes and breaks contacts supplying energy to a series of electric bulbs. The gear box is connected with the moving part of a machine while the bulbs are used to illuminate the same part at desired intervals. To fully grasp its operation, consider the case of an ordinary wagon wheel. If the wheel, in rapid motion, is viewed by the unaided eye, the spokes appear as a solid disk; but if it were possible to open and shut the eyes at certain regular intervals based on the angular movement of the wheel, the spokes would appear to be standing still. This is due to the fact that the eye would perceive the spokes only when they occupied one posi-



To observers on a car traveling at the same rate as an express train, the intermittent illumination from the oscilloscope, focused on a drive wheel of the speeding locomotive, would make the wheel appear as if standing still. The device is geared to synchronize with the revolutions of the wheel

By means of the adjustable interrupter, the electric bulb shown at the right produces intermittent flashes of light



tion during each complete revolution, but would not see the movement while they were changing positions.

But now, if the eyes are opened and shut a short time later, the spokes, instead of appearing stationary, will seem to move slowly because, as they are viewed each time, they will have moved forward slightly from their previous position. But on account of the sluggishness of the eye in giving up any image thrown upon the optic nerve, two or three of the positions of

lighted by a flash at every revolution and a tenth, the spokes will appear to move forward slowly.

In actual practice a gear ratio of 100 to 1 is found most suitable. A wheel revolving 1000 times a minute would appear to be revolving but 10 times a minute.

the spokes will be present on the brain simultaneously. Consequently, the spokes appear to move slowly in a progressive cycle at a speed depending on the rate of opening and closing of the eyes.

Figuratively speaking, the oscilloscope performs this winking operation for the eyes. When it is used, the experiment is usually conducted in a darkened room where the object being analyzed is brilliantly illuminated at stated intervals by the bulbs controlled through the gear box attached to the object.


Suppose that it is desired to study the movement of a fly-wheel rotating at 1000 revolutions a minute. The gear box is attached to the hub of the wheel and allowed to rotate with it. If the contacts are adjusted so that the electric bulbs are lighted once every revolution, the wheel will seem to stand still. Then, if the gears are changed so that the wheel is

Tray Conveyor for Cafeteria Keeps the Line Moving

CONSTANTLY moving conveyor belts in the employees' cafeteria of a great optical goods manufacturing plant at Rochester, N. Y., make the service quick enough to suit the most impatient. A belt runs along the front of each counter, and moves at the speed of a loitering walk. It is driven by a small electric motor under the counter. The patron places a tray upon the belt, and walks along beside it, selecting his luncheon as the tray passes the dishes stacked upon the counter.

The effect is to keep the lines moving at a uniform rate, and to prevent a person from hesitating over a selection and impeding those behind. It is possible, of course, to hold back the tray with one hand, but experience with the conveyor has shown that very few people do so.

The quick service reduces the amount of help and floor space required for the lunchroom, and enables the company to serve an attractive meal at a price lower than obtainable outside the factory.




If the diner hesitates too long, his tray is lost. It moves on a belt conveyor to prevent his holding up the procession

The editor will be glad to supply the names and addresses of manufacturers of devices mentioned in this issue of POPULAR SCIENCE MONTHLY

Kodak Adapted to Take Stereoscopic Views


STEREOSCOPIC pictures made with a single camera and lens are now possible through an adapter conceived by William Prucha, of San Diego, Calif. The device consists of a grooved plate, which is attached to the tripod under the camera, allowing the latter to slide back and forth between certain points. The distance between the points is the same as that between the eyes.

In making stereoscopic negatives, the camera is slid to one side of the adapter for



How camera slides along grooved plate on the tripod for two separate exposures


an exposure. The film is then turned and the camera moved to the opposite side, where the second exposure is made. Prints made of these two negatives and mounted side by side on a card will give a true plastic appearance through a stereoscope.



Negatives from two exposures are mounted side by side for the stereoscope, as shown above

BECAUSE chieca nuts, used in making charcoal for gas masks, are protected by shells that withstand a pressure of 1800 pounds, the United States Bureau of Standards has recently used liquid air to cool the nuts before cracking them with a sledge hammer.

Water Column Weighs Cargo in Ship's Hold



The upper end of the encased tube, shown at the right, is hung on a weighing beam. Water enters the lower end through flexible tubes


WEIGHT of the cargo in the hold of a ship can now be determined in a minute or two and to within 110 pounds by means of an ingenious tube in which the increasing weight of rising water measures the increased displacement of a vessel due to added tonnage.

The tube, invented by M. Angereau, a French engineer, is suspended in a vertical position through the center of the ship and protected by a shaft of riveted steel plates. The top end of the tube is attached to one end of a weighing beam which is pivoted on a bearing supported by the upper part of the steel shaft structure. Flexible tubes extending from the lower end lead to the water at the keel of the vessel.

The greater the load of the cargo and the consequent increased displacement of the

vessel, the higher the water rises in the tube and the greater its weight. The proportion between the weight of the water in the tube and the weight of the maximum cargo is established beforehand for each craft. As the ratio does not vary in the same ship, the weight of the water in the tube at any time automatically gives the proportionate weight of the cargo. The balance arm is calibrated to indicate the weight of the load in pounds and in some cases is provided with a mechanism for printing the figures on a record tape.

When the fully loaded ship is ready to sail, the weighing apparatus is blocked to prevent damage.




Metered Faucets Check Up Delivery of Gas

TO eliminate waste and thievery by the drivers of tanks which deliver oil or gasoline to customers, a Western oil concern has equipped the discharge faucets of its delivery wagons with meters which not only measure each gallon or fraction of a gallon drawn from the tank, but record it, like a cash register.

The old system under which everything depended upon the honesty and efficiency of the driver, had often given cause for dissatisfaction and entailed considerable loss to the company. The experiment is being watched with interest by other concerns and it is believed that before long many tank trucks in the United States will be equipped with similar meters.

Smallest Auto Has 100 Pound Motor




The midget chassis, showing complete equipment, and motor which can be carried under a man's arm

THE world's smallest factory-made automobile, built in France, is so small that the entire power plant, consisting of four cylinders, magneto and flywheel, can be held in one arm. The total weight of the motor is only 100 pounds.

The cylinders have a bore of only 2.17 inches and a stroke of 3.35 inches.

With the eight horsepower motor, the automobile will run more than 50 miles on a gallon of fuel. Although all parts are in miniature, none is omitted. Starting and lighting equipment is complete.




Lamp Hides Powerful Radio Receiving Set

Photo News of Science in the Home



This electric beater or mixer, attached to any light socket, may either be held in the hand or rested on a support supplied with it



Gold, silver or plate, placed in contact with this electrolytic cleaning plate and covered with hot soda solution, are quickly freed from tarnish



For thoroughly cleaning milk bottles, this brush with a stiff tuft of bristles at the tip of a cylindrical scourer reaches otherwise inaccessible parts



Hidden under the shade of this lamp is a complete radio receiving outfit, while the cone shaped base, which stands on three short legs, acts as a loud speaker. The set has a receiving range of several hundred miles



The rod of this umbrella has a hinged joint, which makes it possible to fold the umbrella for packing into a parcel only 18 inches long


The editor will be glad to supply the names and addresses of manufacturers of devices mentioned in this issue of *Popular Science Monthly*.




When the pump of this siphon is inserted above the cream line in a milk bottle, one pull on the handle draws off all the cream



Little bags of gingham filled with moth balls are an excellent protection for furs and woollens stored away for the summer



For heating the liquid contents of a tumbler or other small container a small electric heater has been placed in the market. It can be connected with any electric light circuit



Odors from kitchen or laundry can be prevented from permeating the whole house, if an electric ventilator is placed in the window as shown above



This combination bath tub, foot bath and wash tub was recently invented for use in apartments of small dimensions, where it serves many needs of the home

Why Automobile Engines Wear Out

Crankcase Oil Dilution, Chief Cause of Power Loss, May Be Conquered by Newest Methods of Lubrication

By Harold F. Blanchard

CRANKCASE oil dilution is one of the greatest worries on the national motoring mind today. Automobile engines are fundamentally designed to operate on dry gasoline vapor. This was easily possible in bygone years when gasoline vaporized readily. But since that time the automobile industry has turned out so many million motor vehicles that the oil producers have had to resort to "cracked oil" to supply enough liquid fuel to meet this enormous need.

Many Products from Crude Oil

In crude oil there is only a very small percentage of true gasoline. Crude oil is a mixture of a great number of oils all belonging to the same family but varying gradually in volatility from the very light oils, which are gases at ordinary temperatures, to the very heavy oils which are almost solid. In a group of light oils near the top of this scale is the old fashioned high test gasoline. Right below it in volatility is another group of oils called kerosene, of which a considerable proportion must be mixed with the "gasoline" oils in order to eke out the failing supply. The still heavier portions of the crude are "cracked" by various special processes in which high temperatures are used for breaking the heavy oils into lighter ones.

But the cracked oils that are thus made available for motor fuel unfortunately are not nearly so volatile as old time gasoline and many of them are more like kerosene. The result is that modern gasoline vaporizes with difficulty, and consequently considerable raw or liquid gasoline is carried over into the cylinders, where some of it leaks down the cylinder walls past the pistons and is absorbed by the oil in the crankcase, diluting the lubricant. Nothing is worse than kerosene for destroying the body of a lubricant.

Recent tests revealed that various cars showed a dilution of from 15 to 41 per cent after only 100 miles of running, the

Veteran Garage-Man Builds Wearproof Car

MOST eloquent testimony of the importance of continuous and adequate motor lubrication is offered by a certain automotive engineer who, while conducting a large repair shop for several years, kept a detailed record of repairs on 10,000 cars as they passed through his shop.


Tracing the cause of motor trouble, in nearly every case, to defective lubrication, this engineer set out to build a perfectly lubricated car that would wear practically forever. That was several years ago. Since then he has turned out a few cars each year at Newark, N. J., and they invariably run 50,000 miles with no attention beyond carbon removal and brake adjustment. Outside of putting lubricant in the engine, lubrication duties in this almost frictionless car are limited to filling 10 different points on the chassis once every six months. Most of the parts, including

the clutch transmission, drive shaft, rear axle and springs, are automatically lubricated from the engine and need no attention.

THE fact that the car costs him \$10,000 to build—chassis alone—measures the tremendous importance of lubrication. At the same time, the car has proved that perfect lubrication and extreme simplicity go hand in hand.

A properly lubricated engine will wear forever. Engines are wearproof until the oil film breaks. On some parts the oil film may be broken from the moment the engine is put into use, while on others, it may be years before the oil film is broken. There are cases where engine bearings have been run for years, for distances of from 75,000 to 100,000 miles, without appreciable wear, simply because the oil film was continuously maintained during this period.

Three Methods of Lubrication



The above diagram of the pressure system shows how a pump forces oil into parts requiring lubrication

The splash system may be supplemented by pressure lubrication, as shown at the right



In the splash system, oil in troughs is splashed up into the parts by the connecting rods



dilution in one case increasing to 87 per cent after running 563 miles in a single month. Crankcase dilution causes rapid wear and serious loss of power due to excess friction. Pistons become loose before their time, rings need replacement and cylinders require reboring with ever increasing frequency and the life of engine bearings and other parts is greatly shortened.


Equally serious is the fact that an engine operating on diluted oil fails to develop full power. The loss, revealed by actual tests, may be as much as five or 10 horsepower, due to excessive engine friction caused by the inability of the thinned oil to keep the wearing surfaces apart. Friction absorbs a tremendous amount of power in even a well lubricated engine operating on undiluted oil, as every motorist who has used his engine as a brake knows. In low gear the engine, with switch off, exerts an extremely powerful retarding action and will hold the speed of the car down to about 10 miles an hour on even the steepest hills. This braking effect is not due to the engine compression, as many believe, but to engine friction—a fact that has long been recognized by automotive engineers.

Loss May Be Ten Horsepower

Since friction is tremendous, even in a well lubricated engine, it is not hard to realize that an engine operating on diluted oil may readily show a loss of five or 10 horsepower. This loss increases the fuel consumption to such an extent that an engine which should give 18 miles on a gallon of gasoline may not give more than 15 miles or even 12 miles.

Oil dilution explains why some engines

Oil Dilution—the Arch Enemy of Power



The worst "jinx" a car can have is engine oil dilution, which, in a 3000-pound automobile traveling 25 miles an hour, brings the power loss in the engine to 10 horsepower—twice as great a loss as

that caused by running gear friction—including friction in transmission, axles, and tires—and five times greater than the loss from wind resistance. Diluted oil increases engine friction and fuel bills

AMERICA'S diminishing oil supply, coupled with the ever increasing demands of the automobile industry, is the chief cause of crankcase oil dilution, as Mr. Blanchard points out in the accompanying article. Read, on page 56, a startling revelation of how the United States is exhausting its immediate oil resources, and a description of methods by which they will be replenished.

run so sweetly some days and so poorly on others. An engine not only develops less power on diluted oil but it is noisier, because the rubbing surfaces which would be kept apart by undiluted oil, scrape and clatter. Putting in fresh, clean engine oil will often make a surprising difference in speed or hill-climbing ability.

For cars now in use, the obvious remedy for dilution is to change the engine oil frequently. New oil should be supplied every 500 miles. It is a mistake to run 1000 or 2000 miles or more with the same oil. Loss of power, increased fuel consumption and greatly accelerated wear must inevitably result. Engines equipped amply to heat the intake from the exhaust, suffer less from dilution because the heat vaporizes a large portion of the heavy elements in the fuel; yet the drawback here is a reduction in maximum power if the charge is thoroughly warmed at all speeds.

The Rate of Dilution

In recent tests the dilution in a certain medium priced car after a run of 300 miles was 14 per cent. Another medium priced car showed oil dilution of 10 per cent in only 231 miles, while a third machine showed 47 per cent dilution after 563 miles. In a high priced machine, dilution was 22 per cent after 214 miles.

In cold weather, dilution will take place more rapidly than in warm weather. Certain farm tractors, when tested, showed a dilution of from 10 to 30 per cent in a week in warm weather and from 20 to 50 per cent in cold weather. The same machines operating on kerosene instead of gasoline, showed dilutions of from 30 to 70 per cent.

Motorists who are worried about crankcase dilution have almost invariably attempted to offset the trouble by using heavier oils, on the theory that if fuel leakage from the cylinders makes the oil too thin after a few hundred miles, then it is logical to start with a thick oil. This practice is a mistake. The heavy oil greatly increases engine friction, and even when it becomes diluted to the consistency of a light oil, its lubricating quality is not the same. The most serious drawback in using a heavy oil is that carbon forming ability is directly proportional to the thickness of the oil. Recent tests revealed that a medium oil caused the formation of carbon three times as fast as a light oil.

From a standpoint of minimizing both friction and carbon, the light oil is preferable, but it must be changed very frequently. The man who is careless or forgetful about drawing off the diluted oil and replacing it with fresh, will be better off with a medium oil.

Another reason, besides dilution, why oil should be changed frequently, is the fact that bearings are scored by dirt that gets

into the oil and stays there. The only way to keep the oil clean is to change it often. Scored crankshaft bearings are found most frequently, it is said, in motors which have forced lubrication, indicating that grit is likely to be pumped into the bearings with the oil.

The crankcase dilution problem probably will be solved in engines of the future in one of two ways—either by a dry crankcase system or by a method of removing raw fuel from the lubricant in the crankcase and turning it back to the engine. In most cars built today, the lower part of the crankcase is an open reservoir in which the oil is carried. Raw fuel, leaking past the pistons, is

the walls of this chamber, and this vapor is more than likely to pass out of the crankcase breather since there is very little oil lying around to absorb it.

A still more effective method recently invented by William F. Parish, a lubrication engineer, adopts a simple apparatus for removing the fuel from the crankcase. By its use, the oil dilution is always kept below one per cent, which, of course, is negligible. The oil in the crankcase is drawn up through a small heating device, clamped to the exhaust pipe, which vaporizes the gasoline in the oil. Thence, the pipe leads to a cylindrical tank in which there are two chambers side by side. The first is a settling chamber and the second is a float chamber. The top of the float chamber is connected with the intake manifold by a small pipe and the bottom has a pipe running back to the crankcase.

The float apparatus is similar to that found in a vacuum tank and works intermittently. The object in connecting with the intake is threefold. Vaporized gasoline is delivered back to the engine, where it is burned; the intake supplies a vacuum, which greatly facilitates extraction of the fuel from the oil, and, by suction, it provides a means for automatically circulating the oil through the apparatus.

How Fuel Is Utilized


The suction first draws oil from the crankcase up to the heating unit, where the fuel is vaporized; then the oil passes to the settling chamber, where dirt and metal particles fall to the bottom. The vaporized fuel passes on to the engine, while the cleansed oil eventually flows into the float chamber, where it returns to the crankcase. Not only is all fuel removed from the oil, but the settling chamber keeps the oil clean.

The sludge obtained from the bottom of the settling or reclaimer tank usually contains about 12 per cent of carbon and 13 per cent of a mixture of silica and metal, the remaining 75 per cent being oil mixed with these solids. The silica, of course, is road dust, while the metal particles are worn off of the inside of the engine. Both are injurious to the wearing surfaces of the engine.

The use of this oil reclaiming device, besides keeping the dilution down to less than one per cent, permits the use of a light oil on which the engine can operate with maximum efficiency and power and with a minimum amount of carbon deposit.

The system has comparatively few moving parts, is simple and reliable.

Oil reclaimers of this sort, since they may be applied to automobiles in use as well as to new cars, may be expected to have an immediate effect in solving the crankcase dilution problem, not only saving power, but conserving America's oil.



THE invention of William F. Parish for recovering gasoline from crankcase oil and turning it back to the engine is shown in the accompanying photograph and diagram.

Crankcase oil is drawn through a heater which vaporizes the gasoline, then to a filter tank. The vaporized fuel passes to the engine, while the cleansed oil flows into a float chamber and from there through a cooler and back to the crankcase.

readily absorbed by the oil in this reservoir. This holds true for full pressure lubrication and full splash lubrication alike.

Experimental cars have been designed to operate with dry crankcase, the oil being carried in a separate reservoir integral with the crankcase. In this system, oil is pumped out of the crankcase as fast as it collects and is delivered to the oil reservoir, where another pump forces it back through the various oil channels which lubricate the engine.

Since the interior of the crankcase is practically dry, there is little opportunity for the raw fuel, leaking past pistons, to be absorbed by the lubricating oil. Furthermore, the walls of the cylinders and the crankcase are so warm that they readily vaporize any liquid fuel which trickles down

The Breeding Place of Static Discovered

Amazing War Record of Uncle Sam's "Mystery" Radio Station Points to Gulf of Mexico as Source of Wireless Jinx

DID you know that radio interference from "static" during the summer of 1918 threatened the success of the war and jeopardized the lives of hundreds of thousands of American soldiers on transports crossing the Atlantic? And did you know that these lurking disasters were overcome through the generosity of an American citizen and the ingenuity of American radio engineers who combined their resources to make of an obscure radio station on the New England coast one of the outstanding accomplishments in wireless of the war years?

The successful elimination of static in the reception of radio messages from Europe during that crucial summer, at the Otter Cliffs station, near Bar Harbor, Maine, forms a chapter of history of unusual interest to hundreds of thousands of persons to whom static is a new experience this summer.


The Crucial War Test

For 15 years up to 1918 paralyzing interference from static was the greatest obstacle in transatlantic radio communication. "Grinders," "clicks," "sizzles," and "crashes"—to identify the four varieties of static by their distinctive sounds as heard through the phone receivers—frequently disrupted radio communication for hours and sometimes for days at a time. Constant but slow progress toward their elimination had been made, but no decisive advances came until 1918, one of the busiest of busy war years, when regular, dependable communication became absolutely essential.

At that time the cables connecting this country and Europe were crowded to their limit with vital messages. It required no imagination to figure the consequences if the enemy should succeed in cutting these transoceanic links. To prevent any such disaster it was decided to place as much reliance as possible upon wireless communication.

Shortly after America entered the war, a wealthy radio amateur, Mr. Alessandro Fabri, completed the erection of a wireless station at Otter Cliffs. As soon as it was in successful operation, Mr. Fabri generously turned it over to the government. It had not been designed as a transatlantic station, but engineers quickly perceived its possibilities for this work, due to its location.

Soon after the government had



THE "MYSTERY" RADIO STATION AT OTTER CLIFFS

WITH low, rectangular loop aerials hidden from spying U-boats by a clump of evergreens, the static eliminating antennae of the Otter Cliffs radio station, Bar Harbor, Maine, shown above, received messages from Europe in 1918, while static paralyzed other stations

taken over this station, it was discovered that, as a rule, messages from Europe were coming in regularly and with good signal strength, but that, on occasion, the static was so heavy as to be overwhelming. Recognizing the seriousness of this condition in wartime, Mr. Fabri invited radio experts of the Wireless Specialty Company to install receiving equipment that would eliminate static or at least reduce its intensity. How this was accomplished, the simple devices employed, and the thoroughness of the results obtained, constitute one

of the most important, but least known, stories of "impossible" obstacles surmounted by this country during the war. The accomplishment has to do with remarkable theories and discoveries regarding the breeding places of thunderstorms and their relation to static.

Senator Marconi is believed to have been the first to discover that static was directional and that it did not descend upon the aerial from all points of the compass, but appeared repeatedly from the same general direction. In revealing his theory in 1906, he suggested that attempts be made to link together the periods of severest static with the occurrence of thunderstorms throughout the world.


How Static Was Traced

Following Marconi's suggestion, radio engineers made a series of measurements in which loop aerials were used to determine the direction from which the static attacks seemed to appear. Measurements made on the eastern coast of the United States showed the path of the static waves to be from the southwest. Similar measurements taken on Goat Island in the Pacific Ocean gave the direction as southeast. By extending these two lines the breeding place of static was traced to an area in the Gulf of Mexico or the states bordering on it.

To verify these computations and the theory of Marconi, official records of all thunderstorms for a period of 10 years were obtained from the United States Weather Bureau. These reports showed that thunderstorms appeared with greatest frequency over the western coast of Florida and over New

THIS RADIO SET WAS "STATIC PROOF"

The apparatus designed by Greenleaf W. Pickard, radio engineer, for static elimination by directional reception is shown below in the interior view of one of the four stations at Otter Cliffs. The arrangement of these stations and their aerials is shown in the illustration at the left




What Marconi Discovered

EVERY radio station in the world must combat static in its own way, according to observations of Senator Guglielmo Marconi. While crossing the Atlantic recently in his radio equipped yacht "Electra," Marconi noted that static impulses which came out of the east during the first half of the westward journey disappeared in mid-ocean and were replaced by other impulses coming from points in America known as prolific breeders of thunderstorms.


Further data have been obtained from a party of radio engineers sent to South America to study the problem. They report that static interference below the equator seems to originate on or near certain parts of the African coast where terrific electrical disturbances most frequently take place.

Leaving out of consideration the local static caused by near-by thunderstorms, these observations uphold, strikingly, the theory, advanced by Greenleaf W. Pickard, of the coincidence of static and thunderstorms, as explained in this article.

A Thunderstorm Map of the United States



Figures give the number of thunderstorms occurring in 10-year period



THE THUNDER HOURS

This curve shows frequency of thunderstorms during the day. The static "trouble curve" is nearly identical



STORM CURVE

Both static and thunderstorms follow this monthly frequency curve, being most severe in summer

THE above weather map, showing the total number and distribution of thunderstorms in the United States over a 10-year period, tends to prove a direct connection between thunderstorms and static. The maximum storm areas, one over the western coast of Florida, the other in New Mexico, lie southwest of the Otter Cliffs station in the North Atlantic, and southeast of the Goat Island station on the Pacific, respectively. From these same directions originate most static disturbances recorded at the two stations

Mexico. As a clinching argument, the appearance of thunderstorms from month to month was compared with the monthly variations in static. The two records agreed perfectly, indicating that static in some manner was dependent on the formation of thunderstorms in the principal storm centers of the western hemisphere.

But conclusive as these figures seemed, it was quickly realized that lightning flashes from thunderstorms could not be held responsible for all the static impulses. By actual count the number of separate impulses in "grinders"—the most flagrant and demoralizing of the four varieties of static—averaged 10 a second. If lightning discharges were the sole cause of grinding static, it would require several hundred thousand or even a million discharges a day, which is an absurd theory, entirely disproved by official records.

The Pickard Explanation

An analysis of these facts led Greenleaf W. Pickard, one of the earliest workers in static elimination, to propound a theory which placed all the blame for static on high level electrical disturbances, that is, discharges from one cloud to another or from one part of the cloud to another part of the same cloud. It was his belief that these equalizing discharges, constantly moving from one atmospheric level to another below it, created natural radio waves which, passing downward toward the earth, produced static in the receiving phones.

According to the Pickard theory, one thunderstorm a day would generate the

severe static conditions encountered at radio stations. As it is a rare summer day that does not see a storm along the Gulf Coast, the preponderance of static in summer, and from the south and southwest, seems to uphold the theory.

All of the experiments at Otter Cliffs were based on this principle of the generation and propagation of static waves. By a happy coincidence the site of the station lay on a line between the most important stations of Europe and the hotbed of thunderstorms in the southwestern part of the country. This fact, instead of complicating the problem, determined the procedure of the engineers, for by employing a combination of loop and open aeriels it was figured that the signals from Europe could be brought in clearly, at the same time toning down the static crashes from the southwest.

The loop antennae erected at Otter Cliffs consisted of four turns of No. 16 copper wire arranged in the form of a square coil 97.5 feet long and 18.3 feet high. The entire loop was elevated 12 feet above the ground and pointed in a northeast and southwest direction. The open antenna was made up of the wire connecting the set with the loop aerial. Using this combination antenna and two stages of audio frequency amplification, signals from the great stations at Rome, Lyons and Carnarvon came in 1000 times louder than the minimum necessary for audibility.

Each of these two types of aerial has its individual characteristics. The loop aerial receives best from the directions in the plane of its coil of wire. When the coil is

turned at right angles to the signals, practically no sounds will be heard in the phones. The vertical aerial receives equally well from all directions.

Knowing this, the beginner in radio will naturally wonder how the combination of loop and vertical antenna can be made to be selective and receive from one direction only. This requires a general idea of the action of the two types of aeriels.

How Loop Aerial Works

If a loop aerial is considered as two vertical wires erected some distance apart and connected across their top ends by a third wire with the receiving set connected across the bottom ends of the vertical wires, the explanation is simplified. If such a loop is turned so that the plane of the vertical wires is at right angles to the incoming wave, both wires will be affected at the same instant and the impulses going down the wire to the radio set will meet and, being equal, will neutralize each other. No sounds will be heard in the phones. But if the aerial is turned 90 degrees so that the two vertical wires are in a direct line with the sending station, the electric impulses will strike first one wire and then the other. This condition will produce an unbalancing in the receiving circuit and the vibrations thus set up will operate the phones. When these sounds are loudest the operator knows that the loop is pointing either toward or away from the sending station.

To make the antenna directional, it is necessary to erect a second aerial consisting of a single vertical wire open at one end and grounded at the other. The two aeriels receive impulses, but being interconnected in a certain manner, the signals from one direction add to each other while undesired signals or sounds from other directions are cancelled. Thus if the antenna were set northeast, as at Otter Cliffs, the stray impulses from the southwest, after striking the combination antenna, would be neutralized, allowing clear reception from northeasterly stations only.

The Record of Otter Cliffs

During the summer of 1918, the static from the southwest was unusually severe. Throughout that summer, the station at Otter Cliffs, with combination loop and open antenna, succeeded in carrying on uninterrupted conversation with foreign stations while other radio receiving stations along the eastern coast were unable to thread the maze of static interference.

During one forenoon, while a thunderstorm hundreds of miles distant was forming, the signals coming in from the station at Nauen, Germany, were three times louder than the static when using only the loop. With the combination antenna, the message signals became seven times louder than the static. Later in the afternoon, when the roar of the static was at its height, the message signals were only one fifth as loud as the static, making reception impossible with the simple loop. But upon adding the vertical aerial, the static was subdued; and instead of being obliterated by the meaningless cracklings, the signals were four times as loud as the static.



World's Largest Boiler Will Heat 1000 Homes

THE largest boiler in the world, recently installed in Detroit, Mich., is capable of heating 1000 eight-room houses. It will be used to supply heat and power to the business district of the Michigan metropolis. When running at full capacity, the boiler will turn 190,000 pounds of water into steam every hour, requiring between 12 and 13 tons of coal.

The interior of the boiler is 19 by 26 feet, and the height from the grate bars to the top of the pipe coils is 35 feet.

Small Windmill Wheels Charge Battery

AN UNUSUALLY light and simple windmill for generating electric current for battery charging, recently invented, consists of a number of small, independent wind wheels or impellers mounted on the crossbar of a pole or mast that may be erected in any convenient place, such as an open field or at the top of a building. Each wind wheel drives a little dynamo, rated at 40 watts, which delivers its quota of current to the battery.

Charging commences with a wind of 15 miles an hour. The stronger the wind, the greater the speed and output. The crossbar on which the impellers are mounted is fitted with a vane and arranged so as to turn and always keep the impellers facing the wind.

An automatic cutout is provided in the circuit so that at low or no speed there is no back flow of current from the battery. For this purpose the shaft of one of the dynamos is arranged with a small amount of end movement. On the end of the shaft is a contact plate and opposite this plate is a pair of contact bars or fingers supported on the frame.

As long as the force of the wind is sufficient, the dynamo shaft presses the contact plate up against the fingers, thus completing the circuit, which is broken again when the wind pressure falls below that necessary to generate sufficient current for charging the



Each small windmill, shown above, drives a dynamo, rated at 40 watts

battery. In this way the cutout also serves the purpose of an automatic switch.

Front Wheel Engine Drives Novel Cycle


A FIVE cylinder rotary engine mounted on the front hub, and a body and frame composed of hollow

sheet steel members, are the surprising features of a new European motorcycle.

Each of the air cooled cylinders is provided with its own muffler, while the housing of the crankshaft forms an integral part of the front wheel. A planetary gear in the shaft housing reduces the 3600 r. p. m. speed of the motor to the maximum 600 of the cycle. The machine weighs only 275 pounds and has attained a speed of 50 miles an hour.

The hollow frame is narrow at the front fork, but gradually widens as it slopes rearward until at its broadest part it is wide enough to carry a seat for the driver.

Sufficient gasoline for a 300-mile trip is carried in a tank on the left of the front fork, the magneto forming a counterbalance.



How the rotary engine, shown partially disassembled in the inset, is mounted on the front hub. Note the ingenious, tapering hollow frame



Germ Proof Jackets for Paper Money

TRANSSPARENT germ proof envelopes for paper money are being adopted as a sanitary measure by one large Chicago business house, and also by a number of firms in France, where bills are printed on inferior paper stock.

The envelopes are of thin, smooth and transparent paper that protects the money from infection and, owing to its hard and smooth surface, is a highly unfavorable medium for harboring germs of any kind.

Dr. J. C. Graham, of Columbus, Ohio, recently made a series of bacteriological tests of paper money.

Fourteen soiled bills of one and two dollar denominations were immersed in sterilized water in separate containers. From the water in each container one tenth cubic centimeter was added to a tube of nutrient gelatin and from each of these tubes another tube was inoculated. In every case cultures of from one to five different kinds of bacteria were obtained.

On the Crest of the Radio Wave with Jack Binns

What the Armstrong Super-Regenerative Circuit Will Mean to Broadcasting—Tremendous Amplification without Noise—The Pioneers of Wireless

THE present practical applications of E. H. Armstrong's already famous "super-regenerative" circuit have been thoroughly discussed throughout the country, since the young radio wizard made the sensational announcement of his achievement. He has given us the ideal radio broadcast receiver.

The main advantages of his circuit in this respect lie in its ability to amplify 100,000 times more than the regenerative circuit, and the ease with which it completely wipes out wireless telegraph signals caused by sparks, and also a large amount of static.

The probable developments of the system in the immediate future are as interesting as its present use. It will open up to us a band of wave lengths, low down in the scale of etheric vibrations, which man hitherto has never been able to harness.

Perhaps I can best emphasize the importance of this by referring the reader

to my last article in POPULAR SCIENCE MONTHLY, in which I outlined the possibilities of using reflected electromagnetic waves for the purpose of covering greater distances with a minimum power output, and at the same time insuring greater secrecy in communication.

Now, the latest of the Armstrong inventions, coupled with some recent experimental work of C. S. Franklin in England, places this possibility in the realm of actuality. With the super-regenerative receiver, it soon will be possible to communicate over vast distances by radiotelephony upon a reflected beam of electromagnetic waves.

The Facts about Short Waves

To the radio fan there is, of course, a great deal of mystery concerning the short waves. He cannot understand why it is they cannot be used as freely as the longer waves. Unfortunately, it is necessary to revert to figures to illustrate why this is so, but in using them, I will endeavor to be as simple in my explanation as the complicated circumstances permit.

In the first place, it must be taken for granted that interference between radio stations is caused by the frequency of the oscillating electric currents radiated into space. The closer together these frequencies are, the greater the interference. This will be readily seen when I explain that the frequency of a 6000-meter wave is 50,000 cycles a second, while the wave length of 6500 meters has a frequency of 46,150 cycles a second. Thus, there is a frequency difference between the two waves of only 3850 cycles a second, despite the fact that in wave lengths there is an actual difference of 500 meters.

Now let us inquire into the situation that exists around wave lengths of, say, 10 meters. A wave length of 10 meters means a frequency of 30,000,000 cycles a second. Correspondingly, a wave length of 11 meters means a frequency of 27,272,727 cycles a second. You can see, therefore, at a glance, how important the difference really is, because in this case, where there is a difference in wave length of only one meter, we have a frequency difference between the two waves of 2,727,273 cycles a second.

An End to Interference

On wave lengths below 50 meters it will be possible for transmitting stations to operate within half a meter in wave length of each other without interference. For opening up these wave lengths to us, Armstrong has made an advance in the art of radio that is truly epochal. This, however, is not the only possibility of which the super-regenerative receiver is capable. By these very same short waves, a new era will be opened in the realm of wireless telephony communication, an era which will be devoid of interference, and also of the situation where every one listening in on the ether can hear what is being said. In



America's Most Popular Radio Expert

JACK BINNS, the wireless operator who first awakened the world to the future of radio when, in 1909, he flashed the historic "CQD" call for help from the sinking steamship Republic, is today one of America's foremost interpreters of radio's amazing progress.

With the same clear-cut forcefulness that characterized his action in sending the thrilling message that saved 1650 lives from disaster at sea, Jack Binns is now devoting himself to the task of aiding thousands of new radio enthusiasts who might otherwise be foundering in a sea of technical difficulties.

Each month, in Popular Science Monthly, he explains radio's mysteries in words and phrases that everybody can understand, clearing up the big difficulties that often puzzle the beginner, and offering valuable suggestions for improving the reception of radio messages and entertainment.

BECAUSE of his great success in keeping everyday men and women in touch with the rapidly advancing achievements in wireless, Binns is known as America's most popular radio expert.

One of the first commercial wireless operators, he has kept abreast of the subject, ever since the foggy morning when he stuck to his key in the shattered wireless cabin of the Republic, summoning nine rescuing ships to the spot where his vessel lay sinking.

Riding "On the Crest of the Radio Wave" with Jack Binns each month, readers of Popular Science Monthly will continue to receive keen enjoyment and valuable information that will make the radio outfit doubly worth while.

other words, it will give us far greater secrecy than we have yet attained.

During the past few months, some interesting experiments have been conducted in England by C. S. Franklin, using a reflected beam of high frequency oscillating currents as carrier waves for wireless telephone communication. These experiments have been conducted with extremely short waves, and have been successful over distances of 100 miles. Of course, no one, except those in a direct line between the two points, could hear the conversation.

The drawback to this system so far, however, has been the uneconomic manner in which the signals must be detected. The new Armstrong system will not only overcome this difficulty, but it will increase the distance over which this kind of conversation can be carried on, at least fourfold, and in all probability much more. The time is not far off when we shall be able to telephone to Europe on short wave lengths, with low power, in the same

Bowl of Corn-Cob Pipe Holds Radio Set



THE most compact radio receiving set that has made its appearance is built on the bowl of a corn-cob pipe. It is the work of F. E. Wilson, of Detroit, who can fill his pipe at the close of day and settle back for a smoke while he tunes in the radio stations that are "in the air."

For an aerial, Mr. Wilson uses a small loop attached to the headband of his 2000-ohm phone. The tuning coil is made of 100 turns of enameled wire—No. 26—wound around the bowl of the pipe. A piece of galena is balanced on the pipe stem, while the catwhisker is arranged to pivot on the stem. This small set has been remarkably successful in picking up concerts within 10 miles of the broadcasting stations.

manner as the amateurs telegraphed across the Atlantic last year.

Another important point that must be remembered is the fact that static is not nearly so bothersome on short waves as it is on the longer waves. The new Armstrong system with its rapid change to positive potential, cuts off more than 50 per cent of static interference automatically, before it has an opportunity to develop free vibrations in the circuit.

This is all very fine for the future, you will say, but what we are interested in is the present. How does this new system operate? How can it actually amplify 100,000 times greater than does the regenerative circuit? How does it cut out static and spark telegraph signals?

Putting the Squeal to Work

To answer these questions in a non-technical manner is somewhat difficult. However, I am reminded forcibly of the slogan of the stockyards: "Everything is used but the squeal." This is rather appropriate to the new radio system. You all know that the regenerative receiver squeals very badly after the tube reaches the oscillating point. Now Armstrong has not only utilized the last ounce of energy in the vacuum tube, but he has eliminated the horror of the squeal by setting it to work usefully, and in this way gets the terrific amplifying results that have astonished the radio world. In other words, Armstrong even uses the squeal.

Another way of expressing it is to say that the remarkable amplification is obtained not by a steady push, as in the case of the regenerative circuit, but by a series of lightning-like blows delivered by the feedback circuit; and it is these lightning-like blows that strike out of existence all free oscillations in the circuit before they have a chance to develop. That is the manner in which spark signals are entirely eliminated by the Armstrong system.

Amplification Minus Disturbing Noises

I HAD planned to discuss at some length the possibilities of radio-frequency amplification, as that is the subject which has taken hold of radio fans throughout the country, and I know that there is a general desire to experiment with this elusive feature of radio reception. The announcement of Armstrong's latest discovery has changed my plans, but not my intention.

As a matter of fact, it would be well for my readers to ponder over this significant statement, which I am making without any reservation whatsoever:

The Armstrong super-regenerative system is the true form of radio-frequency amplification, because, by it, the regeneration is performed before the incoming signals are actually rectified.

Under the circumstances, therefore, a discussion of the new system naturally leads into a consideration of radio-frequency amplification, and the problems concerning it.

In the first place, the reason why radio-frequency amplification assumed such a big rôle is because, as is well known, there are two disadvantages to audio-frequency amplification. First, the latter form of increasing the strength of signals is dependent upon the ability of the detector to pass current along to the amplifying section of the receiver; and second, this form of amplification, being of an audible character, increases all the other noises

Aerial for Canoe Collapses into Hoop



The spiral antenna, suspended from poles at stem and stern, telescopes into a small loop shown at right

TELESCOPING antennae and compact radio-phone outfits now make it possible to enjoy radio concerts aboard small craft such as canoes and motor boats. The required length of aerial wire is obtained by a multitude of coils suspended from short poles at stem and stern. Straight longitudinal wires take up the strain and prevent the coils from sagging.

With a simple aerial of this type radio-telephone concerts can be enjoyed many miles from the broadcasting stations, and with a five-watt power tube, two-way conversations can be carried on



with other stations within a few miles.

When dismantled, the spiral antenna collapses into a space no larger than that occupied by the hoop of a barrel.

that are heard in the radio receiving set.

Now it was realized that much greater distances could be covered if it were possible to build up the radio, or carrier waves, which were received by the aerial. Many of these waves were far too feeble to actuate the detector, but experience proved that they could be built up by successive stages of vacuum tubes arranged on the well-known "cascade" principle. This system worked admirably upon long waves, but when it came to be applied to short waves, it was a miserable failure.

This failure was due to two principal causes. The first of these was the fact that the vacuum tube itself has capacity between its elements, and so acts as a feedback to the transformer windings placed between the radio-frequency tubes. The second cause was the difficulty of building a transformer that would work satisfactorily at the terrific frequencies involved, which, in the case of a wave length of 360 meters, is 833,333 cycles a second. Also, no two tubes are exactly alike in their capacity, and therefore no stable results can be obtained.

"Cascade" Method Supplanted

Far be it from me to declare that radio-frequency amplification by the "step by step" or "cascade" method will never be accomplished, but I do not hesitate to say that Armstrong's discovery will supplant the importance of such radio-frequency amplification for many years to come.

I make this prediction because I know Armstrong well, and have the greatest faith in him and in his work. I am convinced

that the guiding hand of genius hovers over him. He is without any question the most imposing figure in the world of radio today.

The Real Pioneers of Wireless

ALL of the above causes me to glance back at the early stages of the wireless art, and to recall some of the early struggles with crude apparatus. The consideration of Armstrong's place in radio also brings out the tragic position which one man will ever hold in the annals of wireless development.

I speak of Professor D. E. Hughes, the British scientist, who, in actuality, was the real discoverer of wireless telegraphy, just as much as Professor Langley was the real discoverer of the possibility of mechanical flight in the air.

In fact, there is a great deal in common between the historical importance of these two men in their respective spheres. It is a historical fact that a few years before Marconi made his announcement to the world, Professor Hughes demonstrated his system (which was based on the same principle as Marconi's) to a few friends in London, and succeeded in telegraphing from one room to another without any intervening wires. His friends, however, scoffed at the system, and ridiculed its inventor.

Professor Hughes was one of those high-strung beings who could not withstand the effect of ridicule, and he gave up his plans in despair. In fact, his death was

hastened by his bitter disappointment.

I am just bringing this tragic memoir from the past to the attention of the radio fans in order to emphasize the fact that credit does not belong to the man who discovers alone, but to the man who, having discovered, has the courage to push his discovery to its logical conclusion against all the forces of ridicule or reaction which are brought to bear against him.

Armstrong, in his battles against enormous odds, has shown that he is built of that caliber.

The First Apparatus

In an out-of-the-way niche of the remarkable South Kensington Museum in London, there rests the crude piece of apparatus used by Professor Hughes. The recent discovery of this first wireless apparatus in an obscure London tenement, was announced in the August issue of POPULAR SCIENCE MONTHLY. Resting beside it in the South Kensington Museum, is the original outfit of Marconi; but it is upon Marconi that the title, "Discoverer of Wireless," has rightfully been bestowed by history. The public does not generally recognize, however, that Marconi's two really great claims to fame in the early history of radio lie simply in his invention of the aerial and ground connection, and in his success in putting the new art on a commercial basis.

Barrage Loop Kills Static

ALTHOUGH the tail-end of the season for static is approaching, many readers continue to ask questions about it. The most important discoveries and theories about the origin and nature of static and its coincidence with thunderstorms, as revealed by the remarkable achievements of the Otter Cliffs wireless station, near Bar Harbor, Maine, during the war, are interestingly described on pages 67 and 68 of this issue.

Armstrong's new system eliminates much of the static, but it will be many months before Armstrong's system is in general use, because of the time it will take to construct the necessary apparatus. Under the circumstances, therefore, it may be well to point out what can be done with existing apparatus.


One of the best ways to cut out interference of all kinds, static included, is by the use of the barrage loop in conjunction with the regular aerial system used by the radio fan at his home. The operation of the loop is similar to those used at the Otter Cliffs station.

The best manner to employ this system is by constructing a four-foot loop with six turns of No. 18 copper wire, spaced half an inch apart in the usual manner. This loop must be tuned to the 360-meter wave, and if the number of turns is too large, attach the connecting clip along the wire until the right amount has been obtained.

The loop should be connected in series between the secondary of the variocoupler and the grid variometer; or between the

Two New Types of Indoor Antennae

OF THESE two interesting indoor aeri-als, designed by John W. Everard of Brooklyn, N. Y., the one pictured below consists of a metal plate three feet square, completely insulated from its shallow wooden container. The plate is covered with a solution of silver nitrate to make it a good conductor



TWO telescoping metal tubes, insulated from each other, compose the second type of aerial, shown above. Connecting the two tubes is a flexible cord, from which the lead-in is carried to the tuning coil. With a five tube set, including two stages of radio frequency amplification, Mr. Everard says he has received clearly from stations 150 miles distant

secondary inductance and secondary condenser in other types of circuits.

Now, this loop acts exactly in the same manner as other loops do, except that it will not record signals coming from the direction opposite to that which the loop is pointed, and in this respect is more selective than the regular loop. If the loop is at right angles to the incoming signal, no sound will be recorded in the telephone.

Therefore, it will be seen that with the barrage loop, all signals will be completely obliterated, except those coming from the direction toward which the loop is pointed. The same is true also of static.

There has been much talk lately of another novel way of eliminating the effect of static—the use of an underground antenna. This is arranged by burying in the ground an insulated aerial several hundred feet long. Its length is impracticable for most radio fans, however, especially those in the cities. Moreover, the results do not warrant the effort.

Two Indoor Aerials

IN THIS connection, John W. Everard, of Brooklyn, N. Y., writes us that he has achieved some satisfactory results with interesting indoor aeri-als. One of his types consists of a metal plate about three feet square, thoroughly insulated on all sides from the box holding it. To make the plate a good conductor, it is covered with a solution of silver nitrate. Mr. Everard has found that this antenna is not directional, but picks up stations from all points of the compass with equal intensity. Using a crystal detector, he says, radio-telephone messages have been received from stations 20 miles away.

Another of Mr. Everard's aeri-als consists of two telescoping metal tubes insulated from each other. A flexible cord connects the two tubes and from this cord the lead-in is carried to the tuning coil. The capabilities of this tube antenna, he says, equal those of the plate aerial. With an outfit comprising two stages of radio frequency amplification, a vacuum tube detector and two stages of audio-frequency amplification, radio-phone stations 150 miles distant are said to have been heard clearly.

What Do You Want to Know?

Radio Questions Answered

WHEN TO USE A LOADING COIL

May a loading coil be used to increase the wave length of a set?

In the single circuit type of set, a loading coil in the antenna circuit is sufficient to increase the wave length of the set. In the two circuit type, if the antenna circuit is loaded, it will also be found necessary to load the secondary circuit so that the secondary circuit can be brought to resonance with the primary circuit; while in the three circuit type, you will find it necessary to also load the tertiary circuit. The honeycomb coil circuit, in which all three circuits can be changed to suit conditions of various wave lengths, is the best for all-round work for all wave lengths. For the broadcasting wave lengths however, it is not as efficient as the regenerative circuit using a variocoupler and two variometers.

AMPLIFIER WITH CRYSTAL SET

May an amplifier be used with a crystal detector?

Provided the in-put terminals of the amplifier are connected into the circuit where the head phones would otherwise be, amplifier units can be used with the crystal detector. The results however, are not as good as those which are obtained when a vacuum tube detector is used.

THE LOADING COIL AND RANGE

Will the use of a loading coil decrease the range of a single circuit?

As long as the resistance of the winding is not excessive, the use of a loading coil will neither increase nor decrease the distance range of the set with which it is used. In practice, this factor need not be considered.

TIGHT AND LOOSE COUPLING

What are the respective advantages and disadvantages of "tight" and "loose" coupling?

"Tight" coupling makes a receiver responsive to a wide range of wave lengths without delicate adjustments of tuning elements and is best for general listening in, while "loose" coupling gives greater selectivity, making closer tuning possible.

EVERY reasonable specific query in the field of general science addressed to the Information Department will receive a prompt reply. Address the Information Editor, Popular Science Monthly, 225 West 39th Street, New York City.



The Home Workshop

New and Useful Things to Make with Tools

Cheap to Build and Operate Is This Small Cyclomobile Speedster

WHILE this little machine was not built in an attempt to eclipse all efforts of the automobile industry or even as a substitute for a motorcycle, it is a very satisfactory little car, and in actual use has proved its sturdiness, dependability, and low cost of upkeep.


The cyclomobile, as I call the small machine, is really a bicycle on four wheels, propelled by a bicycle power plant. If purchased at second hand, the motor may be obtained for a very small figure, and the total outlay for the machine in that case should not exceed \$75.

On the road, the car will travel 20 miles an hour, and the engine, small as it is, develops sufficient power to climb all reasonable grades.

While the machine simulates in profile the appearance of a sport automobile, it is straddled as is a bicycle; this feature permits of mounting and dismounting quickly and at the same time affords a machine of extremely light construction.

The main frame is comprised of a deep plank on edge, having a strip fastened flat along the bottom, the whole forming an inverted T beam. The wheels, which are 20 in. by 2 in., may be purchased from any dealer who handles certain makes of so-called "fliers." The rear wheels are mounted in two cradles made of hard wood and pivoted on a transverse member immediately behind the seat, as shown in the working drawings. The rear ends of

By William J. Beach



The cyclomobile, as built by the author, gave reliable road service on many trips in and around New York

the cradles are connected with a tube, that passes through a vertical slot in the rear of the frame. The slot is provided with a spiral spring to serve as a shock absorber.

The power plant and traction wheel are placed on the left side between the frame

and the road wheel, so that the axis of the traction wheel is approximately in line with the axes of the two rear road wheels. This feature permits the three wheels to turn as on a pivot when taking a corner. The traction wheel should be hinged on a king bolt to allow it to ride over road irregularities.

A luggage carrier is secured to the frame by means of the angle brackets, as shown, between the frame and the right-hand rear wheel.


A sloping dashboard supports a spool-like flanged pulley and the steering wheel. These operate a multi-strand steel cable passing through V pulley guides.

The forward end of the frame is covered by a sheet metal cowl, which may have imitation exhaust pipes painted on it or may be treated in any way that seems most appropriate to the maker. Mudguards can be added at little additional expense, if desired.

The front axle is attached to a vertical plunger rod encircled by a compression spring, which takes care of the road shocks.


An adjustable footrest is mounted on the frame in a position to suit the comfort of the cyclomobile's operator.

It is recommended that the machine be painted a dark battle-ship gray and striped with black; but the maker, if he has ample leisure to keep the car clean, can give the car a strikingly brilliant appearance with vermilion, auto red, azure blue, or any other favorite color.



Releasing Snagged Fishhooks

THOUSANDS of leaders and lines are lost annually to stream fishermen who fish with bait. The hooks sink to the bottom and are imbedded in snags, which generally are logs. The angler becomes impatient, jerks the line and either breaks the hook or the leader.



There is a simple method of preventing this loss. Carry along a wire twisted as shown, and when the hook becomes snagged, tie the prong to a

long, slim sapling. Work the crocheted wire down along the line, which should

be kept fairly taut. When the prong reaches the log, a little manipulation and a sharp push or two will quickly bring the hook out.—ROBERT PAGE LINCOLN.


To Start Screws Easily in Awkward Places

ALTHOUGH there are many devices on the market for holding a screw while starting it in a place that is hard to reach, the best method I have found is to cut the end of a hard wood stick of convenient length so that it is wedge shaped like a screwdriver and slightly larger than the slot in the screw head so that it will hold securely when forced into slot. It is then possible to start the screw by using the stick as a screwdriver.—H. S. HART.

Tray Made from Brass Pipe

TAKE a piece of 3-in. brass pipe and flange over one end by heating the pipe and hammering it with the ball end of a machinist's hammer. When the flange has been made, cut off the pipe so that the piece will stand about 1½ in. high. Cut a sheet of brass to exactly fit inside the pipe, soldering it on the under side about ½ in. from the bottom. Finish with a file and emery cloth or a buffing wheel, if one is available.

I have flanged 3-in. brass pipe ¼ in. thick without having the brass split at the flange.—H. O. SCOTT.



A neat ash tray


Model Sailboat Made with Tar Paper

By E. Bade

WHILE there is much to be said in favor of small paper boats, the difficulties of making them ordinarily have been too much for the model boat builder. Such boats were formed of cardboard and rendered seaworthy with bichromate of potash, which, when added to glue, makes it waterproof. If tar paper is used instead of cardboard, the construction is greatly simplified.

The framework of the model boat illustrated consists of a keel, a bow stem, a stern post, two transverse bulkheads, and the deck. The keel is $\frac{1}{2}$ in. thick, $\frac{3}{4}$ in. wide and 18 in. long, both ends being cut square. The prow is $\frac{1}{2}$ in. by 2 in. by $6\frac{1}{2}$ in. One of the $\frac{1}{2}$ in. edges is tapered from both sides to a knife edge and somewhat rounded at the base, so that when the piece is screwed to the keel the outside edge forms an unbroken line with the bottom edge of the keel.

The stern piece is the same size as the



How the frame members and the deck and hatchway are shaped

bow, $\frac{1}{2}$ by 2 by $6\frac{1}{2}$ in. A straight line is drawn, dividing it in two the long way, and



Back from a long cruise

then two curved lines are drawn to make a sort of V with a blunt point $\frac{1}{2}$ in. wide. This can be seen distinctly in one of the accompanying photographs. Cut the piece out to the shape drawn and fasten it to the other end of the keel.

The two bulkheads are $\frac{1}{2}$ in. by $4\frac{1}{2}$ in. by $5\frac{1}{2}$ in., shaped as shown in the left-hand illustration. The widest part should be about $\frac{1}{2}$ in. from the top, and the narrowest part is no wider than the keel at the bottom, or $\frac{1}{2}$ in.

From the parts already made, lay out the shape of the deck, which is a trifle larger than the top of the frame. The guide lines can best be obtained simply by turning the frame upside down on a board and drawing a line free-hand around it, making sure that the deck is the same in shape on both sides of the long center line.

When the deck has been sawed out, make provision for the cabin either by cutting along the lines of the hatch with a fret-saw, or boring out a series of holes that touch

each other all the way around, later smoothing the edge with a penknife. When the opening is smooth and true, brad thin strips of wood around it to form a frame and make a sliding cover.

After the deck has been screwed to the framework, a piece of tar paper is tacked neatly and securely to it. The projecting edges should be trimmed with a knife only after the tacks are all in.

Provide a mast whittled from a stick of wood or made of thin bamboo. It should pass through a hole in the deck and rest snugly in a seat made by boring half-way into the keel. The sail may be made of any soft white cloth, cut as shown, or in any rig that the maker wishes to use.

Before the boat can be sailed it must be weighed down with iron or lead. This is placed in the hole through the hatch and should be adjusted



Assembling and covering the framework

in weight and position so that the boat floats upright with the water line at least $\frac{1}{2}$ in. below the deck.

To Make a Good Job of Repainting Your Car

WITH a little care an autoist can make his car look like new by giving it a coat of enamel. Half the secret of success lies in preparing the car properly for the paint, in having a good place to work, and in using first class brushes and materials.

See that the garage is as nearly dustless as it can be made and sprinkle the floor



Looking like new

with water. The temperature should be about 70 degrees, for the enamel will not flow properly at a lower temperature. Jack up the car before starting.

About one quart of standard motor-car enamel will serve to refinish a runabout or small touring car. If it is desired to change the color considerably, as from a dark to a light color, it will be necessary to use an undercoat. For wheels in natural wood finish and for instrument boards, a good waterproof finish will be required. Special finishes for the engine castings and dressings

for the seat leather and auto top may also be obtained.

All mud, grease, and tar should carefully be removed by brushing and sponging the surfaces with gasoline. Remove whatever gloss remains of the previous finish by a liberal use of fine sandpaper and steel wool, or rub with pumice stone and water applied with a piece of burlap or thick felt. See that the surface is perfectly smooth. Wiping with a cloth on which a few drops of varnish have been placed will remove whatever grit and dust remain. Use a small brush to clean out corners around the upholstery where there is apt to be caked dirt. If the old finish is chipped off entirely in places, enamel these spots first of all and let them dry before coating the entire car.

The larger surfaces may be enameled with a 2-in. chisel-shaped or oval brush. Do not put on the enamel too thickly, as it will run and form "fatty" edges, and, on the other hand, do not allow the brush to go dry before redipping it. Great care should be taken to prevent the enamel running down the spokes of the wheels and gathering at the hub. A flat brush, 1 in. wide, will be best for the wheels and also for the smaller panels and moldings. In finally finishing a wheel rim, it is well to hold the brush lightly against it and turn the wheel. Usually the easiest way to do the hood is to remove it and stand it on end.

Do not overlook any part, because it is next to impossible to go back and retouch surfaces upon which the enamel has commenced drying. When the enamel is hard—after two or three days—carefully wipe off the car with a chamois skin, after washing it with cold water.—T. E. M.

Cut the Camp Fire-wood on this Sawbuck

THIS rugged sawbuck may be made quickly with no other tool than the bucksaw itself. Cut four shoots about 3 in. in diameter and 4 ft. 6 in. long and point the ends. Drive them into the ground as shown so that they rest at an angle of 45



Made with ax or bucksaw

degrees across a 4-ft. length of log 12 or 14 in. in diameter.


If a heavy log for the base is not handy, the four sawbuck legs can be notched together in pairs with rough, half-lap joints. They are driven into the ground in such a way that the notches in each pair come opposite each other. The joints are then bound together with wire.—JOE. V. ROMIG.

THE PLUS or positive side of the B battery must be connected with the plate or signals will not be detected.—F. J.

Converting Phonograph Boxes into a Children's Wardrobe

THIS wardrobe was made from two phonograph boxes purchased from a dealer for 25 cents each. The heavy strips were removed from the outside, and used inside as cleats in converting the two boxes into one. The whole was fastened together with threepenny casing nails. Doors were made and fitted, and knobs, catches, and ball bearing casters attached.

After the wardrobe was well sandpapered, it was enameled in French gray.



A cheaply made piece of furniture

Other finishes might have been used, such as ivory enamel, walnut, or dark oak varnishstain.

Any arrangement of shelves may be made. In this instance, two shelves were fitted in the upper part with a rod


for clothes hangers below, and a box for rubbers and overshoes was provided at the bottom.

An interesting way to decorate the wardrobe is to cut out clusters of flowers from cretonne, glue them smoothly on the door panels, and varnish over them lightly. If cretonne hangings are used in the room, it is advisable to choose the predominating motive from a piece of the same material for the panel decorations, as carefully planned touches of harmony such as this always improve the general appearance of a room.—J. A. PARSONS.

Revolving Clothes-Dryer Collapses when Not in Use

THIS revolving clothes-dryer, which folds up when not in use, consists of a square support upon which slides a criss-cross arrangement of four pieces of wood, put together as shown in the illustration below.

The four arms pivoted to this crisscross are supported by pieces hinged to the top of the post. The bottom of the post is



Removing the pin allows the arms to fold up against the post

rounded and set in a piece of water-pipe, which is sunk in the ground and rests on a piece of board. A steel ball inside the pipe, between the bottom of the post and the wooden base, serves to form a swivel joint.

To open the dryer, the crisscross is slid up and fixed in place with a pin.

I found that the one I made like this was just as good as the expensive ones on sale at local stores, and the total cost was about \$1.50.—STANLEY ARMSTRONG.

Repairing Worn Runningboards

By G. A. Luers

(Contributed in the contest, "How I Made Money with My Tools")

THE mechanically inclined owner of a small gasoline and oil filling station in the District of Columbia fills in the time during which he is not attending to the ordinary wants of his customers by renewing and installing automobile runningboards. He knew by observation that many cars either had holes through the runningboard linoleum, the molding torn away, or the wooden backing decayed or splintered, and he thought there would be money in making the necessary repairs.

For an initial trial he prevailed on the owner of a car that had been damaged in a slight collision for an order for new boards. Although both steps were worn and battered, he removed only the left step to serve as a pattern while the owner continued to use the car.

The preparation of this pair of stepboards proved a paying advertisement. The work was done in front of his small shop, and the completed boards, with their fresh green linoleum covering bound with polished bands of aluminum, attracted attention. As a result, practically all his spare time is utilized in fitting up one car after another with similar parts. By charging \$1 an hour for his time, he adds from \$3 to \$4 to his daily earnings.

The materials used are strips of aluminum, molding, brown and green linoleum, 5-ft. lengths of oak boards planed on one side, glue, screws, and brads. The tool equipment consists of tin snips, rip saw, small drill, auger, screwdriver and hammer.

The work is started by sawing the wood to the exact shape of the old board, which is used as a pattern. Holes are bored through for the bolts that hold the board to the brackets on the frame of the car. These bolts are placed in position, the face of the board is given a coat of glue, and the linoleum is spread on top. Next, the board is



placed face down and weighted until the glue has set. Meanwhile work on the other board is started and it is prepared in the same way. Both are left overnight to dry.

The next step is to trim the linoleum flush with the edge and tack it down. A long strip of molding is placed on one side of the board and drilled through for screws at 5-in. intervals. Snip out a small V at the corner and bend the molding around the corner, screwing it down and continuing all around the board. The inside edge does not need screws and can be fastened more quickly with brads. The attaching of the boards to the car is then simply a matter of placing the bolts in their respective holes and screwing on the nuts.

The success of this idea was not due so much to the mechanical ability of the service station owner as to his adoption of a special line of work that makes a direct appeal to car owners and counts heavily in improving a car's appearance. The work was done at a cost representing conservative charges. An equally good opportunity is afforded men in every community to "cash in" on this simple idea.

Safety-Razor Blade Replaces "Catwhisker"


By John H. Schalek

THE crystal detector illustrated has proved highly efficient in receiving broadcasted programs 53 miles from the Pittsburgh station KDKA.

The base is the ordinary 5 by 7 in. hard rubber developing tray. The detector unit makes use of a safety razor blade in place of the usual catwhisker. The tuning coil is wound on a wire spool originally used to hold 1 lb. of bell wire and contains 60 ft. of No. 24 enameled magnet wire. Tuning is accomplished by sliding up and down a vertical rod to which is soldered a bronze spring contact.

The galena crystal can be adjusted so that any part of its upper surface may be placed in contact with the tip of the razor blade. By loosening and tightening the thumb-nut on the blade bracket, it is possible to regulate the pressure of the blade on the crystal, although this adjustment seems to be un-

necessary, as the signals come in louder when the full weight of the blade is on the crystal. Whereas all catwhisker type contacts are very sensitive to even slight jars or shocks, it is almost impossible to jar this razor blade "catwhisker" out of contact.



This crystal set receives 53 miles away from broadcasting station

How well signals come in can be judged by the fact that a horn cemented to the receiver made it possible to hear music nearly 2 ft. from the receiver.

Nine playing cards were used in making the fixed condenser. After they had been dipped in hot candle grease, 8 strips of lead- or tin-foil used to wrap chewing gum were placed between the cards. Although this condenser was made in a few minutes and cost nothing, it gives excellent service. The discharge of a Ford coil through it was made as a test and has not, so far as I can see, affected its efficiency.

Note in the following pages the wide variety of valuable ideas for shop and metal working.

How to Make Your Own Perfumes from Flowers

THE chemistry of today extracts perfumes from many flowers and parts of other plants. In some plants, as in the mace and in the vanilla, the perfume is in the fruit; in oranges and lemons it is the rind that exhales a pleasant odor; in the florentine sword-lily it is the root; in camphor the wood, and in cinnamon the bark.


Even the animal kingdom contributes something in this search for perfumes. It offers musk and civet and many others.

are almost prohibitive, other ingredients are used for the sake of cheapness. Since the yield from artificial products is far in excess of that from the natural substances, and since the artificial chemicals are so much cheaper, every one can secure his or her favorite perfume.

The making of perfumes from flowers is very simple when the proper precautions are taken. Such perfumes are not to be classed as artificial substances since they are made from flowers themselves and are therefore the natural product. There are many methods of making these perfumes in the laboratory.

Great care must be exercised when distilling. Not only because the distilling of alcohol requires care in itself, but because the oil extracted from the flowers burns readily when the temperature rises too high. This is avoided when the pressure in the flask is lowered, which causes the alcohol to distill at a lower temperature.

If a drop of the perfume, when placed on a piece of cloth, rapidly loses its odor, not enough alcohol has been extracted; more should be distilled. If this is not desired, then more of the same flowers must be plucked and placed in the flask, the dis-



Extracting the perfume from the flowers

Today most of our perfumes and essences are made artificially. They are in almost every respect identical with the natural products and are distinguished with difficulty from them. Although the laboratory furnishes us with the greater part of our requirements, the natural products are by no means neglected. They still form an important industry. But since some of the natural oils, as, for instance, attar of roses, are so expensive that they


A Home Laboratory Process

Take a glass flask, preferably of 8- or 16-oz. capacity, and fill it to neck with flowers that give off an odor. The stronger the odor, the more sure the result, although the most delicate odors can be caught when care is taken. Then fill the flask two thirds to three quarters full of ethyl alcohol, swing it around in the flask until all of the flowers are covered. Then place it in a water bath or place a small alcohol flame under the flask and extract with an upright or reflux condenser. This should be continued until the alcohol has boiled 8 hours.

If it is not desired to extract, the flask with the flowers and the alcohol can be left standing a few weeks until the oil in the flowers has been absorbed by the alcohol. But this is not so effective a method as that of extraction.

After extracting, the flask should be cooled and the contents filtered either through filter paper or through a wad of absorbent cotton to remove the spent flowers. When all the liquid has been filtered, the flowers should be pressed to remove all surplus moisture.

Then the alcohol is to be carefully distilled. This can be done quite effectively by slightly lowering the pressure within the flask through suction and increasing this suction as the liquid distills. As a rule, about one ounce of the liquid should remain; this residue is the perfume.



Distilling to remove alcohol

tilled alcohol replaced, and the entire contents again extracted. But it is always advisable not to distill too often, as this increases the chance of burning the oil while the alcohol is being distilled. It is more satisfactory to use a second and even a third crop of flowers after filtration and extracting again.

Answers to Sam Loyd Puzzles Appearing in August Issue and June Prize-Winners

DIVIDING A COW HERD

Let us call the youngest son's portion X cows, and the entire herd $7X$, since the seven couples received like allotments. The youngest son's lot represents $8/9$ of the number of cows from which the wife of the next elder son subtracted her ninth. Therefore that wife's share would be equal to $\frac{X}{9}$ and her husband's share would be $\frac{7X}{9}$. Since the youngest son's share exceeded his next elder brother's by 1, we have the equation:


$\frac{7X}{9}$ plus 1 equals X , and X equals 8.

Then, $7X$ cows, the entire herd, must have consisted of 56 cows. The eldest son took 2 cows and his wife took 6.

THE MAGIC SQUARE REVERSED

3	2	7
8	5	9
4	6	1

Here we see how the nine figures of the Magic Square may be rearranged, without disturbing the central 5, so as to produce eight sums as required.



HOW THE LAND WAS DISTRIBUTED

The diagram illustrates how four straight lines across the property will divide it into 11 sections, no two of which contain a like number of houses.

WINNERS of Prizes for the best solutions of the puzzles appearing in the June issue are:

FIRST PRIZE, Ten Dollars: Emily Carmichael, Mobridge, S. Dak.

SECOND PRIZE, Five Dollars: Gertrude B. Chestersmith, Brooklyn, N. Y.

Ten One-Dollar Prizes:

Alexander Greenberg, New York City; F. K. Baxter, Jr., Fullerton, Calif.; E. B. Escott, Oak Park, Ill.; G. Malcolm Oldham, Elm Grove, W. Va.; H. G. Montgomery, Jr., Ross Field, Arcadia, Calif.; W. H. Elkins, Topeka, Kans.; Mary Quillian, Greenville, Ala.; Wiley M. Fuller, Washington, D. C.; B. S. Crandall, New London, Conn.; Willard Emick, Scranton, Pa.

HONORABLE MENTION

Solvers who are deserving of special commendation for their work in the June contest:

A. G. Kalbach, Grand Rapids, Mich.; Geo. A. Viehmann, Princeton, N. J.; Wm. G. Savadge, Wilkes-Barre, Pa.; A. Piplat, Sea Cliff, N. Y.

Vise Used in Hardening to Prevent Excessive Warp

MACHINISTS and tool and die makers will sometimes find it practical to keep steel from warping in the hardening process by clamping it in a vise.

A sectional die was sent to our toolroom recently with one of the sectional blades too soft because it had been ground down to about $\frac{1}{8}$ in. of its usefulness. The die was needed as soon as possible, so I thought I would harden it. When I tried hardening it in oil, it was too soft, so I hardened it in water. It came out far from parallel and I was about to grind it and use shims when I happened to see on my bench a vise used for drilling. The idea then occurred to me to heat the piece, put it quickly in the vise, and dip vise and all in a barrel of water. I was more than surprised at the result, because the piece looked nearly perfect, and in ten minutes the die was ready to go back on the press.

To test further, I made and heated a pair of $\frac{1}{8}$ by $\frac{3}{4}$ by 5 in. parallels. Number 1


was only .0005 in. out of parallel the $\frac{1}{8}$ -in. way and .0007 in. out the $\frac{3}{4}$ -in. way. I purposely overheated No. 2, which was .002 in. out of parallel the $\frac{1}{8}$ -in. way, and .023 in. the $\frac{3}{4}$ -in. way. The grade of steel was Jessop's.

These pieces were made merely

for experiment, as I always have had trouble in hardening such parts. It was surprising, too, that the parallels were hard all over. I thought they might be too soft on the surfaces that came in contact with vise jaws.—S. L. ROBERTS.

Reinforcing a Brazed Joint with a Brass Ring

A FLANGE connection for a tubular part having broken off at the joint, a method of reinforcement was devised that greatly increased the strength of the joint without adding to the cost or increasing the difficulties of brazing the joint. At the junction of the flange with the tube, a cir-



cular brass wire ring was set on previous to brazing. The brazing was carried out in the usual manner, that is, putting on the spelter and applying the heat.

The wire ring being brazed solidly in place, formed a shoulder which was stronger than the adjacent metal. Tank connections, manifolds, and similar flanged parts may be repaired in this way.—G. A. L.

Reversing Tap Chuck Speeds up Small Work

By Harry D. Parker

THIS simple tapping chuck has a friction drive that will slip before the tap breaks, except in the very small sizes, and it also has a high speed reverse motion. The materials for making it cost less than \$3, while the similar commercial attachment sells for about six times as much.

The friction members (D and E) are turned on a lathe (or in a vertical drill press if a lathe is lacking) from $1\frac{1}{2}$ -in. round fiber rod. These cone clutch parts are fastened to the drive spindle (C) and tap spindle by through pins. The drive spindle may be straight or a Morse taper No. 1 or No. 2, according to requirements. The tap chuck (B) is an ordinary commercial chuck, although one may be made from parts of a discarded breast drill.

The housing (A) in this case was made from a round tin in which a well known brand of mops is sold, but one slightly heavier in gage and smaller in size would have been better. The top is held to the housing by three through bolts (Q), which also hold the top and bottom $\frac{1}{8}$ -in. reinforcing plates (H).

Figure F is the spindle guide brazed to the upper reinforcing plate; G the intermediate gear, running free on a stud; J a

20-tooth drive gear; K the reverse shaft, pinned to its gears; M a 30-tooth gear; N a sheet of $\frac{1}{16}$ -in. fiber between the gears and the top and bottom of the housing; O a 15-tooth reverse gear, pinned to the chuck shaft; P the chuck shaft collar—a sheet of fiber separates it from the housing bottom. R is the handle that serves to hold the housing from turning.




Diagram of the friction drive and gearing

All the driving stresses are direct through the drive spindle clutch and chuck spindle. The torsion is slight on direct drive and is taken up by the handle. On lifting the drill spindle at the end of a tapping operation, the drive spindle also is lifted, disconnecting the clutch members, and the tap stops instantly. The drive spindle speed should be about 50 revolutions a minute. The housing handle should rest against the drill upright at the time of re-

verse. As the drive spindle rises, the gear L engages the intermediate gear (G) and drives the reverse at high speed.

The greater the angle of the cones, the greater the torque before slipping occurs; about 25 degrees is ample for taps up to $\frac{1}{4}$ in. A friction drive of 2 in. in diameter will serve for taps up to $\frac{1}{2}$ in.; as designed, the attachment will handle up to $\frac{1}{4}$ in.

Large Steady Rest Has Bearing of Babbitt

By James Ellis

THERE are times when the small shop must handle work that is really too large for its equipment, and additions must be quickly made. An example of this class of work is turning large shafts and other heavy pieces that must be firmly supported in a steady rest.


Not long ago we had a job in the shop far too large for any of our steady rests. It was a large roll used in a cottonseed-oil mill to crush seed. The shaft on one end had broken off and that end had to be bored out and a new shaft pressed in.

The usual method of handling would have been to make a wooden steady rest to fit the ways of the lathe and then clamp the wooden rest to the lathe carriage and bore it out to fit the job to be turned. We made the block in the usual manner, but instead of allowing some stock to bore out, we sawed out the circle about 1 in. larger in radius than the roll.

Takes Less Time to Make

The end of the roll which had been broken was trued up in the lathe chuck while the good end was supported by the center. The steady rest was placed under the roll and a mud dam built to make a mold so that a bearing of babbitt could be poured in. When this cooled, the roll was taken out and turned around, while the steady rest was moved out to support the end of the roll that had to be bored.

By using this babbitt lining we saved considerable time that would have been used in boring out the wood and, what is more important, obtained a much better



An improvement on the ordinary wooden steady rest

steady rest. The babbitt does not wear like the wood rest and it is not necessary to put sheet metal liners in the bearing to take up for wear, which is generally required when wood bearing is used.

Another advantage is that once the wood block is cut out to shape, it is very little trouble to take out this babbitt liner and cast another for a different sized job. If desired, these liners may be retained to take care of possible future needs.

Carbon Cores Used in Welding

IN WELDING I have found old dry battery carbons useful for plugging holes that I wish to keep from filling up with the molten metal.

I have used them to good advantage in building up broken teeth in small gears. The carbon was shaped to fill the spaces between the broken teeth, and these spaces then were filled up with metal in the process of welding.—CHESTER CARPENTER.

How to Make Bushings of Standard Pipe

By W. F. Schaphorst

IT IS a good thing to know that bushings can be made out of standard pipe. Many pipe-fitters don't know that it can be done. Or, if they know that it can be done, they don't know the correct size of drill to use for tapping. I have occasionally made bushings out of pipe, but each time I found it necessary to first look into my handbook for the drill size to use and that is so much trouble that it is frequently easier to go to the store and buy a new bushing.

Sometimes, in the smaller towns, it is impossible to buy bushings in stores, on account of the small demand and the numerous sizes of pipe-fittings; hence I feel that the following information should be of value. I have collected all of the data to-

gether for all bushings that can be made out of ordinary sizes of extra heavy and double extra heavy piping.

To bush from $\frac{1}{4}$ in. to $\frac{1}{8}$ in., for example, get a piece of $\frac{1}{4}$ -in. extra heavy pipe sufficiently long for cutting the outside thread. Then cut off the end to the desired length, drill or ream with a $\frac{21}{64}$ -in. drill (diameter of drill 0.328 in.) and then tap with a $\frac{1}{4}$ -in. pipe tap.

The table tells the complete story for all ordinary sizes.

Note that in one case, $\frac{3}{8}$ in. to $\frac{1}{4}$ in., the internal diameter of $\frac{3}{8}$ -in. extra heavy pipe is such that no drilling is necessary.

Also note that in bushing from $\frac{1}{2}$ in. to $\frac{3}{8}$ in., either extra heavy or double extra heavy piping can be used.

To Bush from	Use this Size of Pipe	Use this Size Drill or Reamer
$\frac{1}{4}$ in. to $\frac{1}{8}$ in.	$\frac{1}{4}$ in. extra heavy	$\frac{21}{64}$ in. drill = 0.328 in.
$\frac{3}{8}$ in. to $\frac{1}{4}$ in.	$\frac{3}{8}$ in. " "	none
$\frac{1}{2}$ in. to $\frac{1}{8}$ in.	$\frac{1}{2}$ in. double extra heavy	$\frac{21}{64}$ in. drill = 0.328 in.
$\frac{1}{2}$ in. to $\frac{1}{4}$ in.	$\frac{1}{2}$ in. " "	$\frac{27}{64}$ in. drill = 0.422 in.
$\frac{1}{2}$ in. to $\frac{3}{8}$ in.	$\frac{1}{2}$ in. " "	$\frac{9}{16}$ in. drill = 0.562 in.
$\frac{1}{2}$ in. to $\frac{1}{2}$ in.	$\frac{1}{2}$ in. extra heavy	$\frac{9}{16}$ in. drill = 0.562 in.
$\frac{3}{4}$ in. to $\frac{3}{8}$ in.	$\frac{3}{4}$ in. double extra heavy	$\frac{9}{16}$ in. drill = 0.562 in.
$\frac{3}{4}$ in. to $\frac{1}{2}$ in.	$\frac{3}{4}$ in. " "	$\frac{11}{16}$ in. drill = 0.688 in.
1 in. to $\frac{3}{4}$ in.	1 in. " "	$\frac{29}{32}$ in. drill = 0.907 in.
1 $\frac{1}{4}$ in. to 1 in.	1 $\frac{1}{4}$ in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
1 $\frac{1}{2}$ in. to 1 in.	1 $\frac{1}{2}$ in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
1 $\frac{1}{2}$ in. to 1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
2 in. to 1 $\frac{1}{2}$ in.	2 in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
2 $\frac{1}{2}$ in. to 2 in.	2 $\frac{1}{2}$ in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
3 in. to 2 $\frac{1}{2}$ in.	3 in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
3 $\frac{1}{2}$ in. to 3 in.	3 $\frac{1}{2}$ in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
4 in. to 3 $\frac{1}{2}$ in.	4 in. " "	$\frac{1}{8}$ in. drill = 1.125 in.
4 $\frac{1}{2}$ in. to 4 in.	4 $\frac{1}{2}$ in. " "	$\frac{1}{8}$ in. drill = 1.125 in.

Useful Shop Truck and Portable Bench


By P. P. Avery

A HANDY shop truck that will move at a mere touch may be made with old ball or roller bearings.


Build a triangle frame as shown, 30 in. high, and 30 in. from front to back along the center line. Offset plates are provided for the wheels. The front one swings on a 1-in. bolt and has a 1-in. forked rod handle. The support for the drawers is 5 in. below the top plate, so that the drawers provide ample room for working tools. Large parts, motors, etc., can be laid on the bottom platform and easily carried to any part of the shop.

Wherever convenient, use $\frac{3}{16}$ -in. rivets in constructing the truck. In other places, use bolts, lock washers, or double nuts.

When the truck is complete, give it a good coat of metallic paint.



Self-Setting Depth Gage Has no Screw Adjustment



THE depth gage illustrated, I find to be very useful where a depth gage is much used because it requires no screw for tightening the head. It also has the advantage of not shifting on the rod, as those that are


tightened with a screw often do when they are being set.

A piece of $\frac{1}{8}$ -in. drill rod is passed through a $\frac{1}{4}$ - by $1\frac{1}{2}$ -in. Woodruff key and a $\frac{3}{16}$ -in. steel ball is pressed against the rod, as shown, by a spring and headless setscrew.—JOHN AURES.

WHEN new files are to be used upon narrow surfaces of hard metal, it is advisable to use oil or even to fill the teeth with oil and chalk. Oil also helps in finishing wrought iron or steel with fine files, as the work is not so likely to be scratched.—C. F. M.


Making the Most of Machinists' Parallel Clamps

THE exceptional versatility and usefulness of the machinists' and toolmakers' parallel clamp rival that of the carpenter's hand screw. The illustrated method of strapping small work to the faceplate of the lathe is handy to know. The clamp serves the purpose of a strap, bolt, and blocking. The loose or unthreaded jaw is placed on the back of the faceplate and the other jaw is used on the front.—CHARLES H. WILLEY.



Emergency Repair for Steam Hose

IN A central station of 3000 horsepower about 150 ft. of $1\frac{1}{2}$ -in. steam hose is used to blow out combustion chambers and around upright water tube boilers. The steam pressure of the nine boilers depends on having clean tubes and economizers, as



This repair has held for more than a year


only one boiler at a time can be spared for repairs.

One night the hose let go in three places. I made an emergency repair by cutting away the wire wrapping on the outside of the hose, opening the rips and daubing the ragged edges with a generous supply of white lead, and wrapping on the outside three layers of heavy canvas, which I also smeared with white lead on both sides. Next, I wound on No. 18 bell wire; then applied two more wrappings of doped canvas and bell wire.

After drying, the hose went into service again, standing 165 lbs. steam pressure, and after one year it still remains in regular use.—W. L. JOHNSON.

Improved Lathe Tool Holder

THIS lathe tool holder, which has certain advantages because of its flexibility of adjustment, consists of a body or shank machined as shown. It has two spherical seats cut in the jaws to take a ball that is split in half. Each half has a square cor-



Permits wide range of tool adjustments

nered groove milled in it to suit the usual small high speed steel tool bit. This arrangement permits the cutter to be set quickly at various angles.—W. BURR BENNETT.

Put the battery off your mind

THERE is nothing weak and temperamental about an Exide Radio Battery. You don't have to fuss with it to keep the voltage up. You can enjoy yourself with the full knowledge that the Exide will maintain uniform filament current during a long period of discharge.

Like all Exides, this specially designed radio battery is rugged and long-lived. Built into it is the experience won in all battery fields by the oldest and largest makers of storage batteries in the world.

Exides propel mine locomotives, start and light automobiles, operate draw-bridges, light railroad trains, and in scores of ways assist in America's commercial supremacy. Most of the government and commercial wireless stations are equipped with Exides.


You can get different sizes of Exide Radio Batteries wherever radio equipment is sold, also at Exide Service Stations. All of our stations recharge batteries. It is worth while to make sure your radio battery is an Exide.

THE ELECTRIC STORAGE BATTERY COMPANY
Philadelphia

Oldest and largest manufacturers in the world of storage batteries for every purpose

Exide

BATTERIES





No wireless receiving set is complete without

MAGNAVOX
Radio

WHEN the club House Committee meets again, be sure to propose the installation of a wireless receiving set.

If equipped with Magnavox Radio (the reproducer supreme) the club, lodge, hotel or home wireless station will furnish everybody the best of dance music, concerts, market reports, world news events and entertainment—something or other going on almost every hour!

Any radio dealer will demonstrate, or write us for illustrated folder and name of nearest dealer.

The Magnavox Co.
Oakland, California
N.Y. Office: 370 Seventh Ave.


MAGNAVOX
Radio

The Reproducer
Supreme

BETTER SHOP METHODS

Pipe and Pipe Fittings Make Sturdy Wheelbarrow Frame

A STURDY wheelbarrow frame that will stand unusual abuse without damage may be made of pipe and pipe fittings. The one illustrated, which was



built in a plumbing shop, has a flanged pulley for a wheel.


Aside from cutting the pipe and threading the ends, the only work required was that of boring out the pulley hub. Since the barrow was to be used for carrying steel pipe, drums, and plates, no body was attached. It would be a simple matter, however, to attach a body of sheet-iron or wood.—G. A. LUERS.

File Serves as Substitute Broach

FILES may sometimes be used for broaching standard size holes in place of the usual expensive broaches. An example of this cheap method of broaching is illustrated.


The casting shown is a slide for a $\frac{1}{2}$ -in. bar. It has a cored hole with the central surfaces relieved so that only the two ends have to be finished. This had been done by filing until a workman discovered that he could drive a $\frac{1}{2}$ -in. square file through with an arbor press. This left a smooth hole.

Using two files proved to be an improvement. The first was prepared by grinding the teeth away as shown in the small sectional detail, and the regular square file made the finishing cut. It was found that 75 holes an hour could be "broached" in this way.—S. A. McDONALD.



Hanging Sheet-Metal Patterns

IN shops where sheet metal is handled, more or less trouble is experienced with patterns such as are used for elbows, skylights, ventilators, and the like. If a hole is punched in the patterns and they are hung on a nail or wire, it usually happens that a number have to be removed before the pattern desired can be taken off.



Patterns are easily removed

In this way the needed pattern may be slipped on and off without disturbing the others.—S. W. SANDERS.

HOMCHARGE YOUR BATTERY for A Nickel



No muss, trouble, dirt—no moving of batteries—loss of time—no effort on your part—no technical or professional knowledge needed.

THE HOMCHARGER

successfully meets all charging conditions, and is the only rectifier combining the following essential Homcharging features:

1. Self polarizing. Connect battery either way and it will always charge. No danger of reverse charging, ruined battery or burnt out Rectifier.
2. No delicate bulbs to break or burn out. Only one moving and two wearing parts. These are replaceable as a unit after thousands of hours use, at small cost. Cannot be injured by rough handling.
3. Operation stops and consumption of current ceases immediately upon disconnecting battery.
4. The only charger costing less than \$100.00 that will fully charge a battery over night. Gives battery a taper charge—exactly as recommended by battery manufacturers. Guaranteed not to harm your battery even though left connected indefinitely.
5. Highest efficiency of any three or six cell charger made.
6. No danger of fire. Approved by the Underwriters.

Will charge any Radio "A" or "B" battery as well as your auto battery. Send for Bulletin No. 58 for further information.

For sale by all radio, electrical and accessory dealers or shipped express prepaid for purchase price..... **\$18.50**

320 West of the Rockies

The Automatic Electrical Devices Co.

131 West Third St., Cincinnati, Ohio

BRANCH OFFICES—New York—Chicago—Pittsburgh—Los Angeles—New Orleans—Detroit—Philadelphia—Baltimore—Dallas—St. Louis—Kansas City



Largest Manufacturers
of Rectifiers in the World

You're missing a lot of fun if you can't play some musical instrument

WURLITZER Musical Instruments

Wurlitzer instruments have been the favorites of artists and have been used in great bands and orchestras for three-quarters of a century. The house of Wurlitzer was founded more than two hundred years ago among the first makers of stringed instruments. Wurlitzer instruments have the tone values that only the finest materials and the most careful workmanship can produce.



Learn to Play

On Trial

Yes, Wurlitzer will send you any instrument known for a week's Free Trial in your own home. Not the slightest obligation to buy. Trial won't cost you a penny if you decide not to keep the instrument — and you are the sole judge.

Monthly Payments

Wurlitzer instruments are made easy to buy by this great offer. A few cents a day will pay for your instrument if you decide to buy after trial. You will never miss the small payments.

Many Wurlitzer instruments are sent with complete musical outfits. Everything that you need comes with the instrument — velvet and plush lined carrying case with lock and key, all attachments and extra parts, accessories, self instructor, book of musical selections, etc. Everything at factory price, a tremendous saving to you. If you decide to keep it you get a complete outfit practically for cost of the instrument alone.

Send for this Catalog TODAY!

Just write your name and address in this coupon. Catalog is free. More pictures and information about musical instruments than in any other book published. Every known instrument illustrated and described in detail with price, easy terms and free trial blank.

The Rudolph Wurlitzer Co. Dept. 1786
 117 E. 4th Street, Cincinnati, O. 120 W. 42nd Street, New York, N. Y.
 329 S. Wabash Ave., Chicago, Ill. 250 Stockton St., San Francisco, Calif.
 Send me absolutely free your new illustrated catalog showing every known musical instrument. Also tell me how I may have any instrument on easy payments with a week's free trial, and how I may learn to play it with the aid of your self-instructor.

Name _____
 Address _____
 Instrument _____
 (State instrument in which you are especially interested)

The Rudolph Wurlitzer Company, Dept. 1786
 117 East 4th Street, Cincinnati, O. 120 W. 42nd Street, New York, N. Y.
 329 S. Wabash Ave., Chicago, Ill. 250 Stockton St., San Francisco, Calif.



Saxophone

One of the most popular instruments. Fascinating to play alone. Goes great with piano. Scale learned in one lesson. Play pieces in six weeks.

Cornet

One of the most expressive instruments known. As soon as "liping" is acquired you ought to be able to play music in 8 to 10 weeks. Suitable for any band, orchestra or solo work.

Tenor Banjo

Play a tenor banjo. Wonderful dance instrument. Best stringed instrument in the world to accompany singing. Easy to play. You can get chords for accompaniments in the first lesson.

Trap Drums

Some people take to drums like a duck to water. Three or four weeks' practice makes good drummers of others. If you like the drums that means you.

Easily Made Dendrometer Measures Heights

By Capt. E. A. McCann

WITH this simple little instrument it is possible quickly and accurately to measure the height of trees, buildings, and other tall objects. To make it, obtain a square board. A convenient size is 16 in. square. For the best results the board should be prepared like a drawing-board with battens to keep it from warping. On it draw a square— a, b, c, d —15 in. each way. Divide each side into 15 equal parts and rule off 1-in. squares. Mark each square to represent 10 ft. as in Fig. 1. Either bore a small hole c lengthwise through what is to be the top edge of the instrument, or, better still, clamp a small tube f to the edge, making sure that it is parallel to d .

The board is mounted on a post about 6 ft. long (Fig. 2), with a sharp point or base of some kind, so that it can be driven into the ground or stood upright when the instrument is being used. Bore a hole through the top corner of the board g and through the top of the post, and fasten the two together with a long thumbscrew or "tonk" to keep the board clamped at any angle. From the corner of the ruled square marked h , suspend a plumb line. The instrument is then complete.

Instead of drawing the squares on the wood, they can be marked on paper or cardboard and glued to the board, which may be of any size, provided it is divided into equal squares.


How to Measure an Object

To measure an object with the dendrometer, such as the tree shown in Fig. 3, measure off a suitable base line, as AB ; set up the post at A and then sight the top of the tree through the tube f . Clamp the board in that position. The point where the plumb line cuts the ascertained base line will show the height of the object as indicated on the altitude scale. This is much simpler than it sounds and a study of the drawing will quickly reveal how the instrument works. For instance, if the base line AB is 60 ft. long, the distance BD will be 30 ft. if the top of the tree is sighted at the angle shown in Fig. 1. If

the base line happens to be 120 ft., the relation would be as shown by the larger tree in Fig. 1, and the height would therefore be 60 ft.

This gives a height from the level of A to the top and not from the ground level. If the ground is uneven, you can sight this point first by looking through the tube while the plumb line lies along ab .

It should also be noted that the base line is measured to a point vertically under the highest visible point, as AB in Fig. 4 and




not AC . The ascertained height is BD and not BE , although E happens to be higher than D .

The principle upon which the instrument works is that of proportional triangles. It will be seen that the angles of ABD would be the same in any actual case of measurement as those of the small triangle formed by the distance along ab , which represents the known base line, the distance from the lower end of that base line to the plumb line taken in a direction parallel to ad , and the plumb line from the last point back to a .

Therefore the base line of the small triangle must bear the same relation to the leg which is at right angles to it as the actual baseline AB bears to the vertical line BD representing the height of the tree. Since AB equals 60 ft. (in the first example), the base line of the small triangle represents 60 units and the leg at right angles to it, being in the same proportion to BD , can be measured in the same units and is, in this instance, 30.

Old Auto Shoes with Concrete Filling Used as Truck Tires

THE wheels of this shop truck, which was designed by the foreman of a large shop who disliked the noise made by steel tires, are four old auto casings filled with concrete. They were laid on a flat surface and



The wheels on a shop truck made less noise than steel tires and gave good service


filled with a rich cement mixture with the exception of the center, where lengths of 2-in. pipe were inserted to serve as bearings.

It took a little time and care to center the bearings and locate them perfectly plumb, but the finished wheels proved entirely satisfactory. The additional weight of the concrete was not noticeable, and noise was eliminated.—DALE R. VAN HORN.

Making a Rustic Clock

A RUSTIC clock for the home, hunting lodge, or summer camp may be made from a carefully selected section of tree trunk. Smooth one end to serve as the face and tack brass numbers on it. Drill a hole through the center and gouge out sufficient space in the back to permit the insertion of the works of an alarm clock.

If necessary, a rod and tube may be used to extend the minute and hour-hand spindles. A wooden back should be fitted carefully and screwed on to protect the works from dust, and you will then have an article both useful and goodlooking.—J. B. MORAN.



Alarm clock works set in a log

\$10 and \$15 Are Offered Monthly for Useful Mechanical Ideas

AS A bonus for especially useful ideas contributed to The Home Workshop each month, POPULAR SCIENCE MONTHLY gives a first prize of \$15 and a second prize of \$10. These awards are in addition to the usual space rates.

Every man who works with tools has at some time or other hit upon methods of construction that were particularly good; or made something that was unusually serviceable or valuable. These "best ideas" are exactly what home workers are interested in. Therefore write briefly, illustrate with pencil sketches or photographs, and send to the Home Workshop Editor. Those accepted will be purchased at the regular space rates and will be eligible for the "Best Idea" prizes.

The prize-winners for September are:

FIRST PRIZE, \$15: George A. Luers, Washington, D. C. "Bench Vise for Carpenter Has Wide Range of Adjustment" (see page 108).

SECOND PRIZE, \$10: S. A. McDonald, Brooklyn, N. Y., "File Serves as Substitute Broach" (see page 80).

READERS of POPULAR SCIENCE MONTHLY who have followed Home Workshop Blueprint No. 6 in making a radio set are reporting exceptionally fine results. Extracts from the letters are given below.

I received the blueprint, "Radio Receiving Set with Two Stages of Amplification," from your department and used it and the instructions on page 75 of Vol. 100, No. 5, to build a receiving set. I omitted the two amplifiers and the variable condenser. With the set I am able to get Schenectady, N. Y., very plainly whenever I try to tune them in. Do you consider this exceptional for a set having no amplifiers? I also get Detroit, Mich., Indianapolis, Ind., Kansas City, Mo., and many other distant stations. My aerial is 35 feet high and consists of three wires 80 feet long.—VICTOR C. BEETOW, Elkhorn, Wis.

About two months ago I constructed a detector set as per your blueprints, and must say that I have got wonderful results. KDKA at Pittsburgh comes in so strong that I separate the head phones and two can listen in very easily. But I think it remarkable how plainly I get Newark, N. J., Springfield, Mass., and Schenectady, N. Y., without amplifiers.—HENRY JARRETT, Moundsville, W. Va.

I made a set according to your blueprint and have had some wonderful concerts from Schenectady, N. Y., Newark, N. J., and Springfield, Mass. It is wonderful, it is perfect.—EDWARD DORNSIFE, Shenandoah, Pa.


The fact that Mr. Beetow is able to hear concerts given at Schenectady, N. Y., in his home at Elkhorn, Wis., 685 miles away, without using any amplification in summer, when the carrying strength of signals is at its lowest point, is sufficient indication of the range and sensitiveness of the set when properly made and operated. Other distances mentioned are also noteworthy—Springfield, Mass., to Moundsville, W. Va., 440 miles, and Springfield, Mass., to Shenandoah, Ia., 225 miles.

To order one of the blueprints, use the coupon on page 86.

THE HOME WORKSHOP

Strong Gate Is Made of Pipe and Fittings

PIPE and pipe fittings form this strong, serviceable gate. It will be found useful in many places, especially for guarding small-sized elevator shafts, well holes in the




floor of a shop, and openings in outside fences that are made of pipe.

The hinges are so arranged that the gate may be swung in or out, whichever is most convenient. This is frequently an advantage when heavy crates have to be handled in close quarters. The lock is nothing more than a length of $\frac{3}{4}$ -in. pipe that passes through tees in the gate and the guard-rail post.—ROSS W. MORRISON.

Mending Broken Fishing Rods

BROKEN fishing rods, either of the split bamboo or solid wood varieties, may often be repaired by splicing the parts. If the break is like that shown in Fig. 1, the ends should be trimmed to an angle such as



Curving the splice a little makes it stronger

shown in Figs. 2 and 3. It will be noticed that the cut is curved a trifle, as shown in Fig. 2.

When a perfect fit has been obtained between the two parts, glue them together and hold them in a clamp of some kind until thoroughly dry, then wind the splice with silk used for wrapping fishing rods.

This method of repair is particularly valuable when a rod is broken during a camping trip, far from a sporting goods store.—R. L.


Using Broken Jack-Knife Blade

HAVING broken the large blade of my jack-knife, I ground the stub off in such a way as to leave a part of the thick back edge projecting to form a small screwdriver. The thinner edge was ground square with a sharp corner and it serves as a scraper. I have been surprised how well this sharp, square corner cuts around the edges of tin cans, and frequently I use it in starting an opening for tin shears when cutting off sections of pipe.

A semicircular notch was made in the sharp edge as near the handle as possible; it is convenient for scraping insulation from wires.—E. M. SHELTON.

GOODELL-PRATT

1500 GOOD TOOLS



All Steel Mitre Box
No. 1285
Price, \$26.00



Mitre box illustrated is made entirely of steel and is unbreakable.

Truss frame strongly riveted, insuring absolute accuracy.

Saw can be swung from 45 to 90 degrees, right or left.

Steel bottom plates scored to keep work from slipping.



Mr. Punch Says:

“Men, here is a Mitre Box as true as your best friend!

“It lets you make a clean, thin cut at any angle you want. It holds rigid the piece of wood you're working on, and it *couldn't* splinter it even if it wanted to. When your job's done, the edges are smooth and true.”

This Goodell-Pratt All Steel Mitre Box is trussed like a steel bridge. Saw can be locked at any angle and is held by a spring which can be released by a slight downward pressure. Stops are easily regulated to permit sawing to any desired depth.

You don't buy tools very often. When you do, you expect them to last a long, long time. That is why it is so well worth your while to remember Goodell-Pratt 1500 Good Tools—it's a name that stands for all that's trustworthy and accurate in tools.

Skilled workmen, toolsmiths of long experience, using the highest-quality materials obtainable, working in one of the most modern tool-making plants in the world, do everything in their power to make tools for you that you are glad to own and proud to work with.


The more cranky you are about the tools you use, the better you'll like Goodell-Pratt 1500 Good Tools. You will find them at those hardware dealers where high-grade tools are known and appreciated.

Write for free booklet showing hundreds of different tools for carpenters, mechanics, artisans and home “putters” who take pride in what they can do with their two good hands.

GOODELL-PRATT COMPANY

Toolsmiths

Greenfield, Mass.



The Radio Headset Sensation of the Year

ALMOST over night the new Manhattan Radio Telephone Headsets became famous. Since the first headset was produced on March 20th, over 130,000 have been made and sold; made with the precision of a watch and demanded by professional operators and amateurs who know.

The Manhattan Radio Headset is not just "another" headset on the market, but a product designed and built by one of the oldest radio manufacturers. Only in the higher priced instruments do you get the same supersensitiveness, the same amplifying qualities and the same freedom from distortion that are found in Manhattan Radio Telephone Headsets; and at a price within reach of all amateurs.

Outstanding features of the new Manhattan Radio Telephone Sets

- Extreme Sensitivity
- Amplifying Qualities
- Freedom from Distortion
- Sanitary Head Band with friction grip adjustment
- No Hair Catching Obstructions
- Concealed Cord Tips
- Polarity Indicating Cords
- Matched Receivers

Manhattan Radio Telephone Headsets are on sale by all reliable radio dealers. If he hasn't them in stock he will get them for you.

MANHATTAN
ELECTRICAL SUPPLY CO., INC.

Makers of the famous
Red Seal Dry Batteries

New York Chicago
St. Louis San Francisco

Look for this distinctive box on the dealers' shelves. Look for the M-Seal-Flash—


that is on the back of each receiver case of genuine Manhattan Headsets.



THE HOME WORKSHOP

Strong Tool Kit Made from Shotgun-Shell Box

TO MAKE a small tool kit easily and cheaply, go to your hardware dealer and obtain a good shotgun-shell box. Measure up from the bottom $4\frac{1}{8}$ in. and draw a line all around; then cut the top section off on that line. Take the bottom section and, turning it up on one of the sides, mark the ends as shown in the draw-



Fitted with hinges, catches, and handle


ing. The vertical saw cuts in the ends are $4\frac{1}{8}$ in. long, and the slanting cuts run up to them from points 3 in. from the bottom.

The next step is to nail or screw on the other side of the box and to hinge the lid. A handle and a pair of hooks or a lock will complete the box unless it is desired to place a small tray or two inside. The outside should be painted black, brown, or gray.—T. C. BUNCH, JR.

Farm Tractor Used for Sharpening Posts like Pencils

AS I watched one of my boys sharpening a pencil with a small thumb-twisting sharpener, I conceived the idea of attaching a similar device of a proper size to a farm tractor for sharpening the large number of fence posts and stakes required each year on the farm.

The lower part of an old cream separator was sawed off 14 in. above the circular base and a slot 9 in. long and 1 in. wide was cut out in one side by means of a drill and a hacksaw. Three angle lugs were used for



A tractor provides the power for pointing fence posts

attaching the steel blade used as a cutter. It was bolted on so that the cutting edge extended just beyond the inner surface of the conical casting.

The base of this giant pencil sharpener was attached to three of the six spokes of the belt wheel of my tractor with three U-bolt clamps. Finding that I could not hold the posts by hand as they were being whittled off, I made a jack so that pressing down on the lever would clamp the post rigidly. Leaning the jack toward the tractor allowed the post to feed to the sharpener as the point was shaped. One man is able to point one cedar post a minute.—GEORGE G. McVICKER.

DIAMONDS-WATCHES
CASH or CREDIT
LOFTIS
BROS. & CO. EST'D 1858

Genuine Diamonds GUARAN-TEED
Send for Catalog

Everything explained. Over 2,000 illustrations of Diamond-set Jewelry, Pearls, Watches, etc. Any article sent prepaid for Free Examination. Satisfaction guaranteed or money refunded.

Our immense Buying Power for our Chain of Stores and our large Mail Order House enables us to make lower prices than small concerns.

We invite comparison of quality and prices. You will be convinced that you can do better with LOFTIS.

LIBERTY BONDS ACCEPTED AT PAR

The handsome articles shown are SPECIAL BARGAINS selected from our "A1 Best Sellers." Diamonds are dazzling, blue white, perfect cut. Mountings are all Solid Gold. Furnished at prices given, and up to any price you wish. Order by Number.

DIAMOND RINGS: 1—White Gold, \$100. 2—White Gold, or Green Gold with White Gold prongs, \$75. 3—White Gold, \$25. 4—White Gold, or Green Gold with Diamond set in White Gold, \$37.50. 5—Yellow Gold, Diamond set in White Gold, \$100. 6—WEDDING RING: Platinum, \$225. Green or Yellow Gold, \$130. 7—WATCH: 17-Jewel, gold-filled, guaranteed 25 years, \$27.50. 12—WATCH: White Gold, 15-Jewel, \$35. 17-Jewel, \$45.

CREDIT TERMS: One-fifth down, balance divided into equal payments within eight months.

LOFTIS
BROS. & CO. EST'D 1858
108 N. State St., Chicago, Ill.
Stores in Leading Cities

Automobile Books

The Model T Ford Car

its Construction, Operation and Repair. Including the Fordson Farm Tractor, F. A. Lighting and Starting System, Ford Motor Truck. By VICTOR W. PAGE. 410 pp., 153 illus. Price, \$2.00

The Modern Motor Truck

Its design, Construction, Operation and Repair. By VICTOR W. PAGE. Treats on all types of motor trucks and industrial tractors and trailers and considers all types of trucks, gasoline and electric, and all varieties of truck bodies. 800 pages, 750 illustrations. Price, \$5.00

Automobile Ignition, Starting

and Lighting, with Questions and Answers. By CHARLES B. HAYWARD, M.S.A.E. A comprehensive analysis of the complete electrical equipment of the modern automobile. 1,024 pp., 740 wiring diagrams and illus. (including 128 blueprint diagrams). Price, \$3.75

Storage Batteries Simplified

Tells how to charge, care for and rebuild storage batteries. Also outlines their industrial uses, including how they are used in central station standby service, for starting automobile motors, and in ignition systems. 208 pp., illustrated. Price \$2.00

How to Run an Automobile

By VICTOR W. PAGE. Gives concise instructions for starting and running all makes of gasoline automobiles and how to care for them. Describes every step for shifting gears, controlling engine, etc. 178 pp., 72 illus. Price \$1.50


Popular Science Monthly
225 West 39th Street New York City

THE HOME WORKSHOP

Pipe Fittings Make a Cheap and Quickly Assembled Grinder

NO DOUBT many of my fellow readers have met with the same difficulty as mine—needing a power grinder but not feeling justified in buying one. I overcame this dilemma by constructing a bench grinder from pipe fittings, as shown in the accompanying sketch.

The grinder head was made from 1/2-in. pipe fittings. The tees were filled with



The grinder may be attached to bench or wall

babbitt and drilled to suit the shaft, which was threaded on both ends, right and left hand, for the hexagonal nuts used to clamp on the emery-wheels.

The motor used for driving this grinder was an old 6-volt starting motor. This I was lucky enough to own, but any one who has no power available can easily obtain one from an automobile wrecking company at a nominal cost. These motors run at very high speed and are also sufficiently powerful.


I found that this made a serviceable grinder and, of course, the cost was only a fraction of any power grinder on the market.—HAROLD N. WRIGHT.

Universal Holder for Cameras

WITH this attachment the amateur photographer will have no difficulty in placing his camera in many positions that would be impossible if an ordinary tripod were used.

A brass ball is gripped between two heavy steel strips, into the free ends of

which two holes are drilled. A bolt with a winged nut is used to tighten the grip of the strips. The brass ball is tapped to receive a rod, the outer end of which is threaded to fit the camera socket. A washer is soldered to the screw in order



Permits tilting the camera in many positions

that the camera will seat properly.

The brass block to which the strips are attached is also provided with a washer, and a hole is drilled up into this and tapped to suit the tripod screw.—J. B. MORAN.

Easy to "Load" Crystal Radio Set

IF YOUR radio outfit consists of a loose coupler and crystal detector, a honeycomb or duolateral coil of 1000-meter length placed in the antenna circuit will make it possible to bring in stations using wave lengths up to about 1500 meters.



2400 telephone wires in a cable little larger than a man's wrist

Science keeps down costs

When the Bell System installed its first successful telephone cable, fifty wires was the largest number that could be operated in a single cable without "cross-talk" and other interference. Today it would require 48 cables of the original type to accommodate the number of wires often operated in one cable.

Without this improvement in cable, the construction of new underground and 'aerial lines would have cost the Bell System upwards of a hundred million dollars more than has actually been spent. In addition, the cost of maintenance would have been greater by eighteen million dollars a year. These economies in the Bell System mean a saving in telephone rates to each individual subscriber.

In all branches of telephone

practice science has similarly contributed to economy. Even in such a comparatively small item as switchboard cords, improvements have reduced the cost of renewal by four million dollars a year.

Every new telephone added to the Bell System increases the usefulness of all telephones, but this multiplication tends likewise to increase the complications and the expense of service. The scientists of the Bell System, to offset this tendency, are constantly called upon to develop new devices which simplify complications and keep down costs.

By virtue of a united system the benefits of these improvements are shared by all subscribers—and the nation is provided with the best and cheapest telephone service in the world.

"BELL SYSTEM"



AMERICAN TELEPHONE AND TELEGRAPH COMPANY
AND ASSOCIATED COMPANIES

One Policy, One System, Universal Service, and all directed toward Better Service

RADIO PHONE RECEIVING

A practical book for everybody. Written in non-technical terms by nine specialists. 224 pages. Fully illustrated.

Price, \$1.50

Popular Science Monthly, 225 W. 39th St., New York

ARITHMETIC OF ELECTRICITY

A practical treatise on electrical calculations of all kinds reduced to a series of rules, all of the simplest forms, and involving only ordinary arithmetic. 200 pp. Price \$1.50.

POPULAR SCIENCE MONTHLY
225 W. 39th St. :: New York

PRACTICAL AMATEUR WIRELESS STATIONS

This book contains best suggestions of thirty-three experimenters on building, installing and operating experimental stations for radio communication.

Profusely illustrated, 136 pp. Price 75c

POPULAR SCIENCE MONTHLY
225 West 39th Street. New York City, N. Y.

LISTEN AND LEARN

SPANISH-FRENCH-ITALIAN
GERMAN-ENGLISH-ETC.
CORTINA PHONE METHOD

Another world is opened to you by acquiring knowledge of a foreign tongue. Whether for commercial purposes or merely as an accomplishment. Old masters in art and literature brought right into your home. Ours is the ideal method. "Merely listen and learn." Write for full particulars.

R. D. CORTINA CO.,
Dept. 51, 109 W. 40th St., New York



Make Your Radio Set



**Pleasing
to the Eye
—as well as
to the Ear**

**OUR FREE
BOOK TELLS
YOU HOW**

Of course you want the cabinet of your radio outfit to match or harmonize with your furniture. You can easily and quickly accomplish this with Johnson's Artistic Wood Finishes.

JOHNSON'S WOOD DYE

Johnson's Wood Dye is very easy to apply—it goes on easily and quickly, without a lap or a streak. It penetrates deeply, bringing out the beauty of the grain without raising it—dries in 4 hours and does not rub off or smudge. Made in fourteen beautiful shades.

FREE-This Book on Home Beautifying

This Book tells how to finish wood in artistic stained and enameled effects. Gives practical suggestions on making your home artistic, cheery and inviting. Tells just what materials to use and how to apply them. Includes color card—gives covering capacities, etc. Use coupon below.



S. C. JOHNSON & SON, Dept. PS 9,
RACINE, WIS. (Canadian Factory—Brantford)

Please send me free and postpaid your Instruction
Book on Home Beautifying and Wood Finishing.

The best dealer in paints here is.....

MY NAME.....

MY ADDRESS.....

CITY & STATE.....

THE HOME WORKSHOP


How to Construct a Bench and Tilt-Top Table for the Veranda or Sun Porch

THIS attractive combination bench, chest, and tilt-top table can be made at small cost and with little difficulty by men who have had a certain amount of experience in handling woodworking tools. It has just that mixture of utility and novelty that professional decorators use so effectively.

The piece is intended for use on the veranda or in the small sun porch that is included in the floor plan of so many modern homes. Primarily it is used as a bench, but when a table is needed, perhaps for a porch luncheon or games, the back of the seat is turned forward and rests on the arms of the bench, forming a table top. The advantage of this arrangement lies in the fact that a table is always at hand without



Used as bench or table. There is a capacious box under the seat



Three views showing how the bench-table is put together

the necessity of wasting space on a regular table that probably would be used only occasionally. It also makes it necessary to carry out a table from some other part of the house. It is obviously much easier to carry additional chairs to the veranda or sun porch than to set up even a folding table.

The table top and bench back is 2 ft. 6 in. by 4 ft. 6 in. The bench itself is 3 ft. 7½ in. long. When used as a table, the top is the regulation 2 ft. 6 in. above the ground.

White pine has been specified as the wood for making this project because of its durability when exposed to the weather, its excellent working qualities, and the ease with which it can be finished and painted. Cypress, cedar if obtainable cheaply enough, chestnut, oak, and other woods can be used instead. If a hard wood is used, some of the parts can be lightened a trifle by using thinner stock. The bottom of the box is best made of five-ply veneer, but regular ½-in. stock can be substituted. The pins upon which the top is pivoted should be of maple or other very hard wood.

The front, end and plan views are shown in the accompanying mechanical drawing, which gives a good idea of the general construction. The numbers refer to parts as follows: 1, top of table; 2, cleats under top; 3, front and back of box; 4, ends of box; 5, lid of box; 6, lid fillings; 7, lid rests;

8, strip at back of box; 9, back box filling; 10, posts; 11, top of posts or arm; 12, bottom end rails; 13, end slats; 14, bottom of box; 15, pins; 16, hinges; 17, brackets; 18, strip at top ends of box.

A completely itemized bill of materials or cutting list, assembly views drawn to the scale of 1½ in. to 1 ft., and full size details of top, cleats, and section, box joints, pins, etc., are given on Blueprint No. 11, which may be obtained by filling out the accompanying coupon and sending it with 25 cents to the Blueprint Editor.

Much of the charm of this piece of furniture will depend upon the way it is finished.

(Continued on page 87)

Coupon for Ordering Blueprints

Blueprint Service Dept.
Popular Science Monthly
225 West 39th St., New York

GENTLEMEN:

Send me the blueprint, or blueprints, I have checked below, for which I inclose....cents in stamps or coin:

No.	Title	Price	
1.	Sewing-Table.....	25c	<input type="checkbox"/>
2.	Smoking Cabinet.....	25c	<input type="checkbox"/>
3.	Book Trough End Table....	25c	<input type="checkbox"/>
4.	30-ft. Monoplane Glider....	50c	<input type="checkbox"/>
5.	Kitchen Cabinet.....	25c	<input type="checkbox"/>
6.	V.T. Radio Receiving Set..	25c	<input type="checkbox"/>
8.	Shaving Cabinet.....	25c	<input type="checkbox"/>
9.	Arbor with Gate and Seats..	25c	<input type="checkbox"/>
10.	Porch Swing.....	25c	<input type="checkbox"/>
11.	Bench and Tilt-Top Table...	25c	<input type="checkbox"/>

Name.....
(Please print)

Street.....

City and State.....

THE HOME WORKSHOP

Constructing Bench and
Tilt-Top Table

(Continued from page 86)


The best method, especially if it is to be used on an open porch, is to give it two or three coats of paint carefully selected in tint to match or harmonize with the wood-work near which the bench is to be placed. Stenciled ornaments on the front of the box and the bench back and possibly on the top may be used to relieve the plain surfaces; striping, if carefully done, will add to the attractiveness of the finish; or stenciling and striping may be combined. Brilliant colors, if chosen with discrimination, will be suitable for these decorations. A study of some of the better quality of similar commercial furniture will provide many good suggestions for style of finish and also for the ornaments.

Shaving Cabinet Fitted with
Adjustable Mirror

A WIDE range of mirror adjustments is possible with this shaving cabinet, which can be made quite easily with the carpenter's tools found in the average home workshop.

The mirror is pivoted by means of two pins that pass through the door stiles into the mirror frame. A commercial mirror already framed may be purchased if desired and the door adjusted to fit it.

By swinging the door and tilting the mirror, the best possible combination of light and reflection can be obtained. The door may be closed with the glass turned in or out; the mere closing of the door pushes the mirror neutral.—DONALD W. CLARK.




Mirror turns in or out

Collapsible Workbench Fits
the Small Garage

MY GARAGE, like many others, was limited in size by the area I had to build on and by the weight of my pocket-book. Therefore, I did not have much room for even a small workbench, so I built a folding bench as illustrated.

The top, when not in use, is turned up and locked in the slot cut for it out of



The bench folds up when not in use

two by fours." The three supports, which are held together by a wooden strip, are dropped out of the way, and raised when the bench is needed. The bench cost very little to construct and it certainly has proved useful and convenient in the garage.—FRANK W. BENTLEY, JR.

"WHEN A GOOD
HOUSE MEAN
THE MOST."



"HE WHO LOOKS BEFORE HE
LEAPS BUILDS OF CYPRESS
AND BUILDS FOR KEEPS."

Tide Water
Cypress
"The Wood Eternal"

A New Cypress Home Plan
(free)

The latest addition to the internationally famous Cypress Pocket Library ("that guide, counselor and friend of all home-lovers") is the entirely new *Volume 44*. It is the Cypress Colonial Book. It gives you Complete full-size Working Drawings, on a double plan sheet supplement, covering every detail of the beautiful dwelling pictured above. The design, by an eminent architect, is original and exclusive with us—for you. Complete specifications are included. In addition there are 22 historically authentic sketches by a well known artist, depicting Colonial costumes, dances, manners, furniture, silver, architecture, interior schemes, military attire, etc. Also much valuable editorial matter. The complete booklet comes to you on request, free with our compliments. Will you write us freely of your hopes and plans? We are here to help.

SOUTHERN CYPRESS MFRS'. ASSN.



1249 Poydras Building, New Orleans, Louisiana
or 1249 Graham Building, Jacksonville, Florida





Why Formica is the Best Radio Insulation!

FORMICA practically absorbs no moisture. Hence it never warps or develops current leaks.

Fumes, steam, heat and most chemicals do not affect it.

It is not brittle and will not crack.

The finish is a handsome brown or black, perfectly uniform and glossy unless it is sanded. It makes a panel of splendid appearance and one that never loses its good looks.

Formica manufacturing methods make Formica what it is—the most popular and widely used radio insulation.

The cotton rag fibrous base which is the base material of the radio grade has been developed scientifically for use in Formica only. This is thoroughly soaked in Redmanol resins, cut in sheets and fused or vulcanized under great heat and pressure into a solid piece of Formica.

The resin is handled with the greatest accuracy so it will be always perfectly uniform and aged just right when it is used. Temperature control is most exact.

Don't believe that all radio insulation is alike. Only Formica is like Formica. Insist on it.

The Formica Insulation Company

4630 Spring Grove Avenue
Cincinnati, Ohio

Dealers: Formica probably has the "call" in your territory as it has nearly everywhere. We have recently doubled our capacity and can now deliver your orders promptly.


FORMICA
Made from Anhydrous Redmanol Resins
SHEETS TUBES RODS

THE HOME WORKSHOP

How to Make a Serviceable Lathe without Castings

A CHEAPLY constructed lathe for the home workshop can be made as shown in the accompanying drawing. The bed consists of two pieces of straight-grained, well seasoned wood 4 by 6 in., and as long as desired. The headstock block is of wood and the bearings are two drop tees. The tees should be oversized so that Babbitt metal can be poured into them to form bearing surfaces after the shaft has been fastened temporarily in place.

The tailstock, which also is of wood, has for its spindle a threaded pipe. It passes through two tees. The right-hand tee has the left-hand threads filed away and the left-hand tee has all the threads removed. The left-hand tee has a plug placed in the top of the left-hand tee for locking the spindle in place. The tailstock hand wheel



The headstock, tailstock, and bed are wood and the bearings are pipe tees

is a wooden disk fastened to the spindle by means of a floor flange.


The toolpost is built mainly of pipe fittings. It is best to have the toolrest itself made by a blacksmith, who will not charge much for the work. The step pulley is made of three pieces of wood nailed together.—JONAS BYBERG.

Lathe Fixture Simplifies Drilling of Small Deep Holes

TIME can be gained and fewer drills broken in the drilling of small deep holes on a lathe if a drill guide is made and used as shown in the accompanying illustration.

I made use of this expedient when it was necessary to drill a number of connecting rods 44 in. deep. I was using a 9/16-in. drill welded to a long 1/2-in. rod. It was obviously to my advantage to break as few drills as possible in the rods.

Clamping together two pieces of brass 3/4 by 1 by 4 in., with a 1/32-in. liner between them, I drilled a 1/2-in. hole through the



center from end to end. Then I removed the liner and placed the blocks in the tool post of my lathe with the drill rod between them. I kept the screw just tight enough to hold the drill for cutting and yet allow it to turn in the blocks when it became chip bound. This prevented the drill from breaking in the work, and I had no mishaps through the entire job. A little experience will tell one just how tight to keep the screw in the tool holder to get the best results. It is, of course, necessary to make sure that the drill is exactly in line and level with the lathe centers.—GEORGE W. ELLIOTT.

Blowout in Auto Tire Temporarily Repaired with Burlap

ON A recent automobile trip I stopped to assist a fellow motorist who had a blowout in one of his rear tires. I offered him the loan of a large blowout patch and anything else of use in the tire-repairing line, but he waved them all aside. Instead, he asked me if I would carry him to the next farm for some




burlap. I did so, and we returned with a burlap bag that he immediately cut up into strips about 3 in. wide. Then starting to wind a strip about a partly inflated tube, he continued to wind the burlap back and forth for a distance of about a foot, winding on several layers. Lastly he laid a pad of burlap inside the casing over the hole. Then, inserting the tube in the casing with the two burlaps meeting, he put the casing on the wheel and pumped the tube.

I invited him to follow me into camp for that night, a distance of nearly 60 miles, and he reached there in prime condition. The tube was uninjured and the burlap padding was still holding its own.—L. B. ROBBINS.

Setting Dividers on Micrometers

MACHINISTS and toolmakers will find useful the illustrated attachment for setting dividers on micrometers. It consists of two steel rings with marks about the circumference somewhat similar to the marks on the barrel of the micrometer. The rings are made so that they can be pushed



The rings do not prevent the use of the micrometer for ordinary work


on the screw and fitted tightly enough to hold well. The circumference marks on the rings are .050 in. apart when the rings are in place; this allows the end of the anvil and screw to go .005 in. outside the rings, so that the micrometer can be used as usual.

To use the dividers for laying off radii, divide the wanted diameter by 2, subtract .050 from the quotient, and set the remaining distance on the micrometer. Then place the dividers on the circumference marks on the ring. In setting dividers for length, subtract .050 from the distance wanted and follow the same method. These rings can be used on micrometers of any size or style.—S. C. H.

THE HOME WORKSHOP

Garage Work Speeded Up with Swinging Tool Trays

IN REPAIR work on automobiles often much time is lost because parts and tools are placed on the mudguards or the car frame and are sometimes knocked into the drip pan or to the floor. To avoid



Tray can be moved up and down as well as laterally


this difficulty, it is well worth while to make a simple swinging tool tray.

It consists of a rectangular pan supported by a pipe bracket, which is held against the side of the garage by means of two screwed clips. Several drilled holes and an inserted pin allow the tray to be raised or lowered. A further adjustment for extending the length is possible by making the arm of two pipes that telescope together and that may be retained in several different positions with a pin.—A. L.

Pulley-Like Fastening for Swing Rope Gives Long Service

IN ORDER to reduce excessive swing-rope expense, the management of a playground maintained by a large steel company for the children of its employees, devised the ingenious fastening pictured in the accompanying drawing.

The pulleys are turned from selected white pine and bushed with steel tubing.



How the fastening is made

The rope is fastened around the pulley with standard rope or cable clamps. To prevent the rope from sliding on the pulleys a long screw is forced between the strands of the rope and screwed into the pulley. The rope is thus given a longer life than if fastened by the older and more familiar methods. It was also found that the swing motion is much smoother with this new type of suspension.—JOHN H. SCHALEK.



Run-down batteries need not be the reason for missing any broadcast programs

No Concerts Missed Because of Run-Down Batteries

With a Tungar Battery Charger you can easily keep your batteries up to full voltage. It enables you to recharge batteries from any a-c. lighting circuit at your convenience and at a minimum cost. The battery doesn't have to be taken out of the house. "B" storage batteries, also, can be charged by means of a simple, inexpensive attachment.

The Tungar Battery Charger requires no attention while operating and is so designed that there isn't the slightest danger of injuring the battery. And its first cost is very low.

Tungar has kept other people's storage batteries in condition for years—why not yours? Of course, it is equally good for your automobile battery.

Our new booklet on the application of Tungars to radio batteries will interest you. Send to us for booklet B-3640, if your dealer cannot supply you.



Tungar Battery Charger—saves disappointments and annoyance

Tungar
BATTERY CHARGER

General Electric Company

General Office
Schenectady, N.Y.

Sales Offices in
all large cities. 35-A 77

Modern Carpentry FRED. T. HODGSON

The most practical and complete work on carpentry. Every detail of the work carefully illustrated. 700 pages. Price \$3.00.

POPULAR SCIENCE MONTHLY

225 West 39th Street New York City

How to Make and Use a Small Chemical Laboratory

By RAYMOND FRANCIS YATES. The treatise covers all of the essentials of elementary chemistry. The second part of the book is devoted to chemical and electro-chemical experiments. Price, 75 cents

Popular Science Monthly

225 West 39th Street New York

7 Diamond Solitaire Cluster \$5.00 A Month

Special Price
\$55

Seven perfectly cut, blue white Diamonds are so closely set in Platinum, and so exquisite is the workmanship that the solitaire resemblance is actually startling. Looks like a single 2 ct. Diamond. Don't send us a penny—we'll send the Ring entirely FREE. If satisfied, pay \$5.00, then send the balance in ten months, \$5.00 a month. If not satisfied, return.

FREE

De Luxe Diamond Book showing over 2,000 Bargains in Diamonds, Watches and Jewelry—ten months to pay on everything. Write to Dept. 472-P

THE HOUSE OF QUALITY
CAPITAL \$1,000,000.

L.W. SWEET INC.
1650-1660 BROADWAY, NEW YORK

Make it a Real Vacation

OVER the hills to vacation land—with care left far behind! Fifty miles or five hundred, good roads or bad, just say where you want to go and a Harley-Davidson will take you there—comfortably, swiftly, economically.


Miles are but pleasant minutes—distant lakes, streams and camping grounds are but a jaunt away when you ride a Harley-Davidson. With your pal and a week's provisions in the roomy side-car, you're off for the time of your life—a vacation you'll never forget!

And you don't spend most of your vacation money for car fare when you ride a Harley-Davidson. Fifty miles for a dollar—gas, oil, tires and all. That's all it costs! Ask your dealer about **reduced prices** and the ten improvements on 1923 models. Or write us for illustrated literature.

Harley-Davidson Motor Co.

Milwaukee, Wisconsin

Attractive dealer proposition for unassigned territories. Address Desk A-2



Harley-Davidson
World's Champion Motorcycle

Arithmetic of Electricity

A practical treatise on electrical calculations of all kinds reduced to a series of rules. \$1.50 Postpaid.

POPULAR SCIENCE MONTHLY
225 West 39th Street New York

In Justice to the Crystal Detector

(Continued from page 32)

low priced crystal detector outfit, has greater tuning range and suffers less annoyance from static than with a tube. The latter is true because the modern tube can stand a heavier load than the crystal, and hence will pass along in greater intensity the static tick. Of course, with the tube, the same effect is obtainable by the use of low filament current.

Another fallacy commonly preached at the beginner is that he cannot hope for much success with a crystal set in the heart of a crowded city, where there is much interference. The fact is, on the other hand, that the crystal is often the city man's greatest hope. Indeed, I believe that the increased use of crystal detectors will make reception in cities better all along the line. The heterodyning effect, by which a tube set may become automatically a transmitter, annoying many amateurs in the neighborhood, is now well known. One tube set in an apartment building, operated by a careless or inexperienced beginner, at present often spoils reception for many other residents of the building and seriously interferes with all reception within a radius of several thousand feet. The use of crystal detectors by all of them would eliminate this exasperating interference.

An Untold Romance of Invention

(Continued from page 31)

minerals and furnace products that would operate as detectors.

It was following this period of experiment that Mr. Pickard perfected and patented the receiving circuits and the various types of contact and mounting for crystal detectors upon which is based his chief claim to fame as inventor of the crystal detector, and around which we may shortly see exciting legal warfare in the courts.

Another chapter in the drama:

About 1904, the DeForest Company, for which Mr. Pickard had become consulting expert, was taking the lead in radio communication, since with its ship installations it was showing wireless ranges of something like 600 miles, while its chief competitor, the Marconi Company, was able to handle messages over ranges of only about 200 miles. The DeForest operators were achieving their greatest records by use of the then widely employed electrolytic detector. Another company owning the so-called "Fessenden patents" on this detector, secured an injunction to stop its use by DeForest, and the De Forest Company at once faced seeming annihilation.

To their rescue came Gen. H. H. C. Dunwoody, with his so-called carborundum detector, a piece of carborundum wrapped with wire and contained in a fuse-shaped tube. Finally, to their further rescue, Mr. Pickard was summoned. The New England radio genius came and promptly showed the DeForest people how to make General Dunwoody's crude carborundum detector really work satisfactorily. He disclosed the radical and ingenious contact principle that he, himself, had been quietly developing for several years.

The DeForest Company breathed again. The crystal detector, had saved wireless from the grip of monopoly. After the hard times money from the sale of Mr. Pickard's new crystal detectors to the government and others began to come in. In 1907 he founded, with two others, the Boston company for which he is consulting engineer—one of the oldest radio companies in America.

THE HOME WORKSHOP

Ornamental Candlesticks Made of Hammered Copper or Painted Tin


By Ann Roe-Anderson

THIS craftsman's candlestick may be fashioned from sheet copper or brass or even made from a discarded can that has contained sirup, coffee, or oil. "Hammer" the cup and handle and after riveting this to the tray—if tin has been used—paint the stick any desired color.



Candlestick when finished


You will see from the diagram that the piece for the cup and handle is all one. It is $10\frac{5}{8}$ in. long by $4\frac{1}{2}$ in. wide. Draw a line $10\frac{5}{8}$ in. long on the tin, using a ruler; measure $2\frac{1}{4}$ in. along this line and draw a line at right angles to it $4\frac{1}{2}$ in. long; that is, $2\frac{1}{4}$ in. each side of the long line. Now you have the dotted lines as shown on the diagram. Work from these dotted lines to get the outside measurements.



The tray is 6 in. square, with the corners rounded off and the edge hammered or bent into shape.

Making Long Woodworking Clamps from Short Ones


WHEN a long woodworking clamp is necessary, it often is possible to join together shorter clamps in pairs. This expedient first suggested itself when some tables about 6 ft. long had to be glued up



and the only available clamps were about 4 ft. long. The writer had $\frac{3}{8}$ -in. holes drilled through the bars and then fastened pairs of clamps together with machine bolts and wingnuts.—FRANK P. WENTZEL.

Quick Patch for Pipe Repairs

A SPLIT or leaking pipe may be repaired temporarily with an improvised clamp consisting of a bolt, a nut, and some wire.



Crude in appearance but useful in an emergency

These, when used as shown, will hold a piece of brass and a gasket against the pipe with great pressure. It is a trick that has served me well on several occasions when I had to have a

clamp in a hurry.—CHARLES H. WILLEY.

The Very

DEAF

Can Hear with the Marvelous New Invention of Earl C. Hanson, the

VACTUPHONE

Using the New Radio Vacuum Tube
Call for demonstration or write for description.

GLOBE PHONE MFG. COMPANY

General Offices and Factory
READING, MASS.

SALESROOMS


Boston, Philadelphia, San Francisco
Washington, New York,
Chicago, Los Angeles,
Cleveland

THE HOME WORKSHOP

Practical and Artistic Is This Cigar-Lighter

ANY one with a little mechanical skill can make this practical cigar-lighter. First, make a square wooden base, with a cavity cut out from the bottom, or, to save this work, the lower part of the base may be made of four pieces of molding. The size of the entire lighter depends upon the size of the battery.

The upper part of the wooden base has a handle fixed to it and a 1-in. hole drilled in the center about $1\frac{1}{4}$ in. deep. The dummy candle is a piece of 1-in. bicycle tubing, through the middle of which runs a piece of brass tubing $\frac{3}{8}$ in. in diameter. The brass tubing has a piece of bronze



A spark ignites the wick

wire soldered to it at the upper end, and is closed at the bottom. At one side a piece of $\frac{1}{8}$ -in. copper tubing is soldered to the bicycle tubing. Both the copper and brass tubes extend about $\frac{1}{4}$ in. below the bottom of the steel tubing. The space in the dummy candle is filled with plaster of Paris. Two holes must be drilled into the base from the top to allow for the passage of the copper and brass tubes.

The coil is made with a core of several sheets of very thin soft iron. Tintype material is the best and should be slightly rusty. Around this core are wound about 100 ft. of No. 26 enameled magnet wire. Between the coil and the battery is a partition of some insulating material.

The candle-cover is made of a piece of 1-in. bicycle tubing about $\frac{1}{2}$ in. long, filled with lead. In the lead is embedded a burnt copper wire for a wick, a hard steel wire, which serves as a connection by sliding up and down in the small copper tube, and a bronze wire, which serves as a contact. A cavity is hollowed out of the lead to accommodate the wick. This prevents a short circuit. A hole is made in the plaster of Paris for the bronze contact wire when the cover is down.

From the bottom of the brass tube a wire runs to the coil. From the opposite side of the coil a wire connects with one pole of the battery. From the other pole of the battery a wire connects with the small copper tube. Next, the plug is inserted in the bottom and secured with some very small brads.

A piece of round wick saturated with benzine or gasoline is inserted in the brass tube and the device is ready for use. To operate: lift up the cover about $1\frac{1}{2}$ in. and twist it to one side. The bronze wires snap together and apart, striking a spark that lights the wick. Drop the cover back in place to extinguish the light.

The dummy candle should be enameled white and the wooden base stained.—E.G.G.

Why the Price is \$12

IF anybody could make a Radio Head Set as good as the Dictograph Radio Head Set to sell at a lower price, the Dictograph Products Corporation could do it. No other organization has its facilities for the manufacture of sound-reproducing apparatus. For twenty years it has specialized in this field; it is the largest manufacturer of "watch case" receivers in the world. The world-famous name Dictograph is your guarantee—it stands for the same perfection, sensitiveness and accuracy found in all Dictograph Products; the Dictograph System of Telephones, the Detective Dictograph, the Acousticon for the Deaf. See the Dictograph Head Set at any dependable radio dealer's—try it; and be sure to look for the name Dictograph.

DICTOGRAPH PRODUCTS CORPORATION
EXECUTIVE OFFICES:
220 West 42nd Street, New York City

3000 Ohms
Price
\$12



21 Jewel Burlington



Adjusted to the Second 21 Ruby and Sapphire Jewels
Adjusted to Temperature 25 Year Gold Strata Case
Adjusted to Isochronism Your Choice of Dials
Adjusted to Positions (Including Montgomery R. R. Dial)
New Ideas in Thin Cases

Only \$1.00
Down

Only One Dollar Down will buy this masterpiece of watch manufacture. The balance you are allowed to pay in small, easy, monthly payments. A 21-Jewel Watch—is sold to you at a price much lower than that of other high-grade watches. Besides, you have the selection of the finest thin model designs and latest styles in watch cases. Write for FREE Watch Book and our SPECIAL OFFER today.

Write *While This Special Offer Lasts*

Get the Burlington Watch Book—write today. Find out about this great special offer which is being made for only a limited time. You will know a great deal more about watch buying when you read this book. You will be able to "steer clear" of the over-priced watches which are no better. Write for watch book and our special offer TODAY!

Burlington Watch Company
Dept. 1366, 19th St., and Marshall Blvd., Chicago

ATKINS SAWS



Better for
every use

Look for the
name "Atkins"

on the blade. It is a guarantee the saw will cut faster and easier—save you time, labor and money for metal or wood cutting.

Get This **FREE** Book
"SAW SENSE"

We'll mail you this useful book without charge—besides describing Atkins Saws for every cutting use, it is full of helpful facts on caring for saws and interesting facts on construction work. Just send your name and address and the use you make of a saw to—

E. C. ATKINS & CO., Inc.
Makers of "Silver Steel" Saws and Tools
Dept. R. Indianapolis, Ind.

Learn While You Put Together the ASSEMBLO Radio Outfit

YOU will get pleasure and training by assembling your own Radio Outfit from the parts we furnish. A twelve-year-old boy can follow our simple directions and put the Assemblo together in an hour. Holes are already drilled. Screws, bolts and all necessary tools are included.

Here is what you get: 1 Bakelite Panel; 1 Variable Condenser; 1 Coil—2 windings; a set of Detector Parts; 1 Crystal, mounted; 1 fixed Telephone Condenser; 1 Pair of 2,000 Ohms Head-Telephones; 1 Wooden Base-Board; 1 Condenser Dial and Knob; 5 Binding Posts; Bolts, etc.; 1 Pair of Pliers, 1 Screw Driver; and Book of Instructions.

Our Book of Instructions not only tells you how to assemble and operate your own outfit, but it also explains in a simple, easy-to-understand way the basic principles of radio telephony.

For the convenience of those who do not care to do their own assembling, we furnish the same Outfit fully assembled for a slightly higher price.

"Start With a Good Crystal Set"

"If you really wish to learn all about radio," advises a high radio authority, "start with a good crystal set." The Assemblo is a two-circuit crystal set made of the best materials to be had. The two-circuit feature permits of unusually sharp tuning and reduces interference. With it, you can hear messages broadcasted anywhere within 25 miles, often much farther. The strength and clearness with which you can hear the signals will surprise you.


When you feel that you have learned all about this crystal set and wish to experiment farther, you have only to add new parts to your Assemblo outfit. From every angle the Assemblo is the best and most economical outfit for the beginner, inexpensive, yet thoroughly dependable.

You Need Send Only \$5—Order To-Day

Forward your order today with check or money order for \$5. Be sure to state whether you desire your outfit unassembled or fully assembled. We will mail it to you at once, prepaid and insured. When the postman delivers it, you pay him the remainder of the purchase price—\$14.85 (\$15.85 if fully assembled).

Order today. In a few days you can "listen in" on the fine programs broadcasted from the local stations.

\$19⁸⁵
Post Paid
Insured



ASSEMBLO
Radio Outfit

fully assembled. An ideal
set for the beginner

KING RADIO CORPORATION
122-P Fifth Avenue, New York City

A NEW FEATURE IN HEAD PHONES

**PENBERTHY
PRODUCTS**

DUAL RANGE

750 Ohms to 3000 Ohms

It is a well known fact that a head set of 750 Ohms resistance is most efficient on a receiving set of the crystal type, whereas, 3000 ohms resistance gives best results with a vacuum tube outfit.

A compromise between these two extremes is only a make-shift. Therefore, to get best results on either type (vacuum tube or crystal), use the new **PENBERTHY DUAL RANGE PHONE**. Pushing in, or pulling out, the plunger (shown in illustration) changes the resistance from 750 to 3000 ohms, or reverse.

Dealers and jobbers will welcome this new device. It will meet all requirements with one style of head phone—thus cutting down the investment in stock and increasing the turn-over.

Penberthy Head Phones have become unusually popular because of their handsome appearance, excellent workmanship, and very clear, full volume receiving qualities.

Full details to jobber or dealer, on request.

LIST PRICES

Dual Range Phones—750 to 3000 Ohms... \$8.50
Single Range Phones—3000 Ohms..... 7.00

PENBERTHY INJECTOR CO.

Detroit

Michigan

"Just
Push
The
Switch"




Making a Poultry-Feeder with Stove-Pipe and Pail

A CONVENIENT poultry-feeder that will not clog or waste in feeding any kind of dry mash or grains, may be made from a length of stove-pipe and a pail or tin with straight sides.

For a 6-in. pipe, a container about 9 in. in diameter and 7 or 8 in. deep is right. With two rivets one end of the pipe is attached to the side of the container, extending into it 4 in.

The feeding aperture between the outside of the pipe and the rim of the container must be 3 in. at the widest point and the end of the pipe must be 4 in. below the rim. The space below, in which the grain feeds out into the bottom of the container, may be from 2 to 4 in.



This feeder prevents waste

A lard-pail or sugar-pail cover fits over the top, and a bail or piece of wire is hooked into that end as shown, by which the feeder is hung and handily carried with several others in one hand.—R. B. C.

Cradle for Oilcan Lightens Work

ANY one who has a 5- or 10-gallon can of oil to handle, whether he is a motorist or a garage man, will appreciate a cradle such as is illustrated. It makes it easy to pour oil out of a large can into a smaller container.

The cradle may be so designed that it is equally useful whether the can is almost full or nearly empty. In the design illustrated, the cradle is made entirely out of welded strap iron.—H. B.




For 5- or 10-gallon cans

Easily Made Filing Jig Saves Vise Jaws from Damage

WHY file into the jaws of a good vise when in a few minutes' time you can make a jig that will save both vise and file? It can be made to fit any size vise and will hold all kinds of thin work. Once firmly gripped in the jig, the work cannot slip down and is not likely to shift sideways.

The illustration clearly shows the construction of the fixture, which consists of two jaws shaped to fit the vise jaws, a threaded rod, two nuts, and a spring.—W. L. GILLESPIE.




For filing thin work

THE HOME WORKSHOP

Overhead Washer for the Garage Prevents Wearing Out Hose

TO SAVE wear and tear on rubber hose and to facilitate the washing of automobiles, an overhead arm may be rigged up quickly in the garage as shown in the accompanying drawing. If the hose is not provided for in some such way, the wheels of the car are apt to run over it, and often it will be dragged over the more or less rough cement floor.

The hydrant pipe should be continued to a position well above the top of the car.




Mount a swinging wooden arm by means of two hinges and attach the hose as shown. Then arrange a pulley, cord, and counterweight, or sash weight, in such a way as to raise the hose out of the way when not in use. The counterweight should be slightly heavier than the hose extension, but not heavy enough to prevent the hose's being handled readily while washing the car.—L. A. G.

Faucet Serves as Safety Valve

THERE are many places in the home and shop where a safety valve should be used, but they are sometimes omitted on account of the expense.

A good substitute may be made by using a water faucet of the type shown in the illustration, which can be bought at any hardware store, and which has a valve that ordinarily is held closed by a spring. The spring is released by squeezing the handles together. Therefore when the faucet is used as a safety valve, the pressure will force the valve open against the spring whenever the pressure becomes strong enough.

In a bakery with which I am familiar, the burner that heats the oven burns oil. A faucet like this has been used for a safety valve for several months. Several times when the electric air compressor was not turned off, the valve "popped" at a pressure of about 40 lbs.—J. N.



A substitute for emergency use

—that eyes may see better and farther—



Wherever
there is beauty
in the distance—

Bausch & Lomb
Telescopes

THE far-off mountain peak, the distant horseman, the ship on the horizon—all the details can be within easy reach of your vision through a Bausch & Lomb Telescope. And the sun, the moon and the stars are subjects for fascinating exploration. What a world of enjoyment is

opened up to your home or club, if equipped with a Bausch & Lomb Telescope!

Bausch & Lomb's seventy years of scientific lens-making and their world-wide reputation for quality assure you that these American-made telescopes are second to none.

Write for our new booklet—it has illustrations, detailed descriptions and prices.

BAUSCH & LOMB OPTICAL COMPANY

600 St. Paul Street, Rochester, N. Y.

New York Washington Chicago San Francisco London
Leading American Makers of Stereo-Prism Binoculars, Photographic Lenses, Telescopes,
Projection Apparatus, Balopticons, Microscopes, Magnifiers, Automobile Lenses and
Other High-Grade Optical Products.

WIRELESS

New License Quiz Book

FOR
APPLICANT

TO
United States Government

New Rating of
Radio Operator's License Examinations

This is the first edition printed with the new rules, regulations and gradings laid down by the government. It gives a full description of various hook-ups, new devices, practical equations, international law and regulations, official gradings, diagrams, definitions and other important information.

No amateur or wireless professional can afford to be without this book.

107 pp. 80 Illus. Price \$1.00

Popular Science Monthly
225 W. 39th St., New York City

Louder, Clearer
RADIO

Bring in the distant stations and increase the range of your messages with Shinn

AMPLITONE
Radio Antenna

A new discovery in antenna that brings in distant stations with a clearer, louder tone, and reduces scraping and rasping. Greatly increases your enjoyment of the concerts, news, etc., sent from the big broadcasting stations.

It makes the little set work well and the big set work better.



Braided flat of ten pure copper wires. Length, 75 feet.

In actual tests the Shinn Amplitone Antenna has brought in distant stations that were never heard before it was installed. Also makes it possible to erect a Radio set with much less trouble, whether inside or outside aerials are used.

The Shinn Amplitone Radio Antenna is shipped complete, post-paid, for only \$6.00

Orders filled immediately. Shinn Lightning Arrestor prevents the fire hazard. Every Radio outfit should be equipped with one. Price \$2.00.

W. C. SHINN MFG. CO.
1305 Lytton Bldg., Chicago

Duck's Radio Catalog No. 16

Including over 50 pages of the latest "hook-ups"



275 page No. 16 Radio Catalog—just out. Send 25c in coin carefully wrapped for your copy of this wonderful book, the most unusual and complete catalog ever put between two covers. Not sent otherwise. It is not only a catalog, but a wonderful text book on radio. Enormous cost and tremendous demand prevent further distribution at a less retainer.

Ever since the year 1909
Duck's Radio Catalog

has blazed the way with everything worth-while and dependable in radio. This catalog eclipses all previous editions. It is all other catalogs in one. No other is even half as large.

DEALERS

We want live, responsible dealers in every city and town in the United States, both for the sale of our extensive line of radio apparatus and all other worth-while lines of radio goods, on all of which we can quote attractive discounts. We can offer you facilities and advantage that no other radio house can offer.

THE WILLIAM B. DUCK CO.,

224-228 Superior St., Toledo, Ohio



Radio Music Perfectly Reproduced Through Your Phonograph

The **Dulce-Tone Junior** converts your phonograph into the finest of loud talkers without detracting in the least from its power to play phonograph records.

The radio music comes to you with cello-like sweetness, even more clearly than that reproduced from your records.

The **Dulce-Tone Junior** is adaptable to any phonographic instrument. When you consider that you are using the wonderful sound-box, tone-arm and even the needle which has been perfected only after years of experimenting, you can realize the **QUALITY** and **SWEETNESS** of the tone which is so faithfully reproduced through the **Dulce-Tone Junior**.

Any one can attach the **Dulce-Tone Junior** in a few minutes. To operate, simply swing the tone arm allowing the needle to rest on the small center element of the **Dulce-Tone Junior**. This ingenious instrument eliminates the necessity of numerous expensive head-phones when entertaining a roomful of people—is a true economy.

The **Dulce-Tone Junior** is the instrument of the century—an instrument that will improve any radio set. Put one on your phonograph today and realize the possibilities of radio music for quality of tone.

RETAIL PRICE, ONLY \$15.00
(\$17.50 West of the Rockies)

If your dealer does not handle the **Dulce-Tone Junior**, fill out the coupon below, mail it with one dollar and we will forward this wonder instrument to you C.O.D. at \$14.00.

THE CLEVELAND RADIO MFG. CO.
236 St. Claire Avenue, N. E., Cleveland, Ohio

Sole Licensees Under Kaehm Circuit Inventions and Patent Appliances.

COUPON

The Cleveland Radio Mfg. Co.
236 St. Claire St., N. E., Cleveland, Ohio.
☐ Enclosed find one dollar for which send me a **Dulce-Tone Junior** (\$14.00 balance one)
☐ Send me your folder entitled "Waves to You Through Your Phonograph."

Name.....

Address.....

Town and State.....

THE HOME WORKSHOP

Building a Phonograph Record Cabinet

By Clifford A. Butterworth

FOR those who have a phonograph that is not of the cabinet style, the record cabinet illustrated will prove a useful addition to the living-room furniture. It will not only provide a place for the records, where they will be protected from dust and damage, but it will also serve as a stand for the phonograph. Space is provided for ten record albums of standard size.

Oak, or birch, finished in mahogany, is suitable for the cabinet. Whitewood also may be used, although it will not take the mahogany stain so well as birch. Most of the stock is $\frac{3}{8}$ in.; the legs are $1\frac{1}{2}$ in. square and the inside partitions are $\frac{1}{4}$ in. in thickness.

After the boards for the sides, back, and top have been glued and cut to size, the legs, which are tapered off at the bottom to 1 in. square, are doweled to the side and back panels. To these panels are screwed the upper and middle cleats, which are $\frac{1}{2}$ in. thick and $1\frac{1}{2}$ in. wide, and the bottom cleat, which is 1 in. wide.



To the under side of the 17-in. square top are fastened two pieces of $\frac{3}{8}$ -in. stock about 3 in. wide, at the front and back.

Across these pieces are fastened 5 filler blocks of $\frac{1}{4}$ -in. stock, with $\frac{1}{4}$ -in. spaces between them to serve as the upper grooves for the vertical partitions. The partitions themselves are spaced $2\frac{5}{8}$ in. from center to center. The top section may be doweled or fastened in any convenient way to the legs and side and back panels.

The middle shelf and the bottom are solid pieces that should be kept back 1 in. from the front edge of the legs. They are attached to the cleats on the side panels. In the middle piece are cut grooves $\frac{1}{8}$ in. deep to take the vertical partitions. To the bottom piece are fastened blocks of $\frac{1}{4}$ -in. stock to form grooves, as for the top.

The cabinet is fitted with two doors $6\frac{1}{2}$ in. wide and $26\frac{7}{8}$ in. long. When fitting the hinges, be careful to have the pin extend at the corner of the leg, as shown in the door detail, so that the door will swing back all the way when open. Knobs and catches should be fitted to the door.

If desired, the doors may be decorated with banded inlays or rosettes, which can be purchased ready made from dealers in inlays and marquetry, or rosettes and borders of carving or chip carving may be



Working details and dimensions of the cabinet


added by those who can handle the chisel and chip-carving knife. This ornamentation will not only improve the appearance of the piece, but will enhance its value and lift it at once out of the class of ordinary store furniture.

No part of the work is more important than the finishing, which must be done with extreme care to get the best

results. The first essential is to sandpaper the surface as smoothly as possible. If oak is used, it must be stained the desired shade, filled with a paste filler, shellacked, and varnished. If birch or whitewood is used, the filler may be omitted, as the shellac, if properly applied, and rubbed down after each coat with very fine sandpaper, will serve to fill the grain sufficiently. It is essential, however, that the surface be perfectly smooth, through application of either filler or shellac, before the varnish is applied. Use only a good quality of furniture varnish, put it on with a soft brush, and allow it to dry in a warm room that is free from dust.

Stand for Egg-Beater Is a Useful Kitchen Accessory


ONE of the most tiresome jobs in the kitchen is holding a beater for whipping cream, eggs, and the like, so I made a very simple stand, as shown in the accompanying sketch. The base of the stand is a $\frac{3}{8}$ -in. flanged union and the support a 10-in. length of $\frac{3}{8}$ -in. gaspipe. The pipe is tapped at the top for a thumbscrew, which locks in position the solid U-shaped rod. The beater is riveted or bolted to the flattened end of the rod.



For cleaning, the beater and rod may be pulled right out. The device should be screwed solidly on a $\frac{3}{8}$ -in. board.—H. C.

Magnifying Glass Attachment

IN LAYING out drawings to small scale, a magnifying glass assists a draftsman to make his measurements more easily and accurately. To hold the glass, a bracket made from $1/32$ by $1\frac{1}{2}$ in. brass should be bent as shown and fastened with a machine screw and nut to a spring clip, clamped to the scale. A slide should be provided to adjust the lens to focus.—M. T.




THE HOME WORKSHOP

A Draftsman Can Easily Carry This Large Drawing-Board

EVERY draftsman who has had occasion to carry a large and cumbersome drawing-board from place to place has felt the need of a portable board. The accompanying drawing shows the construction of one that is strong and rigid when set up, yet it can quickly be taken down to make a small and convenient bundle.

The board consists of four pieces of white pine or basswood held at the ends between strips of hard wood, such as oak or walnut. The whole is held firmly together by two long, thin bolts running through the length of the board. The two middle pieces of pine are joined by a tongue-and-groove joint,



The four pieces of this folding board are held together by end battens and long bolts

which is easily made with a combination or match plane. The outside edges of these boards and the inside edges of the outside boards each have a semicircular groove to fit the bolts. The ends of the pine boards are also tongued to fit into grooves in the hard-wood strips.

The bolt holes in one of the hard-wood pieces are counterbored for the bolt heads, so that there will be a smooth edge for the T-square.


The bolts may be made from $\frac{1}{4}$ -in. rod, with heads forged at one end and threaded for wingnuts at the other.

This board, if carefully made, has two smooth drawing surfaces, and while it may be taken apart or assembled with ease, it will be found quite strong. The dimensions may be varied to suit conditions. As shown, the pieces fit together compactly; a neat case of sheet metal may be made for them.—LESLIE G. ROLLER.

Lathe Used as a Clamp

OFTENTIMES the amateur mechanic or carpenter is in need of a clamp to hold a freshly glued box or other wooden article and resorts to makeshifts when he could easily bring his lathe into use for this purpose.

The faceplate is put on the head of the lathe and the tailstock moved forward. The glued article is placed between the faceplate and a heavy block of wood. The tailstock spindle is then screwed forward until the box is held rigidly.—W. R.



Gluing up a box between head- and tailstocks

The New Science of Health
CHIROPRACTIC (ki-ro-prak-tik)

BE WELL—BE HAPPY—BE SUCCESSFUL

STUDY this wonderful new science at the greatest school of its kind in the world—THE PALMER SCHOOL



This school is co-educational. Founded in 1895 it has expanded until today the faculty numbers thirty-seven.

The field is unlimited. We receive letters constantly from communities asking to send graduates to locate with them. People will pay anything for health. Chiropractic is the new science of health. Write for prospectus on our courses. 3,000 happy, contented students want you to join us.

WRITE TODAY

The Palmer SCHOOL OF CHIROPRACTIC

(CHIROPRACTIC FOUNTAIN HEAD)

11th and Brady Streets DAVENPORT, IOWA

B. J. PALMER

President


We Have No Branches or Affiliated Schools

THE NEW METAL WORKER PATTERN BOOK. By G. W. KITTREDGE AND ASSOCIATES. The most complete book on metal pattern work published. It contains 259 problems, including 65 on triangulation. 544 pp., 900 figs. Price \$7.50 Popular Science Monthly, 255 W. 39th St., New York

TUNIT The Real Tuner

(Patent applied for)

\$15



160-600 Meters



DUPLICATES the performance of the most expensive short-wave sets at a price anyone can afford. Fits the standard 3-coil mounting. Ask your dealer to demonstrate. If he cannot supply TUNIT send his name for descriptive circular.

SORSINC

80 Washington St., New York, N. Y.



RA-FONE

Variometer Vario-Coupler

\$3.80 \$3.80

Stators $4\frac{1}{2}$ inches square, rotors $3\frac{1}{2}$ inches. Double cotton covered windings No. 22 wire set in insulating varnish. Flexible leads to $3\frac{1}{2}$ inch secondary. Clear insulating varnish finish. Mounts flat to panel with 2 counter-sunk screws.

Both guaranteed to be of very best material and workmanship and to receive perfectly up to 500 meters when properly installed. Immediate shipment by parcel post on receipt of price. Satisfaction guaranteed or money back.

Ra-Tone Electric Co. 911 Park Place West Detroit, Mich.

Primary wound on 4 inch black dielectric tube with nine single taps and 8 nine-turn taps. Taps are soldered on brass strips and turned to allow easy soldering connection for user. Rotor $3\frac{11}{16}$ inch in diameter, making very close coupling with primary. Rotor finished with flexible leads through hollow rotor shaft. Primary and secondary both wound with No. 22 green silk covered copper wire. 44 turns on rotor, 80 turns on primary. Finished with clear insulating varnish.

"THERE'S MONEY IN IT"

AT HOME

LEARN TELEGRAPHY—MORSE AND WIRELESS

AT HOME




TEACH YOURSELF

in half usual time, at trifling cost, with the wonderful Automatic Transmitter THE OMNIGRAPH. Sends unlimited Morse or Continental messages, at any speed, just as an expert operator would. Adopted by U. S. Government, and leading Universities, Colleges and Telegraph Schools. 3 styles. Catalog free. OMNIGRAPH MFG. CO. 18 Hudson Street, NEW YORK

MURDOCK RADIO


WITH less adherence to quality, we could make many more Murdock Phones.

Murdock quality has sent the demand for Murdock apparatus far beyond our expectations. Wm. J. Murdock Co., 345 Washington St., Chelsea, Mass.
No. 55 2000 Ohm \$5.00
56 3000 Ohm 6.00



DIAMONDS
Here at 60% of Market Price
This snappy perfectly cut diamond 7-8-9-10 ct. at \$52.50 among bargains we list. Many other big values in our lists. Day HERE. Loan values the price basis, not market values. This 75 year old diamond banking firm has thousands unpaid loans and other bargains must sell NOW.
Why Pay Full Prices
Any diamond sent for absolutely free examination at our risk. No obligation. No cost to you.
Send for Latest List
Diamond Bargains described in detail. Tells of guaranteed loan values, unlimited exchange privilege, details of free examination. Send now.
JOE, DE ROY & SONS 4790 DeRoy Bldg. Only Opposite Post Office, Pittsburgh, Pa.

This Ring 52.50
1/4 - 1/2 Carat Perfectly Cut



Own a Corona!

Increase your income

THIS wonderful little 6½ pound folding typewriter pays for itself in time it saves and work it turns out. Fold it up—take it with you—typewrite anywhere.

CORONA

The Personal Writing Machine

Corona Type-
writer Co., Inc.,
112 Main St.,
Groton, N. Y.



THE HOME WORKSHOP

How to Make a Low Voltage Voltmeter

PROCURA a brass or copper pipe about ½ in. in diameter and 4 in. long. Cut two wooden ends for the tube, each 2 in. square, with a round hole in the middle of each, which will fit snugly over the brass tube, one at each end.


Next, wrap the tube with waxed paper and wind with 150 ft. of No. 28 single cotton-covered wire.

Make a base of wood 8 in. long and 4 in. wide, and mount the coil in the center of it.

Suspend a 2 by ⅜ in. iron rod by a small brass spring so that it extends downward into the coil about an inch.

Attach a stiff copper wire to the bottom of the iron rod, long enough to project ½ in. below the bottom of the coil. Bend about one fourth of the wire to one side to serve as a pointer. Glue a small strip of paper under the point of the wire for the scale.

Get five dry cells and connect one of them with the coil. Make a mark where the point of the wire comes to a stop; this is the 1½-volt mark. Do the same with two cells, then three, and so on until all of the five cells have been used.




Try out your battery with a home-made voltmeter like this that will measure low-voltage currents

If the iron plunger is pulled down too easily, use a stronger spring. Mount two binding-posts on the base and connect the two coil wires with them on the under side of the base.—J. W. DENNIS.

Repairing Broken Lawn-Mower Tread

THE tread of a lawn-mower wheel is sometimes broken when the mower is rammed against the edge of the curb or a stone. Such an accident recently broke the rim of my mower, but a repair was made with little difficulty by casting babbitt metal in place of the section broken out.



A babbitt casting is made

Cardboard was cut and fitted so as to inclose the section between two spokes where the break occurred and was held in


place with wet clay. The metal was then poured into the cavity between the spokes, filling up the entire section. After the metal was cold, the outer surface was filed off to the proper radius.

While the babbitt does not sweat itself fast to the wheel, it is prevented, by the means

described, from falling out by the corners, spokes, and unbroken portions of the rim.—JOE V. ROMIG.

Mounting Adjustable Motor

THE home workshop mechanic who has a small electric motor can mount it on a board and hinges in the manner shown so that considerable belt adjustment can be made to suit the work the motor may be called upon to do.



The belt tension can quickly be changed

The motor is bolted to a piece of hard wood. Hinges are placed on the upper edge and two elongated slots are cut under the motor to take the adjusting screws with which the belt is tightened. Two stiff springs are used on these


screws behind the board, as shown.—C. W.

Chain Prevents Loss of Key for Portable Drill Chucks

THE key for the drill chuck on an electric portable drill can rarely be found in the average shop. The accompanying drawing shows a stunt devised by the writer for keeping the key where it is wanted.

Fasten two spring steel clips with cap screws to the body of the drill. These clips

are used to hold the key in place when it is not in use. A chain is fastened under the screw at one end and around the key at the other. It should be made just long enough to go around the drill and then it will not be in the way. In most cases this length will be found just about right to reach the chuck.—W. B. B.



The key is always handy

Neat Window for Radio Panel

THE appearance of some radio panels can be improved by using a Ford ammeter lens and rim to form a window for the opening through which the light of the vacuum tubes is watched. These can be purchased for a few cents at automobile accessories stores and many garages. If ventilating holes are desired, they can be bored above the tubes or at the side or back of the cabinet.—C. E. RODEHAVER.


THE HOME WORKSHOP

Evaporating Vegetables and Fruits with an Electric Drier

By J. Arthur Frank

FIFTY years ago drying fruits and vegetables was accomplished by the slow and unsanitary process of spreading them on the attic floor and letting time and nature dehydrate them. Now they may be dried with the aid of an electric fan.

The foodstuffs to be dried are placed in wooden trays, the bottoms of which are of fine window screening. Beneath the stack



An electric fan forces the air through the drying trays

of trays is an electric fan, the blast of air from which evaporates the water content of the fruits and vegetables.

For the frame use two by fours and, if possible, mortise the joints. The first tray is built permanently on the four corner posts; the others are constructed so as to fit one above the other. For the average electric fan, the trays should be about 18 in. square and 6 in. high, of $\frac{1}{2}$ -in. stock. By means of the two slats on the top of each tray and corresponding slots on the bottom, the several trays may be nested one above the other. The motor is fastened to the framework with two heavy iron angles.

Before the fruits or vegetables are spread out to dry, they should be thoroughly washed, dried, pared and sliced and clean cheesecloth should be laid on the screens. Practically all vegetables and many fruits lend themselves to this method of preserving, including carrots, parsnips, and other roots. These root vegetables should be very thinly sliced. When thoroughly dry, the products may be packed away in cardboard boxes.

Preserving Nickel Finish

NICKEL-PLATED surfaces may be kept brilliant by wiping them with a cotton rag moistened with a solution of one part sulphuric acid and 50 parts alcohol. Quickly rinse the metal with clean water and dry with a linen rag. This method prevents wearing away the finish through use of gritty polishing powders.—D. H.

IVER JOHNSON

SAFETY AUTOMATIC REVOLVER



The Sign of Safety

In every corner of the world, the "Hammer the Hammer" trademark is known as a symbol of safety.

And so today, as fifty years ago, the Iver Johnson is recognized as the safe, dependable revolver for the home. No danger of accidents. Thumps, bumps, knocks, jolts won't discharge it. You can "Hammer the Hammer."

When needed, the Iver Johnson re-

FREE! Two interesting booklets full of information. Send at once for the one that interests you. "A-5"—Firearms. "B-5"—Bicycles

IVER JOHNSON'S ARMS & CYCLE WORKS,

New York Office: 99 Chambers St. Chicago Office: 108 W. Lake St. San Francisco Office: 717 Market St.

sponds with lightning quickness to the intentional pull of the trigger. Drawn-tempered piano wire springs—twice as strong as ordinary flat springs—keep this revolver always alert and ready for use.

Hammer and Hammerless models in all calibres. Regular, Perfect Rubber, and Western Walnut grips. If your dealer hasn't the particular model you want, write us.



Ask your dealer to show you an Iver Johnson Champion single barrel shotgun. Accurate, dependable, moderately priced.


Ride an Iver Johnson Truss-Bridge Bicycle. Strong, speedy, easy-riding and durable. Models and prices to suit everyone.



Elinor Glyn says.

"Thousands who don't dream they can write really can. YOU have ideas for stories and photoplays—why don't you turn them into cash? There are just as many stories of human interest right in your own vicinity as there are in Greenwich Village or the South Sea Islands. And editors will welcome a story or photoplay from you just as quickly as from any well-known writer if your story is good enough. They will pay you well for your ideas, too—a good deal bigger money than is paid in salaries. You can accept my advice because millions of copies of my stories have been sold. My book, 'Three Weeks,' has been printed in every tongue, except Spanish. My photoplays are known to millions. I do not say this to boast, but merely to prove that you can be successful without being a 'genius.' I believe thousands of people can make money in this absorbing profession. I believe this so firmly that I am going to show YOU how easy it is when you know how. Simply write to my publishers, The Authors' Press. They will send you a handsome little book called 'The Short-Cut to Successful Writing.' This book is ABSOLUTELY FREE. No charge—no obligation. Write for it NOW." Just address Elinor Glyn's publishers: THE AUTHORS' PRESS, Dept. 199, Auburn, N. Y.

"DON'T SHOUT"



The Morley Phone for the DEAF

is to the ears what glasses are to the eyes. Invisible, comfortable, weightless and harmless. Anyone can adjust it. Over one hundred thousand sold. Write for booklet and testimonials. THE MORLEY CO., Dept. 197, 26 South 15th Street, Philadelphia

W. L. DOUGLAS

FOR MEN

\$5. \$6. \$7. & \$8. SHOES

FOR WOMEN



W. L. DOUGLAS PRODUCT IS GUARANTEED BY MORE THAN FORTY YEARS EXPERIENCE IN MAKING FINE SHOES

THEY ARE MADE OF THE BEST AND FINEST LEATHERS, by skilled shoemakers, all working to make the best shoes for the price that money can buy. The quality is unsurpassed. Only by examining them can you appreciate their wonderful value. Shoes of equal quality cannot be bought elsewhere at anywhere near our prices.

OUR \$7.00 AND \$8.00 SHOES ARE EXCEPTIONALLY GOOD VALUES. W. L. Douglas shoes are put into all of our 108 stores at factory cost. We do not make one cent of profit until the shoes are sold to you. It is worth dollars for you to remember that when you buy shoes at our stores YOU PAY ONLY ONE PROFIT

SEE THAT THE NAME AND PRICE IS STAMPED ON THE SOLE. Do not take a substitute and pay extra profits. Order direct from the factory and save money.



"I'm at the Top of the Pole"



That's as high as I can climb in my present job."

SO wrote an ambitious lineman to the United Y. M. C. A. Schools. He didn't want to climb poles all of his life, so he enrolled for a practical course of home study to help him to a higher position in his chosen field of work.

He is making progress. He feels that ahead of him are the larger responsibility, the leadership, the higher pay and the better privileges, comforts and associations that are sure to come to the man who puts more into his head.

Have you gone as high as you can with what you now know? Do you need more knowledge to climb higher? Face these big questions.

During the last two years our friendly counsel has been given to more than 30,000 men who have enrolled for the United Y. M. C. A. Schools' Correspondence Courses—a new type of instruction from competent instructors that emphasizes service on all your problems.


If you want to climb higher, send the coupon for our friendly counsel

THE HOME WORKSHOP

Roomy Waterproof Tackle Box Adds to Joys of Fishing

ALTHOUGH there is no part of a fisherman's equipment more necessary than a tackle box, it is difficult to get one that is just the right size and design. Any man handy with tools can, however, make his own tackle box.

The one illustrated is made of $\frac{3}{8}$ -in. oak, the lower section, if not the entire case, being covered with tin. Closed, the box stands 8 in. high; it is $8\frac{3}{4}$ in. wide and 13 in. long. The top section is $5\frac{1}{8}$ in. high, the




lower section $2\frac{7}{8}$ in. Each of the 4 drawers in the upper section is $1\frac{1}{8}$ in. deep. The square drawer for the reel is $3\frac{3}{4}$ in. on each side. The hinges for the drop fronts are indicated at A in Fig. 1; B is the lock and C shows one of the two catches which hold the sections together.

The lower section is partitioned off as shown in Fig. 1 and the upper section as in Fig. 3. Drawers for the latter may be made of tin and should be partitioned to accommodate the assortment of artificial minnows and lures. All tin parts should be given at least two coats of black asphaltum paint, and the wood must be spar varnished or thoroughly oiled and waxed to make it as waterproof as possible.—R. P. L.

How to Make Wooden Compasses for Large Drawings

By Walter Lyon

IN MAKING large layouts I find use almost every day for the wooden compasses illustrated, and they are very often borrowed by men in the pattern room. Shaping them is a neat problem in woodwork, but if sufficient care is used, the



A serviceable drafting instrument for full size layouts

finished instrument will be found both accurate and durable, and in some respects handier than a beam compass.

Clear, dry, hard maple is preferable for the legs, and for the metal parts odds and ends may be picked up around almost all home workshops. The washers for the joint should be dished to provide sufficient tension for holding the legs firmly in any given position.



AT LAST!

The Book of Books on Radio

A. Howland Wood, of the engineering department of the U. S. Navy during the war and instructor and lecturer in the largest radio school in the world at Harvard College, has just written a new book on Radio, the first and only one of its kind.

Invaluable for beginner, yet a mine for the advanced. Function of every instrument and part simply explained. Enables you to read most technical books and understand them. Gives costs, how to build, how to install, etc. Nothing left to imagination—nearly 100 instructive illustrations, wiring diagrams, etc.

The ONLY complete guide book and encyclopedia on radio, by an EXPERT. F. D. Pitts, Director Eastern Radio Institute, writes, "The 'Standard Radio Encyclopedia' is very instructive." Sent postpaid for \$2.00; money refunded if not satisfied and if returned in five days.

PERRY & ELLIOTT CO., Publishers
146E Summer St., Boston

MOTORCYCLE BARGAINS

SAVE 25% to 65%

on Slightly used and Rebuilt Motorcycles, Side Cars, Johnson Motor Wheels, Evans Power Cycles, Bicycles. Send for Free Bargain Bulletin and Money Saving Message, listing hundreds of Bargains in used, rebuilt and new machines, supplies, accessories, etc.

AMERICAN MOTOR CYCLE CO.
Dept. 915, 2047 W. Chicago Ave., CHICAGO

BUCHSTEIN'S FIBRE LIMB

soothing to your stump—strong, cool, neat, light. Easy payments.



Guaranteed 5 Years. Send for Catalog Today.

P-BUCHSTEIN CO., 113 6th St., S., MINNEAPOLIS, MINN.

FREE TRIAL

Cut out this ad and mail it to us, with your name and address (no money); and we will send you our FAMOUS KARNAK RAZOR by return mail, postpaid. You may use the razor for 30 days FREE; then, if you like it, pay us \$1.85. If you don't like it return it. SEND NO MONEY. MORE COMPANY, Department 397, St. Louis, Mo.

Tire Agents Wanted

An auto owner in each locality to use and introduce Mellinger Extra-Ply and Cord Tires. Make big money part or full time. No capital or experience needed. Sample Sections Furnished. GUARANTEED 8,000 & 10,000 Miles (No Seconds). Hand made. Finest materials. Shipped prepaid on approval. FREE TIRES FOR YOUR CAR to one user in each locality. Be first to write quick for special Agents Offer and Low Wholesale Prices. MELLINGER TIRE & RUBBER CO. 962 North Oak St. Kansas City, Mo.



Stop Using a Truss



STUART'S PLAPAO-PADS

are different from the truss, being medicine applicators made self-adhesive purposely to hold the distended muscles securely in place. No straps, buckles or spring attached—cannot slip, so cannot chafe or press against the pubic bone. Thousands of users testify to the success of the PLAPAO-PADS in most obstinate cases. Grand Prix.

Soft as velvet—easy to apply—inexpensive. Awarded Gold Medal and Grand Prix. Process of recovery is natural, so afterwards no further use for trusses. We prove it by sending Trial of Plapao absolutely FREE.

Write name on Coupon and send TODAY
Plapao Co., 789 Stuart Bldg., St. Louis, Mo.

Name

Address

Return mail will bring Free Trial Plapao

Fits any furnace or boiler door

LET THE CROWN Fuel Saver



Put You on the Business Map

Establish a permanent business where steady work brings big profits. Become an exclusive distributor for CROWN Fuel Saver. Thousands in use. Easily sold because it saves at least one-fifth of the fuel. Every furnace and boiler owner a prospect.

We advertise the CROWN in your local paper

We back you with strong selling literature. We tell you how to sell the CROWN and help you do it. One \$35.00 sale a day means \$450 a month net profit.

Don't delay. Profitable fall business beginning. Some extra good territory open. Write or wire for exclusive distributor proposition. This puts you under no obligation. Do it now.

CFSCO, 12 N. 10th St., Richmond, Indiana



Putting the "howler" to sleep

THERE'S more than one "howler" to put to sleep these days. Your radio set can put on the greatest squalling and howling demonstration you ever dreamed of. The surest way to stop this howling and keep it peaceful is to add an Acme Audio Frequency Amplifying Transformer.

Most any amplifying transformer can magnify the incoming sounds but it also amplifies the howling and distortion of stray fields in the circuit. Acme Transformers with their specially constructed iron cores and coils eliminate this disagreeable feature—and it only takes five dollars to buy one.

Acme assures your receiving a large volume of sound that possesses the natural tones so lacking in the ordinary receiving set. Then, too, you will want the Acme Radio Frequency Transformer which costs the same as the Acme Audio Frequency Transformer. It can be used on both crystal detector and vacuum tube sets. It greatly increases the range of either.

You can buy either transformer at your nearest radio store or write the Acme Apparatus Company (pioneer transformer and radio engineers and manufacturers), Cambridge, Massachusetts, U. S. A. (New York Sales Office, 1270 Broadway.) Ask also for interesting and instructive booklet on the use and operation of Amplifying transformers.



Type A-2 Acme Amplifying Transformer
Price \$5 (East of Rocky Mts.)

ACME


for amplification

THE HOME WORKSHOP

Developing Tray Has Ruby Lamp for Illuminating Films

THIS combination developing tray and ruby lamp lessens the danger of fogging a film by taking it out of the solution in order to see whether it is fully developed.

The tray is of 1/2-in. wood, 4 or 5 in. wide and 30 in. long. The side pieces are cut as shown, so as to allow an electric lamp




and socket to be placed beneath the sheet of window glass that forms the bottom of the tray. The glass is fitted into grooves and is sealed with paraffin, with which all wooden surfaces exposed to developing fluid also are coated.

There are two short vertical grooves at the center of the side pieces, as shown, to take the ends of a dowel. One end of the film to be developed is slipped under the dowel, and each end is then held with developing clips.

Rocking the tray causes the solution to flow from end to end and assists the developing process. In order to see the condition of the film, all that is necessary is to switch on the ruby lamp from time to time.—EDWARD W. PRASEK.

Door Locks without Key

A SIMPLE way to lock a door from the inside without a key is illustrated. Drill a small hole through the latch bolt of the door lock as close to the door frame as possible. When the door is closed, insert a nail or steel pin into the hole. It will then be impossible for any one on the other side to turn the knob. I have found this device especially useful in connection with dumb-waiter locks.—JULIUS H. LUTZ.




A quickly made lock

Breast Drill Speeds Threading

FOR rapidly rethreading a number of studs and screws, I use a die-holder held in a breast drill. The holder is made in a lathe from a piece of cold rolled steel.


I also have converted an old screwdriver to take this holder for use in rethreading



Handy die-holder for small work

rusted, burred, and tight studs. It makes possible the use of small round dies to good advantage for this kind of work.—C. W.

Electrical Experts EARN \$12 to \$30 a Day



What's YOUR Future?

Trained "Electrical Experts" are in great demand at the highest salaries, and the opportunities for advancement and a big success in this line are the greatest ever known.

"Electrical Experts" can earn \$70 to \$200 a week. Fit yourself for one of these big paying positions—

BE AN "ELECTRICAL EXPERT"

Today even the ordinary electrician—the "screw driver" kind—is making money—big money. But it's the trained man—the man who knows the whys and wherefores of Electricity—the "Electrical Expert"—who is picked out to "boss" ordinary electricians—to boss the big jobs—the jobs that pay.

\$3,000 TO \$10,000 A YEAR

Get in line for one of these "Big jobs," by enrolling now for my easily-learned, quickly grasped, right-up-to-the-minute, Spare-Time Home-Study Course in Practical Electricity.

AGE OR LACK OF EXPERIENCE NO DRAWBACK

You don't have to be a College man; you don't have to be a High School Graduate. My course in Electricity is the most simple, thorough, and successful in existence and offers every man regardless of age, education, or previous experience, the chance to become, in a very short time, an "Electrical Expert," able to make from \$70 to \$200 a week.

I GIVE YOU A REAL TRAINING

As Chief Engineer of the Chicago Engineering Works, I know exactly the kind of training a man needs to get the best positions at the highest salaries. Hundreds of my students are now earning \$3,500 to \$10,000. Many are now successful ELECTRICAL CONTRACTORS.

YOUR SUCCESS GUARANTEED

So sure am I that you can learn electricity—so sure am I that after studying with me you can get into the "big money" class in electrical work, that I will guarantee under Bond to return every single penny paid me in tuition if, when you have finished my Course, you are not satisfied it was the best investment you ever made.

FREE—ELECTRICAL WORKING OUTFIT—FREE

I give each student a Splendid Outfit of Electrical Tools, Materials and Measuring Instruments absolutely FREE. With me you do practical work right at the start—at home. You start right in after the first few lessons to WORK AT YOUR PROFESSION in a practical way.

FREE RADIO COURSE

An up-to-the-minute Course in Wireless Telephony and Telegraphy given free with my great Electrical Course—two Courses for the price of one. Coupon brings particulars.

GET STARTED NOW—MAIL COUPON

I will send you a valuable book entitled "How to Become an Electrical Expert," and full particulars of my free outfit if you will send this coupon now.

L. L. COOKE, Chief Engineer,
CHICAGO ENGINEERING WORKS
Dept. 536 2150 Lawrence Ave.
CHICAGO, U. S. A.

CHIEF ENGINEER COOKE
Chicago Engineering Works
Dept. 536, 2150 Lawrence Ave., CHICAGO, ILL.

Dear Sir: You may send me entirely free and fully prepaid, a copy of your book, "How to Become an Electrical Expert," and particulars about your Home Study Courses in Electricity and Radio.

Name.....

Address.....

City..... State.....



\$3 brings genuine UNDERWOOD

Yes, only \$3 down puts this genuine standard Shipman-Ward Rebuilt Underwood in your home. Then—small monthly payments, or if convenient, pay cash. Either way you get the world's standard typewriter at a big cash saving.

WHY PAY RENTAL?

Think of it! You pay little more than rental, and the machine is yours! We offer the same three models of the Underwood Typewriter which are being made and sold by the Underwood Company today. The only difference is that Shipman-Ward machines are priced lower and are rebuilt like new by experts. You can't tell them from brand new machines. Visible writing—the FULL LINE of typewriting is visible at all times. STANDARD 4-ROW SINGLE SHIFT KEYBOARD. Two color ribbon, back spacer, stencil device, automatic ribbon reverse, tabulator, etc.

TEN DAYS' FREE TRIAL

See for yourself! Try the typewriter ten days. You must be satisfied or the entire transaction won't cost you a penny. Act today. Get our big illustrated catalog and full particulars. Write NOW.

FREE TRIAL COUPON

Typewriter Emporium
SHIPMAN-WARD MFG. CO.

2146 Shipman Bldg., CHICAGO

Send by return mail Bargain Offer No. 2146 of a Standard Visible Writing Underwood. This is not an order and does not obligate me to buy

Name.....
Street or R. F. D. No.....
Postoffice..... State.....



\$1.00

A
Compass
and
Sun Dial

The Ansonia SUNWATCH

Tells the correct time by the sun anywhere in the United States, and heads you in the right direction when you have lost your way.

For: Hunters, Fishermen, Canoeists, Motorists, Campers, Guides, Boy and Girl Scouts.

In a thin, satin-finished brass case, with latitude, longitude and variation tables on inside cover.

If you cannot get it from your dealer, send us a dollar attached to this ad, with your name and address below.

ANSONIA CLOCK COMPANY
99 John St. Dept. M New York
Manufacturers of Fine Clocks for Half a Century

Name.....
St. & No.....
City.....

American Sunwatch not adjusted for Canadian latitude and longitude. Canadian price \$1.50. Distributors: The Goldsmiths' Company of Canada, Ltd., 50 Yonge St., Toronto, Canada.


THE HOME WORKSHOP

Wooden Pumps that Float Are Favored by Some Boatmen

By Henry S. Laraby

BOAT pumps that are entirely practical and are used by many oyster tongs I have known are constructed of wood. Their advantages are that they will not sink, they do not tend to roll, they have a large outlet, and they will stand harder treatment than the ordinary iron pumps.

The dimensions given in the illustration are for a pump used on a 25-ft. cruiser. Pumps on the same plan are made as small



Showing the pump and details of its valves and outlet

as 1 1/2 in. square inside and 12 in. long, for canoes. In any event, the pump should be long enough to bring the outlet over the coaming when the pump rests on the bottom of the boat.

The pump casing is a wooden box in which works a plunger composed of a wooden block and a 1/4-in. thick leather flap fastened with brass straps to a square plunger rod. Ample allowance should be made for the swelling of the plunger block, in this case 1/8 in. The leather on the plunger is made 1/2 in. larger all around than the inside of the pump box and is forced in. The bottom of the box is closed with a block in which a hole is bored and fitted with a simple leather inlet valve. The removable hose attachment is made from two blocks into which a brass pipe has been screwed and is fastened to the pump proper with a hook and eye. These details are all made clear in the accompanying drawing.

A Glass Chess and Checkers Board

A FINE looking chess and checkers board may be made of plate glass.

Cut a piece 15 in. square and grind the edges smooth with emery powder and turpentine. Mark off lines 1 1/2 in. from each edge, thus leaving a square 12 by 12 in. Divide this square into 64 small squares, each 1 1/2 by 1 1/2 in., by marking off eight divisions on each side 1 1/2 in. long, and joining across to the opposite side. Paint alternate squares black and fill up those remaining with red or yellow. Then paint the 1 1/2-in. borders with a suitable color.

The completed board should be inserted into a frame or table, painted side downward.—EUGENE ELSTON.

DON'T SWEAT OVER A KITCHEN STOVE!

No excuse any more for fuming and fuming over a hot kitchen stove in summer time! No need of keeping a hot fire going all day just to do a little cooking. Amazing new invention does away with this dirt, mess, and kitchen draggery.



Amazing Invention

Gives plenty heat when you want heat. You turn it off instantly when you don't want heat. Cheaper—burns 95% air—5% oil. Saves money, time, labor, health. No fires to make, no ashes, dirt, smoke, odor, chopping, shoveling, carrying dirty coal or wood.

Quick Heat On or Off at Turn of Valve

Don't let your coal-and-wood stove turn your kitchen into a roasting-room. Wonderful invention—Oliver Oil-Gas Burner gives quick heat at turn of valve. Fits in fire box without adjustment. Note how simply it works. Absolutely safe. Lasts lifetime. Fine all seasons. No roasting Summer kitchen. Ready heat in chilly Fall and Spring. 3 times more heat in Winter. FREE BOOK telling all about the "New Kind of Heat," sent free. Also amazingly low introductory price.

Offer including 30-day Trial. Write today. OLIVER OIL-GAS BURNER & MACHINE CO., 2001 E. Pine St., St. Louis, Mo. Oldest, Largest Manufacturers of Oil-Gas Burners in the world.

AGENTS: Oliver agents earn as high as \$500 a month—\$25 a day spare time is easy. Exclusive territory. Big all-season seller. Write for Special Offer.

EARN MONEY AT HOME

YOU can make \$15 to \$60 weekly in your spare time writing show cards. No canvassing or soliciting. We instruct you by our new simple Directograph system, pay you cash each week and guarantee you steady work. Write for full particulars and free booklet.

WEST-ANGUS SHOW CARD SERVICE
63 Colborne Building Toronto, Can.

Only \$45.00 For This Job Complete

Save exorbitant rates and one-half original cost by buying Ford Speedster bodies knocked down. Simple, complete instructions furnished, all parts cut to exact fit. Any one can assemble this job. Complete with hood, radiator shell, instrument board, upholstery, metal parts, wood parts, bolt screws, etc. Flat radiator shell furnished made up. Designed low with lack of wind resistance. Price set up \$90. Further particulars on request. The Central Auto Supply Co. Eng. Dept. 122 Louisville, Ky.

"BOWLEGS and KNOCK-KNEES" UNSIGHTLY

SEND FOR BOOKLET SHOWING PHOTOS OF MEN WITH AND WITHOUT

The Perfect Leg Forms

PERFECT SALES CO., 140 N. Mayfield Ave., Dept. 45, Chicago, Ill.

5 Master Keys

Only keys of their kind in existence. Open and test thousands of different locks. Tell you instantly if your door or padlocks are burglar proof. Serve in emergencies, too. Thousands of sets in daily use. Novel key chain FREE with each set. Send only \$1 today. Agents wanted. Mention if interested when ordering.

Master Key Co., 125 Manhattan Block, Milwaukee, Wis.

"I Would Not Part With It For \$10,000"

So writes an enthusiastic, grateful customer. In like manner testify over 100,000 people who have worn it. Conserve your body and life first.

The Natural Body Brace

Overcomes WEAKNESS and ORGANIC AILMENTS of WOMEN and MEN. Develops an erect, and graceful figure. Brings restful relief, comfort, energy and pep, ability to do things, health and strength. Does away with the strain and pain of standing and walking; replaces and supports misplaced internal organs; reduces enlarged abdomen; straightens and strengthens the back; corrects stooping shoulders; develops lungs, chest and bust; relieves backache, curvatures, nervousness, ruptures, constipation, after effects of Flu. Comfortable and easy to wear.

Costs You Nothing to Try It. Write today for illustrated book, free, with full information and measurement blank. Address HOWARD C. RASH, Pres. Natural Body Brace Co. 241 Rash Building SALINA, KANSAS



For Children Also



20c a Day Pays for this English Fireside Rocker and Chair

Solid Mahogany, genuine cane back. Only two of over 1200 attractive Furnishings we offer on easy monthly payments for Living Room, Dining Room, Bedroom, Kitchen. All at **bed-rock** prices. Shown in our latest big 104 page guide to cozily furnished homes. Check below offer interested in and get FREE this Larkin Book of Better Homes.

Lower Prices Now On

- | | |
|---|--|
| <input type="checkbox"/> Furnishings | <input type="checkbox"/> Symphonic |
| <input type="checkbox"/> Symphonic Pianos | <input type="checkbox"/> Player Pianos |
| <input type="checkbox"/> Symphonola Phonographs | |

(Check offer and mail ad Today)

Let us quote our money-saving Factory-to-Family prices on these Furnishings and famous Musical Instruments all on

1 to 4 years Time to Pay

Mail this ad.—check offer—and give full name and address NOW for Big FREE Book.

Larkin Co Inc.

Desk FPSM-922 BUFFALO, N. Y.

Complete Vacuum Tube Radio Set FREE

with Course

- B** Theory
E Instruments
S Text Books
T Service

Send for Free Booklet

NEW YORK WIRELESS INSTITUTE
258 Broadway, New York—Dept. 400

Easy to Play
Easy to Pay

BUESCHER

True-Tone

Saxophone

Easiest of all wind instruments to play and one of the most beautiful. You can learn the scale in an hour's practice and play popular music in a few weeks. You can take your place in a band within 50 days, if you so desire. Unrivaled for home entertainment, church, lodge or school. In big demand for orchestra dance music.

Free Trial You may order instrument without paying one cent in advance, and try it six days in your own home, without obligation. If perfectly satisfied, pay for it on easy payments to suit your convenience. 75% of all popular phonograph records are played with Buescher instruments. Ask for pictures of the Nation's Record Makers.

Saxophone Book Free After nearly 300 years' supremacy, string instruments are almost entirely displaced by Saxophones in all nationally popular orchestras. Our Free Saxophone Book tells which Saxophone takes violin, cello and bass parts and many other things you would like to know. Ask for your copy. Mention the instrument interested in and a complete catalog will be mailed free.

BUESCHER BAND INSTRUMENT CO.
Makers of Everything in Band and Orchestra Instruments
3157 Buescher Block ELKHART, INDIANA


(57)

Sax Invented the Saxophone
Buescher Perfected It

THE HOME WORKSHOP

Farm Gate Can Be Opened without Leaving Automobile


A FARMER can open a gate such as the one illustrated without leaving his automobile, buggy, wagon, hayrack, or tractor. The simple mechanism that opens the gate is operated by pulling a rope that



The operating mechanism seen from the inside of the gate

passes over pulleys on the top of a pole and is carried within reach of the driver by a projecting iron rod.

When the rope is pulled, it lifts up a beam pivoted at the bottom of the pole. A connecting rod between the upper end of this beam and one end of the gate pushes the gate open as the beam is raised. When the



Gate slides back when rope is pulled

beam is in a vertical position the gate is half open and momentum and gravity carry the beam down on the other side of the pole, consequently opening the gate fully.

For this device to operate successfully, the gate must be well mounted with wheels on an overhead track so as to slide easily.—FLORENCE L. CLARK.

Removing Tight Headlight Rims

WITH the aid of a length of rubber cut from an old inner tube, it is usually a simple matter to take off a stubborn



headlight rim. Stretching the rubber as tightly as possible around the rim, as shown, will be found to give a good grip that will not slip.—D. V. H.



The plant of the Jewett Manufacturing Corp., in which ABC Units and Parts are produced, is among the very few well equipped factories devoted entirely to the manufacture of radio products.

ABC Parts for Radio Receiving Sets

As the result of exceptional manufacturing facilities, ABC Parts possess an inbuilt quality, precision and stability which renders them most satisfactory and also economical in actual service.

Dependable parts are so essential to the construction or maintenance of a satisfactory receiving station that every effort should be made to use ABC Parts wherever possible.

The new catalog, "ABC Parts for a Radio Receiving Set", is a complete guide to the selection of correctly designed, carefully produced and attractively finished radio products. Send for a copy today.

ABC Parts can be obtained from thousands of good radio dealers throughout the country. If more convenient, order direct from the manufacturers.



A guide book to satisfactory Radio Parts. Send for free copy today.

Jewett Manufacturing Corp.
342 Madison Ave., Dept. C9,
New York



Tirro
The Ideal Mending Tape

FREE
Trial Strip of Tirro.
Mail coupon below

Make it safe this new way

For a firm grip, safer driving, easier handling of your car, wrap the steering wheel with Tirro—the new water-proofed mending tape. Tirro mends most anything, too. Garden hose, crockery, rubber gloves, leaky hot water bottles. Insulates electric wires. Mends some things temporarily, others permanently. You can color it to match the article mended. It's a brand new idea in mending tape. Bauer & Black make it. All drug-gists have it. Costs nothing to try it.

Three Sizes: Small, 15c; Medium, 25c; Large, 50c
At Drug Stores

Tirro MAIL THIS
For Free Strip

BAUER & BLACK,
2500 Dearborn St., Chicago.

Mail me a strip of Tirro.

Name.....

Address.....

City..... State.....

Learn Chemistry at HOME

Chemistry offers the greatest opportunities to-day of any profession. If you want to know how you can learn chemistry at home, in your spare time, write to one of the foremost authorities on Chemistry, Dr. T. O'Connor Sloane, care Chemical Institute of New York, Home Extension Division 9 140-S Liberty St., New York City. Dr. Sloane will send you full information FREE, by return mail.

Learn Photography at HOME

Make \$75.00 a Week on the Side

Establish yourself as a Photographic Expert quickly—during your spare time—under a leading photographer. I'll show you how to start your own business—on command a large salary. Send for my unusual offer—it's only temporary. Act at once. A postal will do. H. R. VANT.

International Studios, Inc., Dept. 2383
3601 Michigan Ave., Chicago, U. S. A.




THE HOME WORKSHOP

Screw Jack Provides Pressure for Homemade Fruit Press

WHEN the purchase of an expensive fruit press is not warranted, one that will serve all ordinary purposes can be made at little cost by using a small screw-jack to provide the pressure.

The framework is made of 4 by 4 in. timbers. A convenient size for it is 30 in. high and 20 in. wide. The base supports a



A powerful press for extracting fruit-juice

container, in this instance a 6-qt. can taken from a discarded ice-cream freezer. The jack is fastened to the top member by cutting a hole in its lower side large enough to take the head of the jack, which is held in place by toenailing it securely. The bottom of the jack rests on a circular piece of 2-in. plank slightly smaller than the inside diameter of the can. This piece should be planed up and sandpapered as smoothly as possible. It is important that the construction should be rigid.

If a larger container is used, the lower crosspiece should be made sufficiently wide to form a solid base.—DALE R. VAN HORN.

A Neat Clothesline Reel

THIS clothesline reel, which is often mistaken in its leafy setting for a bird-house, is made of short lengths of shiplap on a frame of odds and ends of 2 by 4. The whole is then fastened firmly to the tree by means of a frame that encircles the trunk, and is braced with a bracket.



Resembles a bird-house

The roller is 18 in. long and 3 in. in diameter. The crank handle is from a cast-off clothes-wringer, and the iron pin that holds the crank in place after the line is drawn taut is a $\frac{5}{8}$ -in. bolt 8 in. long. On the roller is evenly wound a 100- or 150-ft. length of good clothesline. Four, five, or six pulleys, as may be desired, are threaded on the line. An equal number of stout screwhooks are placed conveniently on buildings or other trees. To each of these is hooked a pulley, after which the line is wound tight and the crank locked. If the line slackens after the clothes are on it, another turn of the roller will tighten it once more.—R. A. FRANKLIN.



Radio

Be sure you take a dependable Radio Set with you on your vacation. Keep in touch with what is going on while you are away. Fun for everyone young and old.

Dr. Lee De Forest is the inventor of the present-day vacuum tube. It was he who applied it to the wireless telephone. Since 1902 every notable advance, every radical improvement has been a De Forest achievement. The Unit-Panel System was brought out by De Forest; the Interpanel Arrangement of Apparatus was a De Forest creation.

The De Forest Reputation and Prestige is ably upheld during the present popularity of radio by five well-known instruments: The Everyman Receiver, the Radiophone Receiver, the DT-800 Amplifier, the Radiobest Receiver and MR-6, the 150-20,000 meter Receiving Set.

Get "Wireless In the Home"

Written by Lee De Forest (Ph. D., D. Sc.). Explains wireless. Illustrated with photographs and sketches. Complete. Send 15 cents for copy.

DeForest Radio Telephone & Telegraph Co.
Central Ave. and Franklin St.
Jersey City, N. J.

FREE "Linene" COLLAR

For trial, a sample of our New Style Collar, if you send 2 cents for postage and state size wanted.
Reversible Collar Co., Dept. 118 Boston, Mass.

CUSTOM TAILOR MADE TO FIT YOUR INDIVIDUAL CAR

Made in our custom shops after your order is received. We ship ordinarily in 2 or 3 days. Perfect fit guaranteed when correct name, year and model of car is given. You can easily apply it yourself. We furnish instructions and all necessary tacks, welts and fasteners. Our catalog No. 10 with samples is free for the asking.
LIBERTY TOP & TIRE CO., Dept. E-8, Cincinnati, O.

DEAFNESS IS MISERY

I know because I was Deaf and had Head Noises for over 30 years. My invisible Antiseptic Ear Drums restored my hearing and stopped Head Noises, and will do it for you. They are Tiny Megaphones. Cannot be seen when worn. Effective when Deafness is caused by Catarrh or by Perforated, Partially or Wholly Destroyed Natural Drums. Easy to put in, easy to take out. Are "Unseen Comforts." Inexpensive. Write for Booklet and my sworn statement of how I recovered my hearing.

A. O. LEONARD

Suite 301, 70 5th Avenue - New York City

SEND FOR THE INTERNATIONAL CATALOG

Our net price list of auto bodies and body supplies at Wholesale Prices. Save big money by buying Direct from Factory. For Ford, Chevrolet, Dodge, Maxwell, and Overland Four. Prices from \$27.95 up.
INTERNATIONAL BODY WORKS, 914 W. Ohio St., Dept. 8, Chicago, Ill.

YOU CAN MAKE \$18.00 DAILY

Great Introductory Offer
Giving These \$1.25 FREE
Dress-Making Shears

With each sale of our wonderful 11 piece Toilet Article Assortment for only \$1.75. Total store value \$4.60

MY! HOW THEY SELL

You get the interest with the free Shears. Walter Harris sold 800 boxes in 6 weeks. Profit over \$600.00. ONLY 20 Boxes a Day Means \$18.00 Daily Profit! ACT NOW! Sells like hot cakes year 'round. A baby could sell "Lucky 11." Don't delay a minute. Write for circulars explaining our unique plans, including 30 other packages. Act Now!

E. M. DAVIS CO., DEPT. 2369

CHICAGO, ILL.

THE HOME WORKSHOP

This Sling Shoots an Arrow Whittled from a Shingle

A SLING and arrow that will give any boy vast amusement can be made with a jack-knife. Whittle a strip of wood about 16 in. long—a shingle will be just the thing—to the shape of an arrow and somewhat like a blue-jay's tail. The arrow should be approximately square in section toward the point and taper gradually to where the tail begins.

At about the middle cut an angular notch. An ordinary string a little shorter than the arrow with a small twig about 1 in.




long tied to one end, is fastened to a stick or small branch.

To shoot the sling, catch the string in the notch, hold the arrow lightly by the tail and grasp the stick in the other hand. Give the arms and the toy a swinging motion back and forth in an upward direction several times. Then let fly. If properly made, the arrow will ascend as high as 200 ft. and come down point first, sticking into the ground.

It may require several attempts to cut a properly balanced arrow. If it whirls around in the air only a few feet up, the notch may need to be placed farther above or below the notch. When proficiency is attained, one arrow may be used until the point becomes blunt by constant impact with the ground.—A. E. ZIPPRICH.

Renewable Sandpaper Block

THIS sketch illustrates a simple method of making a sandpaper pencil pointer that is easily renewable. The handle is of



wood, shaped as shown. A piece of fine sandpaper or emery cloth is folded to fit the block and slipped on with the loose ends in the slot, which holds the abrasive securely in place.—ALEXANDER GRABAU.

PATENTS TRADE-MARKS AND COPYRIGHTS

SPECIAL OFFER FREE OPINION AS TO PATENTABLE NATURE

Before disclosing an invention, the inventor should write for our blank form "Record of Invention." This should be signed and witnessed and if returned to us together with model or sketch and description of the invention, we will give our opinion as to its patentable nature.

Our Three Books Mailed Free to Inventors

Our Illustrated Guide BOOK

HOW TO OBTAIN A PATENT

Contains full instructions regarding U. S. Patents. Our Methods, Terms, and 100 Mechanical Movements illustrated and described, Articles on Assignment or SALE OF PATENTS, Patent Practice and Procedure, and Law Points for inventors.

OUR TRADE MARK BOOK

Shows the value and necessity of Trade-Mark Protection and gives information regarding unfair competition.

OUR FOREIGN BOOK

We have Direct Agencies in all Foreign Countries. Write for our illustrated Guide Book on Foreign Patents.

Send for List of Patent Buyers containing unsolicited Letters from Manufacturers and others Wishing to Buy Patents.

SPECIALIZATION Our Staff

The field of invention is so vast that it is impossible for any one to become an expert in all the different classes of invention. Only those skilled in the class to which the invention relates are capable of rendering efficient service. For this reason Victor J. Evans & Co. employ a number of patent lawyers and mechanical experts who have been selected for their special knowledge and ability in certain lines of invention. Each case is placed in charge of experts in the classes to which the invention relates.

THE VALUE OF YOUR PATENT

Will depend much upon the skill and care with which your case is prosecuted in the United States Patent Office. We spare neither time nor pains to secure the broadest possible patents that the inventions will warrant. That every case entrusted to us receives our best efforts, and that our work is done consistently, skillfully and thoroughly is evidenced by the many unsolicited letters of commendation that we receive constantly from our clients. We will furnish upon request lists of clients from any State in the Union for whom we have secured patents.

Our New York, Philadelphia, Pittsburgh, Chicago, and San Francisco Offices

Owing to the growth of our business we have established for the benefit of our clients Branch Offices in New York City, Philadelphia, Pa., Pittsburg, Pa., Chicago, Ill., and San Francisco, Cal. These branch offices being located in these large commercial cities, together with our Main Office located near the U. S. Patent Office, in Washington, enables us to more promptly handle the business of our clients, particularly as the branch offices are in constant touch with the Main Office and fully equipped to handle patent business in all its branches.

Highest References—Prompt Attention—Reasonable Terms

FREE COUPON



VICTOR J. EVANS & CO. Patent Attorneys

New York Offices 1007 Woolworth Bldg. Philadelphia Offices 714-715 Liberty Bldg. Pittsburgh Offices 514 Empire Bldg. Chicago Offices, 1114 Tacoma Bldg. San Francisco Offices, Hobart Bldg.

Main Offices, 760 9th Street, Washington, D. C.

Gentlemen: Please send me FREE OF CHARGE your books as described above.

Name.....Address.....

PATENTS

IF YOU HAVE AN INVENTION and DESIRE TO LEARN HOW TO SECURE A PATENT, send for Our Guide Book, **HOW TO GET A PATENT**, sent Free on request. Tells our Terms, Methods, etc. Send model or sketch and description of your invention and we will give our opinion as to its patentable nature.

NAME.....
STREET.....
CITY.....STATE.....

RANDOLPH & CO.
130 F St., N. W., Washington, D. C.

PATENTS

Booklet Free Highest References
Promptness Assured Best Results

Send drawing or model for preliminary examination of Patent Office records and report as to patentability.

All Business Given Prompt and Proper Attention

WATSON E. COLEMAN, Patent Lawyer,
624 F St., Washington, D. C.

INVENTORS AIDED

Richardson & Rogers, 8 Albee Bldg., Washington

Practice in all Courts
TRADE MARKS
COPYRIGHTS
We seek the valid

PATENTS

PATENTS

TRADE-MARKS COPYRIGHTS

Send for our free book
of patent information

Beale & Park 804 F St., Washington, D. C.
16 S. Broad St., Philadelphia, Pa.



PATENTS

Send us sketch or model for patentability opinion and exact cost of patent. Our book "How to Obtain a Patent" sent Free on request. It tells how to apply for Patents, Trade Marks, Foreign Patents, Copyrights, etc.; gives information on Patent Procedure; tells what every inventor should know. Thousands of inventors, who are our clients, are our references.

CHANDLER & CHANDLER, 25 Years' Experience
427 7th St. Washington, D. C.

PATENTS and TRADE-MARKS

As one of the oldest patent firms in America, and representing a clientele extending to all parts of the country, we afford inventors and Manufacturers, at lowest consistent charges, a service noted for efficiency and results, evidenced by many well-known Patents and Trade Marks of extraordinary value.

Lacey & Lacey, 648 F St., Washington, D. C.
ESTABLISHED 1869
Our book Patent Sense - Free

PATENTS

To the Man With an Idea

I offer a most comprehensive, experienced, efficient service for his prompt, legal protection and the development of his proposition.

Send sketch, or model and description, for advice as to cost, search through prior United States patents, etc. Preliminary advice gladly furnished without charge.

My experience and familiarity with various arts, frequently enable me to accurately advise clients as to probable patentability before they go to any expense.

Booklet of valuable information and form for properly disclosing your idea, free on request. Write today.

RICHARD B. OWEN

Patent Lawyer

6 Owen Building, Washington, D. C.
2276-D Woolworth Building
New York City

CAN YOU

think of a simple, practical idea that will fill one of the many requests we have on file for new inventions? It may mean a fortune for you. Thousands of things are needed Right Now. Your brains can help. Send today for our great new book—"Inventions and Trade Marks, Their Protection and Exploitation"—and learn more about making money from ideas than you ever knew before. It tells many things that are wanted, too.

A postal will do—it is free.

We help our clients, without charge, to get the dollars out of their ideas—having facilities none others possess.

Advice free.

Don't delay—get the book at once.

AMERICAN INDUSTRIES, INC.

201 Patent Dept.,
WASHINGTON, D. C.


**PATENTS
ADVERTISED
For SALE FREE
In INVENTION And
MANUFACTURING
SUPPLEMENT.**

Published for the man with an idea. Send for free sample copy. One year's subscription 50c.

THE HOME WORKSHOP

Barbed Wire Reel Is Carried on Wagon End Gate

TO MOUNT a reel of barbed wire when running farm fences, a wooden frame with iron axle and crank handle may be attached directly to the end gate of a wagon. The frame is made of two pieces of 2 by 4, 3 ft. long, mortised to fit the floor of the wagon. These pieces are supported by two 1 by 6 in. braces and made rigid by another crosswise brace.



Saves time in stringing farm fences

In unrolling a spool of wire, the free end is tied to a post and the wagon is driven forward. In coiling up loose wire the crank has to be turned by hand.—G. H. DACY.

Making Concrete Bird Baths

ARTISTIC concrete bird baths may easily be made by using two discarded kitchen pans for molds. A dish about 20 in. across will serve for the outside form, and another dish 6 or 7 in. less in diameter, with either vertical or tapering sides, will make the inside form. These two are placed as shown in the illustration.



CONCRETE SMALLER PAN



The mold and the finished bath

In mixing the concrete, use clean sand or gravel and add enough water to form a mixture that is quite soft. The concrete is carefully poured all around the inside dish and on top of it until the larger dish is filled. When the concrete is removed, after it has hardened, a thin coating of pure cement wash should be given to both the outer and inner surfaces to render them completely waterproof and enhance their appearance.—O. R.

Quickly Made Renewable Fuse

THE illustrated fuse plug is made from an ordinary separable knife-blade attachment plug. The fuse element is simply a strip of tinfoil. This is glued or fastened with shellac to a disk of mica in such a way that it forms a link in the circuit that will burn out if the current exceeds the carrying capacity of the tinfoil, the proper size of which can be found by trial.

A pair of these plugs in my experimental laboratory have saved me many a dime.—J. M. ROLSTON.



THE TWO PARTS ARE THEN PUSHED TOGETHER

A useful fuse in an emergency



A Lightning hold up

NIGHT and a storm—the sky's aflame. Your radio set is in grave danger without a Radisco Lightning Arrester. The high induced charges always present in your antenna wires during an electrical storm can ruin the delicate instrument. A Radisco Arrester holds up lightning and sidetracks the induced charges to earth. Small, inexpensive, weatherproof, \$3 at your dealers or RADIO DISTRIBUTING CO., NEWARK, N. J.

Write for catalog of radio supplies

RADISCO LIGHTNING ARRESTER

MAKE MONEY \$ AT HOME \$

YOU can earn from \$1 to \$2 an hour in your spare time writing show cards. Quickly and easily learned by our new simple "Instructograph" method. No canvassing or soliciting; we teach you how, guarantee you steady work at home no matter where you live, and pay you cash each week.

Full particulars and Booklet Free.
AMERICAN SHOW CARD SCHOOL

206 Ryrie Building

Toronto, Can

U.S. PATENTS



DON'T LOSE YOUR RIGHTS TO PATENT PROTECTION

Before disclosing your invention to anyone send for blank form "EVIDENCE OF CONCEPTION" to be signed and witnessed. A sample form together with printed instructions will show you just how to work up your evidence and establish the same before filing application for patent. As registered patent attorneys we represent hundreds of inventors all over the United States and Canada in the advancement of inventions. Our schedule of fees will be found reasonable. The form "Evidence of Conception," sample, instructions relating to obtaining of patents and schedule of fees sent upon request. Ask for them, —a post card will do.




274 Ouray Bldg.
WASHINGTON, D. C.

Originators of form "Evidence of Conception."

THE HOME WORKSHOP

How to Make a Small Motor-Driven Glass Drill

TO DRILL holes in glass, particularly near the edges, is one of the most exacting tasks the home worker has to do. It is not hard, however, to make a little machine that will exert uniform pressure and cut glass like metal. This device con-




Front view of the machine in operation

sists of a box-shaped structure, made either from metal or wood, in the form of an inverted L, in which runs a vertical shaft with a flanged wheel 3 in. or more in diameter. The shaft is provided with a coupling or chuck for holding the brass tube with which the drilling is done.

The upper end of the shaft is pressed down by the weight of a hinged piece of wood or iron. For convenience, a lever is attached to the lower bearing of the spindle so that the drill tubing may be lifted off the glass at will.

The pulley of the machine is connected by a string belt with a small motor, in this instance a sewing machine motor. The glass to be drilled is placed under the



Made from toy parts and a small motor

spindle and held by means of a few thumb-tacks. Moisten the glass with turpentine, place a little coarse carborundum under the tube and let the motor run slowly. If plenty of turpentine and carborundum are applied, the tube will drill through a piece of window glass in a few minutes.—E. B.

IN STRETCHING the aerial, consider what would happen if the wire should fall. If other wires are below it, find out their nature. If an aerial wire should fall across a light wire, the aerial wire would probably burn off, but not before the apparatus had been ruined.—L. B. E.



RADIO ENJOYMENT

is obtainable only where high-grade Radio apparatus is employed. In order to be sure that you haven't overlooked anything that will give you the most Radio enjoyment, comfort and efficiency, equip your receiving set with

STROMBERG-CARLSON RADIO PARTS

STROMBERG-CARLSON "Radio Head Set" fits comfortably, is quickly adjusted, has unexcelled tonal qualities and reproduces faint long-distance signals.

STROMBERG-CARLSON "Universal Radio Plug" should be attached to every Head Set—fits any standard jack—takes any type or size of conductor and takes wire loops, tinsel loops, pin tips or spade tips.

STROMBERG-CARLSON "Radio Jacks" are adapted to all standard Radio Plugs. They mount neatly without washers, on panels of varying thickness between $\frac{1}{8}$ " and $\frac{1}{4}$ ".

STROMBERG-CARLSON Radio Parts are made by a concern with 28 years' experience in designing and producing radio and telephone apparatus.

Order Stromberg-Carlson Radio apparatus through your electrical merchandise dealer, or write for free Bulletin No. 1029-P.S.

Stromberg-Carlson Telephone Mfg. Co.
Rochester, N. Y.—Chicago—Kansas City
Address nearest office.





\$20.00 a Week

This Man Wouldn't Stay Down

HE was putting in long hours at unskilled work. His small pay scarcely lasted from week to week.

He saw other men promoted. Then he learned the reason. They had special training. He made up his mind to get that kind of training.

He sent to Scranton a coupon like the one below. That was his first step upward.

The reward was not long coming—an increase in salary. Then he was made Foreman. Now he is Superintendent.

It just shows what a man with ambition can do!

What about you? You don't have to stay down. You can climb to the position you want in the work you like best.

The way to do it is easy—without obligating yourself in any way, mark and mail this coupon.

INTERNATIONAL CORRESPONDENCE SCHOOLS Box 7604-C, Scranton, Penna.

Without cost or obligation on my part, please send me full particulars about the subject before which I have marked an X in the list below:—

BUSINESS TRAINING DEPARTMENT

- | | |
|---|---|
| <input type="checkbox"/> Business Management | <input type="checkbox"/> Salesmanship |
| <input type="checkbox"/> Industrial Management | <input type="checkbox"/> Advertising |
| <input type="checkbox"/> Personnel Organization | <input type="checkbox"/> Better Letters |
| <input type="checkbox"/> Traffic Management | <input type="checkbox"/> Foreign Trade |
| <input type="checkbox"/> Business Law | <input type="checkbox"/> Stenography and Typing |
| <input type="checkbox"/> Banking and Banking Law | <input type="checkbox"/> Business English |
| <input type="checkbox"/> Accountancy (including C.P.A.) | <input type="checkbox"/> Civil Service |
| <input type="checkbox"/> Nicholson Cost Accounting | <input type="checkbox"/> Railway Mail Clerk |
| <input type="checkbox"/> Bookkeeping | <input type="checkbox"/> Common School Subjects |
| <input type="checkbox"/> Private Secretary | <input type="checkbox"/> High School Subjects |
| <input type="checkbox"/> Business Spanish | <input type="checkbox"/> Illustrating |
| <input type="checkbox"/> French | |

TECHNICAL AND INDUSTRIAL DEPARTMENT

- | | |
|---|--|
| <input type="checkbox"/> Electrical Engineering | <input type="checkbox"/> Airplane Engines |
| <input type="checkbox"/> Electric Lighting | <input type="checkbox"/> Architect |
| <input type="checkbox"/> Mechanical Engineer | <input type="checkbox"/> Contractor and Builder |
| <input type="checkbox"/> Mechanical Draftsman | <input type="checkbox"/> Architectural Draftsman |
| <input type="checkbox"/> Machine Shop Practice | <input type="checkbox"/> Concrete Builder |
| <input type="checkbox"/> Railroad Positions | <input type="checkbox"/> Structural Engineer |
| <input type="checkbox"/> Gas Engine Operating | <input type="checkbox"/> Chemistry |
| <input type="checkbox"/> Civil Engineer | <input type="checkbox"/> Pharmacy |
| <input type="checkbox"/> Surveying and Mapping | <input type="checkbox"/> Automobile Work |
| <input type="checkbox"/> Mine Foreman or Engineer | <input type="checkbox"/> Agriculture and Poultry |
| <input type="checkbox"/> Steam Engineering | <input type="checkbox"/> Mathematics |
| <input type="checkbox"/> Radio | |

Name.....

Street Address.....


City..... State.....

Occupation.....

Persons residing in Canada should send this coupon to the International Correspondence Schools Canadian, Limited, Montreal, Canada.

WORKO Radio Cabinets

Test your skill. Build your receiving set. Put it in a Worko Cabinet. Finest solid Mahogany. Varnished-hand rubbed. Locked corners. Nickel plated top hinges. Rabbeted front. Order today for quick delivery. Cash with order. Prepaid East of Rockies.



"WORKO pays the postage"

Panel Size	Inside Dimensions	Price Ea.
6x7"	5 1/2" high 6 1/2" wide 7" dp	\$2.40
6x10 1/2"	5 1/2" " 10" " 7" "	2.65
6x14"	5 1/2" " 13 1/2" " 7" "	3.10
6x21"	5 1/2" " 20 1/2" " 7" "	3.95

Worko Co., Mrs., Racine, Wis.
Dealers—Write for interesting proposition.

THE HOME WORKSHOP

Paraffin Serves as Fuse in Home Fire Alarm System

BY USING paraffin in place of expensive thermostats, any one who knows how to connect a common electric doorbell can arrange a good fire-alarm system for home or shop.

The doorbell can indeed, be used as the alarm signal bell and very little except wire and some brass plates will have to be purchased.

The principle upon which the alarm works is exceedingly simple. Two contacts are separated by a film of paraffin, which serves to insulate them. The heat caused by a fire will melt the paraffin and the contacts will come together and set off the alarm.

Three arrangements are shown in the top diagram. In the first, a plate rests on two metallic pegs or nails and is held in close contact with them by the weight W. In the second, the plate is hinged at one end and the weight is suspended from the other; in the third, a somewhat broader plate is held against the contacts by a weight resting on it. Before placing the plates, they must be dipped in hot paraffin or hot paraffin poured on them at the places of contact.


The system may be improved by using a constant ringing drop, as shown in the lower diagram.

Should a fire melt the paraffin at any one of the contact places, the relay A will become energized and arm B will drop. The bell will then ring continuously until the drop is restored to its normal position.—KENNETH A. SCHAAF.

How to Make a Wooden Minnow from a Clothespin

FROM a clothespin can be made a good wooden minnow. First make a swivel of stiff brass, bent as shown. Drill a fairly large hole through the bottom of it and two smaller holes through the lugs to take a wire ring. Attach the swivel to the head of the clothespin with a long screw. The head of the pin is left on because it causes a slight rattle in the water and helps attract the fish.

To each of the tines of the clothespin are attached spinner fins made of tin, fastened



A "killing" lure when properly painted

with small brads. It will be seen that each fin is set at an angle, pointing in opposite directions.

Fasten four hooks at equal distances apart around the middle of the clothespin. Paint the head white, and the body a blend of red, blue, and green. A narrow black stripe is placed where the minnow's eyes should be.

Give the finished article a final coat of first class waterproof varnish.—L. B. ROBBINS.

RADIO NOW RECEIVED OVER YOUR ELECTRIC LIGHT WIRES



"Super-Antenna"—wonderful invention of radio engineer makes outside aerials unnecessary. Can be attached to any electric light socket. Radio outfit operating on "Super-Antenna" can be taken anywhere, and installed in ten seconds.

Safe—Simple—Efficient

"Super-Antenna" eliminates all danger from aerials touching live wires, being struck by lightning, etc. Will not blow fuses or damage Receiving Set. Reduces static effects to minimum. Is scientifically correct and assures best results from your Radio Outfit at all times.

Order At Once.

Thousands of radio fans have been delighted with the simplicity and convenience of "Super-Antenna." Be up to date. \$2.80 brings this valuable radio unit to your door. Send check or money order NOW. (West of Rockies \$3—Canada \$3.70.)

Dealers—Write for Special Prices.

SUPER-ANTENNA COMPANY
Dept. 49 Quincy, Ill.



Artists and Draftsmen Draw In Comfort

with your board adjusted any desired angle. Revolve your board by using the Hoffman Drawing Board Bracket. A neat indestructible article. Guaranteed to please you or your money back.

Price, Bracket without board, \$5.00 post paid in U. S. Descriptive Circular D, on request.
HOFFMAN DRAWING STAND CO.
187 N. Water St., Rochester, N. Y.

BUILDING AND FLYING AN AEROPLANE

By CHARLES B. HAYWARD. A practical handbook covering the design, construction and operation of aeroplanes and gliders. 150 pages. Price \$1.60.

Popular Science Monthly, 225 West 39th Street, New York

Electric Bells

A complete treatise for the practical worker in installing, operating and testing bell circuits, burglar alarms, thermostats and other apparatus used with electric bells. The detailed instructions for building the apparatus will appeal to the experimenter particularly.

124 pp. Fully illustrated. Price, 75 cents
POPULAR SCIENCE MONTHLY
225 West 39th Street New York City, N. Y.

10c. Charges RADIO & AUTO Batteries

FROM A LAMP SOCKET. At Home With an F-F BATTERY BOOSTER which is a Full Wave Magnetic Rectifier, for 105-125 Volt 60 Cycle A. C. Is it not gratifying to be Always Ready for Radiophone Broadcast Music Seminars News when Friends Call? AM METEOROLIN-INSTANTaneous Work. F-F BATTERY BOOSTERS are Complete, Compact Conveniently Portable, Automatic, Charging Units. Incomplete Carbons Rectifying Brushes Maintain Uninterrupted Service, at Constant Efficiency, while Full Wave Design Delivers Rapid Tap Charge. Screw Plug in Lamp Socket; Snap CLIP on Battery Terminals & Battery will be charged in Morning. No Skill is Required. These Full Wave Automatic Chargers Save You Money. Last Lifetime. Reduced PRICE \$15

Type 6 charges 4 6 Volt Batteries at 6 amps \$15
Type 8 charges 8 Batteries up to 100 Volts \$25
Type A-B charges 8 "A&B" Batteries \$20
Type 12 charges 12 Volt Battery at 12 amps \$15
Type 16 charges 16 Volt Battery at 12 amps \$24
Type 1612 charges 12V old Battery at 12 amps \$24
Type 1612 is Combination of 16 & 12 \$26
Large Types are for heavy Batteries, or where time is limited. Shipping Weights Complete with AM METEOROLIN & Battery CLIPS 11 to 15 lbs. Purchase from Your Dealer, or Mail Check for Prompt Shipment. Or if for Parcel Post, add Postage & Insurance Charges. Or Order Type desired Shipped C.O.D. ORDER Now or WRITE Immediately for FREE BROCHURE Bulletin 17, & Group Charging 12 Battery, Full Wave, Automatic ROTARY Bulletin 17B. THE FRANCE MFG. CO., CLEVELAND, OHIO, U. S. A. Canadian Rep: Battery Service & Sales Co., Hamilton, Ontario, Canada.

Conn Saxophone Book FREE



You can learn to play a tune in one hour on the Conn Saxophone

Possesses improvements found on no other make. Made in world's largest band instrument factory. Used and endorsed by world-famous artists.

Free Trial. Easy Payments. Write now for details.

C. G. CONN, Ltd.,
932 Conn Building,
Elkhart, Indiana

"Red Devil" Rapid Boring Auger Bits are 33 1/3% easier boring, have 10% greater clearance, and bore with or against the grain of any wood. Style 2400—10/16 in. shown here, 75c.

Red Devil Pliers

Reg. U. S. Pat. Off.

A "Red Devil" Plier is something more than a piece of metal given a certain shape. If it is worth using at all, it is because someone knew how best to select the steel for the particular purpose, how to forge it, how to temper it, how to finish it.



It is because "Red Devil" Pliers are made by men who do know these things, that they have become universally accepted as

Good Tools for Good Work

"Red Devil" Slip Joint Plier No. 924—an all-around tool for the home, office, car and garage. Size 6 1/2 inches. From dealers or us, 50c.

"Red Devil" Tools—
American made

Mechanics' tool booklet free

SMITH & HEMENWAY CO., Inc.

Manufacturers of "Red Devil" Tools

264 Broadway New York, N. Y.

"Red Devil" Glass Cutters—the glaziers' standard tools of the world. "It's all in the wheel." Made in 40 styles. No. 924 shown below, 20c.




THE HOME WORKSHOP

Bench Vise for Carpenter Has Wide Range of Adjustment

By G. A. Luers

THE bench attachment illustrated has several advantages over clamps and the usual woodworker's vise for certain classes of work. This construction, as devised by a Washington mechanic, consists of a 2-ft. length of angle iron, with a hole drilled through each end. These holes correspond to holes drilled in two rows across the bench



A useful fixture for the home workshop

top. Two through bolts with wingnuts are the means of securing the angle to the bench.

At the edge of the bench two clamping fixtures are secured as shown. They are simply pieces of strap iron bolted on; the upper end of each is drilled and tapped for a clamp bolt. A flange on the end of each screw prevents the point damaging the wood.

This vise has a wide range of usefulness for sawing, planing, and holding parts while nailing, gluing, and the like.

Supporting Garden Flowers

MANY varieties of garden flowers are easily bent and broken by either high winds or heavy rains. Especially choice plants may be protected by making a support of four pieces of strong wire. Three of these are legs, each of which has a loop at its upper end. Through these loops the other wire is passed, and the two ends are bent around each other in such a way that the circle may be made larger or smaller to suit the plant.



Putting the ring in place

The legs of the support are driven firmly into the ground, and the plant grows up inside the loop, which will be concealed in time by the foliage.—E. B.

Making a Flexible Ruler

A FLEXIBLE ruler can be made cheaply by incasing strips of lead not more than 1/8 in. thick and 3/8 or 1/2 in. wide, in thin, tight-fitting rubber tubing. It will bend to an irregular curve and stay in place without any tendency to spring.

If it becomes uneven in time, place it edge up on a flat surface and tap it gently with a piece of wood.—E. A. MCCANN.

Selling Motors Below Cost 1/6 HP. because of cancellations

\$10



Delivers full 1 1/6 H. P. with liberal overload capacity. Made for 110 volts, 60 cycle current. (Also for 25, 30, 40, 50 Cycle or 220 volts, if desired, at \$1.00 extra.) Just the thing for running washing machine, ironer, dish washer, compressor, bench lathe, blower, fan, drill press, scroll saw or any small machine around house, shop, garage.

MADE AND GUARANTEED BY WELL KNOWN HOUSE

Get this firmly in mind. These are high grade "Reliable Reynolds" Motors—not "seconds" or "unknowns". We're selling them at less than cost of making. We had the parts all made when cancellation came. We're closing them out to get our money.

SOLD ON MONEY BACK GUARANTEE

New motor or free repairs if anything goes wrong within one year. Parts always obtainable. Net weight 20 pounds, shipping weight 26 pounds. Easy means of reversing direction of rotation. 10 ft. cord with attachment plug, 50c. Pullers, 1-1/2 inch or 2 inch, 50c.


Send cash or order C. O. D. by express.

REYNOLDS
ELECTRIC COMPANY

2612 W. Congress Street, — Chicago, Illinois

ADD \$5.00 a DAY to YOUR PROFITS with a TORIT ACETYLENE TORCH No. 13

For radiator repairing, general soldering, light brazing, heating, battery repairing, etc. Produces instant hot flame, works rapidly. Furnished with 4 different tips and soldering copper, enabling you to do a wider range of work.



USES ACETYLENE ONLY

A splendid use for discarded auto acetylene tanks. Many owners make the Torit No. 13 pay for itself in a single day. Torch with 4 different tips; soldering copper, 5 ft. tubing and connection for auto acetylene tank \$7.50.

Order today from your jobber, or

St. Paul Welding & Mfg. Co., 164 W. 3rd St., St. Paul, Minn.

away from home

the antiseptic germicidal liniment in one container is easiest to carry; dependable for a greater variety of emergencies; safe and pleasant to use and provides against the host's lack of necessary preparations. \$1.25 at druggists or postpaid. Liberal trial bottle, postpaid, 10c.

W. F. YOUNG, Inc.
150 Temple Street
Springfield, Mass.

Absorbine J.
THE ANTISEPTIC LINIMENT

COLD PIPE BENDERS

Standard of the World

HAND and MOTOR OPERATED

14 sizes of machines
What it costs to bend pipe our way, per bend



Models E & F

1-in. Pipe, 5 cents 4-in. Pipe, 25 cents
2-in. Pipe, 10 cents 6-in. Pipe, 60 cents
3-in. Pipe, 15 cents 8-in. Pipe, \$1.00


American Pipe Bending Machine Co.
Send for catalogue 51 Pearl St. Boston, Mass.

THE HOME WORKSHOP

Simple Method of Casting Small Bearings of Babbitt

USUALLY the amateur machinist experiences more or less trouble in casting small bearings for the machines he is using or making in his home workshop. After trying everything I had ever heard or read of with no great success, I finally hit upon a method of making a very simple mold that could be used again and again.

All that is required are two wooden blocks about $\frac{1}{2}$ in. thick, of a size to suit



The mold is held together in a vise

the over-all dimensions of the casting that is to be made, and a strip of galvanized iron or tin as wide as the bearing is to be long and long enough to be bent to the required shape, as shown above.


Drill holes in the blocks the same diameter as the shaft and place the shaft in them. Bend the strip of metal to the required shape and place it between the blocks, so that the shaft is properly centered in relation to it. Then clamp the blocks in the vise ready for pouring the babbitt.

It is well to place a small lump of rosin in the metal just before pouring to make it flow more freely.—P. CORK.

Fruit and Vegetable Drier

A RESOURCEFUL housekeeper had a tinsmith make her the drier illustrated. It consists of two galvanized iron pans, the outside 6 in. and the inside 4 in. deep, soldered together at the top edges. A funnel about 8 in. high is set into the bottom of the upper pan, so that the lower pan can be filled with water through it and steam can escape. Pans of any convenient size may be used; in this case the drier was 22 in. long and 15 in. wide.

The upper pan is filled with corn to the depth of about 1 in. and the lower pan is filled with water. An occasional stirring helps the drying process, but there is no danger of scorching the corn. About a bushel a day can be dried in this way.



The funnel must not be omitted

Pumpkin peeled and cut into 1-in. cubes can be dried by the same method. The drier has also been tried out for finishing apple and plum butter, and found to save the constant stirring that otherwise would be necessary. For cooking fruits, however, the galvanized metal is not particularly desirable, and the drier, or at least the inner pan, should be of aluminum. This would not be hard to arrange if an aluminum pan could be found that would fit tightly the galvanized outside pan.—WINIFRED YOUNG.



WHETHER an apprentice in the School of Experience, or a student in the finest Technical College in the country, no man graduates without an appreciation of good tools. Industrial developments have led to new theories and new practices but the dependable accuracy of Starrett Precision Tools is still an axiom in both machine shop and classroom.

Send for Catalog No. 22W and the Supplement showing the newest Starrett Tools

THE L. S. STARRETT COMPANY

The World's Greatest Toolmakers
Manufacturers of Machines Unexcelled
ATHOL, MASS.



Heavy one-inch micrometer caliper No. 238. Designed to stand up under hard usage—exceptionally practical for lathe or milling machine work.

Starrett Tools



42-363

HIGH GRADE
WIRELESS
Head Receivers, Microphones, Keys, Jacks, Etc.
MANUFACTURED BY
American Electric
COMPANY
STATE AND 64TH STS., CHICAGO, U. S. A.



Postpaid
Mailed in plain
wrapper

AMERICAN PUB. CO., 917 Winston Bldg., Philadelphia

SEXUAL KNOWLEDGE

ILLUSTRATED
By WINFIELD SCOTT HALL, M.D., Ph.D.
SEX FACTS MADE PLAIN
What every young man and
Every young woman should know
What every young husband and
Every young wife should know
What every parent should know
Cloth binding—320 pages—many illustrations
Table of contents, & commendations, on request.

MAKE BIG PROFITS CHARGING BATTERIES

\$20 Brings You an HB Charger
Long, easy terms on balance. No repairs or renewals—no experience needed to operate. BIG MONTHLY PROFITS will carry your shop overhead. Sizes for charging 8, 10, 16 or 22 batteries. Write for information. Money-back guarantee.
HOBART BROS. COMPANY
Box P9 Troy, Ohio



SELL US YOUR SPARE TIME

You can earn \$15 to \$50 a week writing show cards in your own home.—No canvassing.—A pleasant profitable profession easily and quickly learnt by our new simple graphic block system. Artistic ability not necessary.—We teach you how, and supply you with work.—Distance no object. Full particulars and booklet free.
WILSON METHODS LIMITED—DEPT. C
64 East Richmond, Toronto, Canada.



How to
Run a Lathe
An 80-page book
for 10c. Postpaid.
Coin or Stamps.

ANOTHER REDUCTION IN PRICES, JUNE 1, 1922

SOUTH BEND LATHES — EST. 1906

	Standard Change Gear	Quick Change Gear		Standard Change Gear	Quick Change Gear
9"x3' Lathe	\$150.00	\$189.00	16"x 8' Lathe	\$385.00	\$435.00
11"x4' Lathe	194.00	232.00	18"x10' Lathe	591.00	649.00
13"x5' Lathe	259.00	301.00	21"x12' Lathe	831.00	905.00
15"x6' Lathe	320.00	367.00	24"x14' Lathe	1129.00	1218.00

Free Catalog No. 76

SOUTH BEND LATHE WORKS, 433 E. Madison St., SOUTH BEND, IND.

Sits There Watching a Lifetime of Work

If some mathematical wizard perched himself on your machine, totalled the output at lightning speed and told infallibly how the work was going, what would his services be worth to you?

Would he be worth the price of a Veeder Counter?—you can have him for that price. He's a Veeder Counter personified.

You're paying someone to count the product a yway, at some stage of operations. From now on, count it automatically instead. Increase the *VOLUME* automatically, by counting it in front of the machine operator—with a

Veeder COUNTER

The Revolution Set-Back Counter below records the output of any machine where a shaft-revolution indicates an operation.



Sets back to zero from any figure by turning knob once round. Supplied with from four to ten figure-wheels, as required. Price with four figure-wheels, as illustrated, \$10.00—subject to discount. Cut less than one-half size. Set-Back Rotary Ratchet Counter, to record reciprocating movements as on punch presses, \$11.50 (list).

Speed Counter

Here's the handiest instrument for finding revolutions-per-minute of a shaft or flywheel. You hold the tip of the counter against end of revolving shaft; press lightly when the second hand of your watch comes to 0; release pressure when minute is up. A spring clutch controls the recording mechanism.



(Cut less than 1/2 size.)

The Veeder Speed Counter enables you to keep motors, engines, generators, line shafting and machines operating at efficient speeds. Price, with two rubber tips (as illustrated) \$3.50.

Send for free booklet no matter what you want to count—automatically or by hand.


The Veeder Mfg. Co.,
44 Sargeant St., Hartford, Conn.

THE HOME WORKSHOP

Vise Made from Bolt, Angle-Irons, Spikes and Spring

I MADE the vise illustrated from two pieces of 2 by 2 by 3/16 in. angle-irons, two spikes, one 3/8-in. bolt 1 3/4 in. long, one spring picked from the scrap pile, and one 3/8-in. plate washer.

One piece of angle-iron was bent as shown in Fig. A. Two holes were drilled in it and countersunk underneath, so that the guide made from the spike, shown in Fig. E, could be riveted flush with the bottom



The parts and how they are assembled


of the lower surface of the angle. Then I cut a slot 5/8 by 3/16 in., to take the tongue of the other angle-iron, Fig. B.

After I had slipped Fig. B through the slot, I drilled a 5/16-in. hole through both angles and tapped it for the 3/8-in. bolt, Fig. C. This was done so that the two holes would line up exactly. I then reamed out the hole in Fig. B to 3/8 in., so that the bolt would turn freely in it. The head of the bolt was drilled for the second spike, which served as a handle.

How the vise goes together is clearly shown in the assembly drawing. All it cost me was two hours' time.—F. N. WACHS.

Brass Paper Fastener Serves as Marker for Draftsman's Scale

A CONVENIENT way of marking a draftsman's triangular scale so that the proper scale can be kept uppermost at all times, is to use a brass paper fastener as a marker. It is attached to the scale by bending it in such a way as to grip the grooves.—FRANK HARAZIM.



Do Your Own Lathe Work

IT will pay inventors, experimenters and owners of small shops to own the MONARCH Junior 9 inch Engine Lathe. You can do all of your own lathe work and do it exactly as you want it done.


Beginners quickly learn to operate the MONARCH Junior Lathe

This wonderful little lathe is so simple and trouble proof that even a beginner can soon turn out finished work.

Small, sturdy and compact, it is the ideal lathe for the home or small work shop. Economically operated, has automatic safety devices and is fully equipped.

It will do all small work that any other lathe will do and do it with 1/1000 of an inch accuracy.

WRITE today for Free catalog and full information about the MONARCH Junior Lathe.



MONARCH JUNIOR \$225 With Bench 9 in. Engine Lathe Legs

THE MONARCH MACHINE TOOL CO.
401 Oak Street - - - Sidney, O.
MONARCH Lathes are built up to 30 inches swing



Your Choice! Keen Kutter knives give you wide choice to select the exact knife that suits you. Keen Kutter quality is your best assurance of long satisfaction.

Simmons Hardware Company

KEEN KUTTER



Buy Direct from Headquarters

Save from 25% to 40% on standard makes of new and rebuilt motors. Get the proper size and type of motor to suit your exact needs—and get it fully guaranteed by a motor merchandising house backed with 20 years of dependable service direct to users. Write today for catalog No. 90. It quotes prices on motors of every size and type.

Electrical Equipment Bought, Repaired or Exchanged

THE FUERST-FRIEDMAN COMPANY
"Reliability Built In"
CLEVELAND, OHIO

This One



TTCK-YLY-Y6PU

The Shipshape Home

How to Do the Odd Jobs

Replacing Glass

Now and then one of the panes of glass about the house will become cracked or shattered. If the replacement pane is to give lasting service, it must be set carefully and well.

First, the size of the glass must be measured by taking the up-and-down and the crosswise distances between the widest points of the old putty. It is best to have the new glass about 1/16 in. smaller so that no difficulty will be encountered when it is fitted into the sash.


The old putty sometimes is very flinty and must be removed with a dull chisel and hammer. In doing this, break out the old glass first and the space it once occupied between the old putty and sash will be left open, thus facilitating the removal of the putty. If the old putty has been flaking off, as is often the case, the sash should be given a coat of linseed oil or paint in the glass rabbet or the new putty will also flake off.

When the rabbet has been perfectly cleaned and painted where necessary, the new glass can then be set in to see if it fits easily. If it fits well, it should be removed and a thin string of soft putty laid in the corners of the rabbet and the glass laid in that. Triangular zinc glazier's points should then be driven in to hold the glass in place. Never drive in a point at the center of the pane, as that is likely to crack it; distribute the points at regular intervals about 9 inches apart, more or less, working from opposite side to opposite side. The outer layer of putty should then be pressed in firmly and smoothly.

When smoothing off the putty, dip the putty knife in water and it will slide evenly and easily over the surface. This makes it easy to give the new putty a smooth and perfect finish.—LOUIS J. BECKER.

Keeping Corners Clean

To overcome this I designed and cut out corner pieces as shown. Copper is the best for this purpose, although any sheet metal may be used. The pieces are nailed on with brass-headed tacks through holes in the round extensions. —C. J. STACKPOLE.



Making Screws Hold

WHEN screw holes become enlarged so that they do not hold the screws properly, I find they may be plugged with lead. Round lead in coil form is handy for this purpose. The screw seems to cut a thread in the lead that holds wonderfully well.

I have used this method of plugging screw holes in window frames for screens and storm sash and found it served much better than the usual custom of using wooden plugs.—GEORGE J. MATTOCKS, JR.



It's a New Tool—

BROWN & SHARPE

THICKNESS GAUGE No. 646

FOR EVERY MOTOR MECHANIC
FOR EVERY MAN WHO USES AN AUTOMOBILE



LIST
PRICE
90 CENTS

For setting tappets, distributor points, spark plugs, determining piston clearances, shims for steering knuckles, or loose joints, etc., a broad range of uses. Affords a relatively inexpensive and accurate gauge.

It contains six blades, .0015", .002", .003", .004", .006", and .015" in thickness, which are used together or singly for measurements up to .0315". These blades are not rolled to size but accurately ground to the correct thicknesses. It has an eyelet in one end—you can carry it on a ring or hang it up.

It is made with the same care and high accuracy of all Brown & Sharpe Tools. You will appreciate its fineness when you look it over at your dealers.

We will be glad to send you pamphlet describing this handy gauge, together with our Small Tool Catalog No. 28.

BROWN & SHARPE MFG. CO.
Providence, R. I., U. S. A.



The Midget
"Five-in-One" Slide Rule
is a combination Mannheim, Polymetric, Log-Log, Binary, Add and Subtract Slide Rule. It will instantly add, subtract, multiply and divide any combination of whole numbers, fractions, mixed numbers and decimals. Gives every root and power, also Logs, Sines and Tangents. Made of aluminum with scales on white celluloid. Size 4 in. Approved and adopted by colleges.
Price with instructions, \$1.50. Leatherette Case 50c. extra. Catalogue Free.
Gibson Slide Rule Co., Niles, Mich.



WHERE ARE MY TOOLS
Left around somewhere? Lost? Damaged? Stolen? Not if you keep them in a Union Tool Chest. It often saves its cost the first month by keeping your tools safe and in order. Write for booklet describing more than fifty styles and sizes.
UNION TOOL CHEST CO.,
24 Mill St., Rochester, N. Y.

GUARANTEED

1/4 h. p. A. C. Motor

\$13.50



A sturdy, efficient split phase 110 volt 60 cycle A. C. Motor, operating at 1740 r. p. m. Tested for 50% overload at factory. Guaranteed for 1 year by the makers. Best value ever offered for..... **\$13.50**

A hundred thousand of these motors are now in use giving satisfaction.




Grinder and Buffer, using above motor, 6 in. abrasive wheel and 7 in. Buff. Most makers charge \$50 or more..... **\$25.00**
Send cash with order.

NORTHWESTERN ELECTRIC CO.
410-420 S. HOYNE AVE., CHICAGO

Win \$5,000




19 year old Samie Ross, Hackensack, N. J., who won \$5,000 in last Reefer Contest.



Mrs. B. R. Young of Girard, Pa., is another winner of a \$5,000 contest prize.



Each Won \$5,000
Will you win this time?



Big Picture FREE On Request

\$11,500 in Prizes

	If no Reefer's Yeast Tablets are ordered	If one \$1 pkg. Reefer's Yeast Tablets are ordered	If two \$1 pkgs. Reefer's Yeast Tablets are ordered	If five \$1 pkgs. Reefer's Yeast Tablets are ordered
1st prize	\$50	\$750	\$1500	\$5000
2nd prize	35	375	750	2500
3rd prize	25	200	400	1250
4th prize	25	125	250	600
5th prize	25	75	150	400
6th to 55th prizes, each	2	4	8	25
56th to 105th prizes, each	1	2	4	10

OBSERVE THESE RULES

- 1—Any one excepting our employees and their relatives may enter this contest. There is no entrance fee of any kind.
- 2—All word lists must be received through the mail by E. J. Reefer, 9th & Spruce Sts., Philadelphia, Pa., and envelopes must be postmarked by post office closing time, November 15, 1922.
- 3—Contestants who have sent lists or orders before November 15th will be qualified for the higher prizes provided orders for Yeast are received through the mail, postmarked on or before November 30th.
- 4—Only English words will be counted. Obsolete, hyphenated or compound words will not be counted. Only the singular or plural of a word will be used, but both singular and plural will not count. Each article or object can be given only one name. Single words made up of two separate words or objects, such as teaspoon, teapot, or teatime will not count. Webster's International Dictionary will be the final authority. Where several synonyms are equally applicable to an object shown in the picture, a person submitting any one of such synonyms will be given credit for one word only.
- 5—The largest list of words which correctly name visible objects beginning with the letter "R" will receive first prize, and so on down the list of 105 prizes. The winning list will be made up from among the words submitted by the contestants, and not controlled by any predetermined list of words selected by the judges as being the "correct" or "master" list.
- 6—For each wrong word a percentage will be deducted from the total number of correct words.
- 7—Two or more people may co-operate in answering the puzzle. However, only one prize will be given to any one household or any one group.
- 8—If a contestant sends us more than one list under an assumed name or pseudonym, then all lists of such contestant will be disqualified.
- 9—You must use only one side of paper. You must number each page and object in a consecutive rotation. Your full name and address must be written on each page in the upper right hand corner. It will aid the judges materially if you will arrange your words alphabetically, and if you will use paper size about 6 in. by 9 in. Failure to do so, however, will not count against you, nor will neatness or handwriting affect your score. Typewritten list, if possible. An enlarged picture will be furnished free upon request.
- 10—The final decision will be made by three judges entirely independent of and having no connection whatever with the E. J. Reefer Company. They will judge the answers submitted and award the prizes at the end of the contest. Each participant entering this contest agrees to accept the decision of the judges as final and conclusive, without argument or question. All answers will receive full consideration, whether or not merchandise is purchased. At the close of the contest, when all lists have been graded, the list winning first prize and the names of the prize winners will be published, and a copy of such list and prize winners' names and addresses will be sent upon request to any participant who sends us a self-addressed, stamped envelope.
- 11—An additional prize of not over \$600 for promptness, as specified above, will be awarded.
- 12—In case of ties for any prize offered, each trying contestant will receive full amount of the prize so tied for.

No goods bought in this contest are subject to exchange, refund or approval.

And besides there are 104 other big cash prizes. Second prize in column 4 is \$2,500. Third prize \$1,250, etc. Just think of it — 105 chances for you to win.

\$600 Extra for Promptness

The last day for mailing your solution to win any of the above prizes is November 15, 1922. But for every day ahead of that date that your order for goods is received, a special extra prize of \$10 for each day will be added to any first prize you win. You can send your order today. Then anytime before November 15th you can qualify this order by sending in your solution. \$600 extra is to be awarded for promptness. Try to get this extra \$600. In case of ties for any prize offered each trying contestant will receive full amount of the prize so tied for.

Win All You Can! Be sure to send your order for \$5 worth of Yeast Tablets if you wish to qualify your list of words for the \$5,000 first prize and the other prizes in the 4th column of the prize list. Don't delay sending in your order. Get the extra prize for promptness. Send your order today.

Yeast Tablets!

The greatest of all yeast products. Something entirely new. A wonderful scientific tablet that embodies all three natural vitamins. Enables your body to derive proper nourishment from the food you eat. Helps build up vitality, strength, endurance. Most all people are undernourished, though many don't know it. Try this scientific way to bring back the springy step, the buoyant freshness of youth, or the youthful natural complexion

that all women long for. Think how wonderful life would be without that continual "tired feeling", with plenty of energy to work hard and play hard. Take this opportunity — find out what Reefer's Vimogen will do for you.

Start Today — Now!

Send today for Reefer's Yeast Tablets and qualify also for the biggest prizes. \$50 or \$5,000 which do you want?

FREE

Everyone sending for a large size picture will receive, fully prepaid, a package of a world famous, exquisitely scented, high priced Complexion Powder. Send for your free package today sure.

E. J. Reefer, Dept. 1786 5th and Spruce Sts. Philadelphia, Pa.

Tune In With These Real Radio Batteries

Hook up a 6-volt Willard *All-Rubber* Radio "A" Battery to your filament circuit, and two or more 24-volt *Threaded Rubber* Radio "B" Batteries to your plate circuit. Then note the difference in the way your set stays tuned—in the freedom from hissing and frying noises. These batteries give you results because they are *built for radio*.


The 6-volt All Rubber "A" Battery

has special heavy Radio plates—Threaded Rubber Insulation—one-piece rubber container, which eliminates all possibility of leakage.

The 24-volt Threaded Rubber "B" Battery

has glass jars, well separated to prevent leakage—Threaded Rubber Insulation—rubber screw-caps. Holds its charge, and is easily recharged.

WILLARD STORAGE BATTERY COMPANY, CLEVELAND, OHIO
Made in Canada by the Willard Storage Battery Company of Canada, Limited, Toronto, Ontario



Write for particulars about
the Willard "A" and "B"
Radio Batteries, or ask the
nearest Willard Battery
Dealer.

COLGATE'S

"HANDY GRIP"
REG. U.S. PAT. OFF.

The Refill Shaving Stick



Like Re-Charging a Gun

PUTTING a Colgate "Refill" Shaving Stick into the "Handy Grip" is as simple as slipping a cartridge into a gun.

The metal "Handy Grip" and container last for years. When you need "Refills" buy them for the price of the soap alone. The soap itself is threaded to screw into the "Handy Grip," and the small stub removed from the socket can be moistened and stuck upon the end of the "Refill." *There is no waste.*

The stick is the most economical form of shaving soap. We can give you this assurance impartially, since we make shaving powder and cream, as well as shaving sticks. But if you prefer cream, you will acknowledge when you have shaved with Colgate's Rapid-Shave Cream that you never knew before how good a shaving cream could be. It is one of our latest products, made on a new principle, and brought to perfection after years of scientific effort.

COLGATE & CO. Dept. R 199 Fulton Street, New York
In Canada: 137 McGill Street, Montreal

The metal "Handy Grip," containing a trial size stick of Colgate's Shaving Soap sent for 10c. When the trial stick is used up you can buy the Colgate "Refills," for the price of the soap alone. There are 350 shaves in a Colgate Shaving Stick—double the number you can get from a tube of cream at the same price.

